THE PUBLIC LIBRARY

OF THE

CITY OF BOSTON

No. 6457.1
1928-30
87-89

Public Document No. 1

# The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

64571

# ANNUAL REPORT

ON THE

# VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1930

PREPARED BY
FREDERIC W. COOK
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
ARTHUR J. HASSETT
STATE REGISTRAR OF VITAL STATISTICS

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

700—5-'31. No. 2319

# CONTENTS.

## EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1930.

### Part I.

### Mortality Statistics.


| | PAGE |
|---|---|
| Introduction | 1–17 |
| General mortality | 1–4 |
| Death registration | 1 |
| Purpose | 1 |
| Mortality statistics | 1, 2 |
| Source of data | 2 |
| Death rates and their comparability | 2 |
| Number of deaths and death rates | 2, 3 |
| Sex | 3 |
| Age | 3 |
| Sex and age | 3 |
| Marital condition | 3 |
| Centenarians | 3 |
| Nativity | 3 |
| Seasonable distribution of deaths | 3, 4 |
| Infant mortality | 4, 5 |
| Cause of death | 5–7 |
| Sources of error in mortality statistics | 5 |
| Principal causes of death | 5–7 |
| Deaths investigated by medical examiners | 7–9 |
| Source of data | 7, 8 |
| Number of deaths investigated | 8 |
| Autopsies | 8 |
| Cause of death | 8, 9 |
| Statistical tables | 18–125 |
| General mortality | 18–93 |
| Table 1.—Deaths, by sex and nativity, population, and death rates in each county and city: 1930 | 18–23 |
| Table 2.—Deaths, by sex and age, in each county: 1930 | 24, 25 |
| Table 3.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1930: 1930 | 26–31 |
| Table 4.—Population, deaths, and death rates per 1,000 population: 1906 to 1930 | 32 |
| Table 5.—Mortality of males and females: 1906 to 1930 | 32 |
| Table 6.—Deaths at specified ages: census years 1905 to 1930 | 33 |
| Table 7.—Per cent of deaths at specified ages—both sexes: 1906 to 1930 | 33 |
| Table 8.—Male deaths per 1,000 female deaths at specified ages: 1927 to 1930 | 33 |
| Table 9.—Deaths of males and females at specified ages: 1921 to 1930 | 34 |
| Table 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1930 | 35 |
| Table 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1906 to 1930 | 35 |
| Table 12.—Deaths by sex, age, and marital condition: 1930 | 36 |
| Table 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1930, by months: 1930 | 37 |
| Table 14.—Deaths from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1930 | 38–63 |
| Table 15.—Deaths from important causes in each municipality: 1930 | 64–88 |
| Table 16.—Deaths from important causes: 1906 to 1930 | 89 |
| Table 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the abridged International List: 1924 to 1930 | 90, 91 |
| Table 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1900 to 1925 | 92 |
| Table 19.—Deaths produced by external causes: 1906 to 1930 | 92 |
| Table 20.—Deaths from cancer, by sex, age, and marital condition: 1930 | 93 |
| Infant mortality | 94–116 |
| Table 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1930 | 94–96 |
| Table 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1906 to 1930 | 96 |
| Table 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1930: 1923 to 1930 | 97 |
| Table 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1930: 1930 | 97, 98 |
| Table 25.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1914 to 1930 | 98 |
| Table 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1905 to 1930 | 99 |
| Table 27.—Infant deaths per 1,000 live births, by causes: 1923 to 1930 | 99 |
| Table 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1923 to 1930 | 99 |
| Table 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1930: 1930 | 100–116 |
| Maternal mortality | 117 |
| Table 30.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1906 to 1930 | 117 |

STATISTICAL TABLES—*Concluded.* PAGE
Maternal mortality—*Concluded.*
TABLE 31.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1906 to 1930 . . . 117
Deaths investigated by medical examiners . . . . . 118–125
TABLE 32.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1930 . . . . . 118, 119
TABLE 33.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1930 . 120–125
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1921 to 1930 . . . . . 124, 125

PART II A.

BIRTH STATISTICS.

INTRODUCTION . . . . . 126–128
Birth registration . . . . . 126, 127
Live births . . . . . 127
Birth rate . . . . . 127
Changes in the birth rate . . . . . 127
Stillbirths . . . . . 127
Birth rates of the principal cities . . . . . 127, 128
Sex proportions at birth . . . . . 128
Nativity of parents . . . . . 128
Plural births . . . . . 128
Natural increase . . . . . 128
STATISTICAL TABLES . . . . . 129–136
TABLE 35.—Live births, by sex and parent nativity; and birth rates in each county and city: 1930 . . . . . 129–133
TABLE 36.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1930: 1930 . . . . . 134
TABLE 37.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1930: 1930 . . . . . 134
TABLE 38.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1930: 1906 to 1930 . . . . . 135
TABLE 39.—Live births, by sex and parent nativity, and sex proportions at birth: 1906 to 1930 . . . . . 135
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1906 to 1930 . . . . 136

PART II B.

MARRIAGE STATISTICS.

INTRODUCTION . . . . . 137, 138
Marriage registration . . . . . 137
Accuracy . . . . . 137
Source of data . . . . . 137
Purpose, marriage requirements . . . . . 138
STATISTICAL TABLES . . . . . 139–149
TABLE 41.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1930 . . . . . 139–143
TABLE 42.—Marriages by sex, age, and marital condition: 1930 . . . . . 143
TABLE 43.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1930: 1930 . . . . . 144, 145
TABLE 44.—Marriages in each county, by sex and age: 1930 . . . . . 144, 145
TABLE 45.—Marriages, by sex and age: 1930 . . . . . 146
TABLE 46.—First marriages, by sex and age: 1930 . . . . . 146
TABLE 47.—First marriages of grooms and remarriages of brides, by age: 1930 . . . 146
TABLE 48.—Remarriages of grooms and first marriages of brides, by age: 1930 . . . 147
TABLE 49.—Remarriages of both parties, by age: 1930 . . . . . 147
TABLE 50.—First marriages and remarriages: 1930 . . . . . 147
TABLE 51.—Marriages, marriage rates, and nativity of persons married: 1906 to 1930 . 148
TABLE 52.—Proportions of first marriages and remarriages per 1,000 marriages: 1906 to 1930 148
TABLE 53.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1930: 1906 to 1930 . . . . . 149

PART II C.

DIVORCE STATISTICS.

INTRODUCTION . . . . . 150, 151
Causes for divorce . . . . . 150
Source of data . . . . . 150
Applications for divorce . . . . . 150
Contested cases . . . . . 150
Number of divorces . . . . . 150
Divorce rates . . . . . 150, 151
Party to which granted . . . . . 151
Divorces classified by causes . . . . . 151
Annulment classified as divorce . . . . . 151
Duration of marriages . . . . . 151
STATISTICAL TABLES . . . . . 152–170
TABLE 54.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1930 . . . . . 152
A. Barnstable County . . . . . 153
B. Berkshire County . . . . . 154
C. Bristol County . . . . . 155
D. Dukes County . . . . . 156
E. Essex County . . . . . 157

STATISTICAL TABLES—*Concluded.* PAGE
F. Franklin County . . . . . 158
G. Hampden County . . . . . 159
H. Hampshire County . . . . . 160
I. Middlesex County . . . . . 161
J. Nantucket County . . . . . 162
K. Norfolk County . . . . . 163
L. Plymouth County . . . . . 164
M. Suffolk County . . . . . 165
N. Worcester County . . . . . 166
TABLE 55.—Number and per cent of divorces granted to husbands and to wives: 1906 to 1930 167
TABLE 56.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1905 to 1929 . . . . . 167
TABLE 57.—Comparison of increase in divorces and divorce rates with increase in population: 1900 to 1925 . . . . . 167
TABLE 58.—Divorce rates based on total population and on married population: census years, 1900 to 1925 . . . . . 167
TABLE 59.—Annual average number of divorces in the State and in each county: census years, 1905 to 1925 . . . . . 168
TABLE 60.—Divorces granted for specified causes for 25 years: 1906 to 1930 . . . 168
TABLE 61.—Statutory causes of divorce: 1906 to 1930 . . . . . 168
TABLE 62.—Applications for divorce: 1906 to 1930 . . . . . 169
TABLE 63.—Divorces granted, classified by cause and party to which granted: 1930 . . 169
TABLE 64.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1930 . . . . . 169
TABLE 65.—Number of years libellants were married at time of application for divorce: 1906 to 1930 . . . . . 170

PART II D.

POPULATION STATISTICS.

Introductory . . . . . 171
Estimated population . . . . . 171
STATISTICAL TABLE . . . . . 172
TABLE 66.—Census population of municipalities having over 15,000 inhabitants in 1930: 1905 to 1930 . . . . . 172

APPENDIX.

International classification of causes of death . . . . . 173–177
1. Detailed International List . . . . . 173–176
2. Abridged International List . . . . . 177

# LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, April 1, 1931.

*To the Honorable Senate and House of Representatives.*

I have the honor to submit herewith, as required by chapter 46, section 21, and chapter 208, section 47, of the General Laws, the eighty-ninth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1930 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly, while births, marriages, and statistics of divorce are not reportable until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, principal statistical clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
*Secretary of the Commonwealth.*

# Editorial Review of the Vital Statistics of Massachusetts, 1930

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

## PART I

## MORTALITY STATISTICS


| | PAGE |
|---|---|
| Introduction | 1–17 |
| General mortality | 1–4 |
| Death registration | 1 |
| Purpose | 1 |
| Mortality statistics | 1, 2 |
| Source of data | 2 |
| Death rates and their comparability | 2 |
| Number of deaths and death rates | 2, 3 |
| Sex | 3 |
| Age | 3 |
| Sex and age | 3 |
| Marital condition | 3 |
| Centenarians | 3 |
| Nativity | 3 |
| Seasonal distribution of deaths | 3, 4 |
| Infant mortality | 4, 5 |
| Cause of death | 5–7 |
| Sources of error in mortality statistics | 5 |
| Principal causes of death | 5–7 |
| Deaths investigated by medical examiners | 7–9 |
| Source of data | 7, 8 |
| Number of deaths investigated | 8 |
| Autopsies | 8 |
| Cause of death | 8, 9 |
| Statistical tables | 18–125 |


### INTRODUCTION.

*History.*

**Death Registration.** — Chapter 3 of the Acts of 1639 of the Laws of the Colony and Province of Massachusetts Bay required the registration of births, marriages and deaths. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1930, inclusive, 3,348,230 deaths have been reported, recorded, and tabulated in the Division of Vital Statistics.

These records are not only on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, but also at the State House.

**Purpose.** — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for both sentimental and legal reasons.

**Mortality Statistics.** — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health ad-

ministration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

**Source of Data.** — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the use of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and transmits a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

**Death Rates and Their Comparability.** — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) the location of hospitals and institutions; (5) migration; and (6) the birth rate.

The rates given in this report, as well as those in all the preceding registration reports, are based on the inclusion of all deaths, both resident and nonresident, occurring in each city or town. Deaths in the asylums for the insane and in other State institutions are enumerated with those of the town where they are located, and while for certain localities nonresident deaths are given (see footnote, page 18), no plan has yet been devised for charging nonresidents back to the towns from which they come. The popularity of city hospitals also affects local statistics. Many victims of diseases, contracted in the country, are carried to the city hospitals and some die there. This requires their deaths to be recorded in the city where they die. Obviously, this is an injustice which is especially apparent in some instances.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

**Number of Deaths and Death Rates.** — There was a decrease in the mortality of 1930 as compared with that of 1929, the number of deaths occurring during the calendar year 1930 being 49,503, a decrease as compared with 1929, of 2,668. Based on the U. S. Census population of April 1, 1930, of 4,249,614, these deaths correspond to a rate of 11.6 per 1,000 population, which is the same rate as in 1927, the lowest ever recorded in Massachusetts; the rate in 1928 and 1929 was 11.9.

During the ten-year periods, from 1910 to 1919, inclusive, the average death rate of the Commonwealth was 15.4, and 1920 to 1929, inclusive, 12.5.

This remarkable decrease in mortality has been the rule rather than the ex-

ception in the experiences of the other States. Since 1900 the average death rate for Massachusetts has been 14.6 per 1,000 living. During the period 1871 to 1875 this rate stood at 20.7, and during the period 1896 to 1900, at 18.1, while the decade from 1921–30 shows an average rate of 12.3, a decided decrease.

Table 4, on page 32, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1906 to 1930.

**Sex.** — Of the 49,503 deaths in 1930 25,242, or 51 per cent, were males, the percentage in 1929 being 50.7. The proportion of males in the living population, as shown by the United States Census of 1920, was 49.1 per cent. Expressed as a ratio there were 1,041 deaths of males per 1,000 deaths of females in 1930, as compared with 1,029 in 1929, 1,028 in 1928, and 1,047 in 1927.

Table 5, on page 32, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

**Age.** — Of the 49,503 deaths in 1930, 4,440, or nine per cent, were of infants under 1 year of age, as compared with 8.8 per cent in 1929, and an average of 10.0 for the five years from 1926 to 1930, 13.3 for the five years from 1921 to 1925, and 15.4 for the five years from 1916 to 1920. A more detailed discussion of infant mortality may be found on pages 4 and 5.

**Sex and Age.** — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 4,440 decedents under 1 year of age in 1930, 2,482 or 55.9 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 65 to 69 years, with the exception of the 4-year, 25 to 29, and 30 to 34-year age periods, in which the number of female deaths was larger than the number of male deaths. From the age of 70 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1927–1930 are shown in Table 8, on page 33.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 25,242 male decedents in 1930, 2,482, or 9.8 per cent, were under 1 year of age; among the 24,261 female decedents, 1,958, or 8.1 per cent, were under 1 year; and among the decedents of both sexes 9 per cent were under 1 year (see table 9, page 34.)

**Marital Condition.** — Not quite one half (48 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1930 were married, 18.9 per cent were single, 31.7 per cent were widowed, 1.2 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.3 per cent were married, 19.7 per cent were single, 22.3 per cent were widowed, 1.4 per cent were divorced, and .3 per cent were unknown. Among the female decedents 39.6 per cent were married, 18.1 per cent were single, 41.2 per cent were widowed, 1.1 per cent were divorced, and less than one tenth of 1 per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 36, shows the number of deaths of males and females 15 years of age and over, by marital condition.

**Centenarians.** — Among the deaths registered during 1930, there were 25 of reputed centenarians, 22 of whom were females, 14 were native, and 11 were foreign born, 22 were widowed, and 3 were single. Table 11, on page 35, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-five years 1906 to 1930.

**Nativity.** — Nearly two thirds (63.3 per cent) of the decedents whose nativity was reported on the death certificates in 1930 were native, and 36.4 per cent were foreign. There were .3 per cent whose nativity was not reported.

**Seasonal Distribution of Deaths.** — The largest number of deaths during

any month occurred in March (4,990), and the next largest number in April (4,764). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1930 was 136. The months showing the highest average for the year were February (163), March (161), April (159), and January (147). Table 13, on page 37, shows the number of deaths in each month of 1930 in the State, in counties, and in cities having over 50,000 inhabitants in 1930.

*Infant Mortality.*

The infant mortality for the State in 1930 was 60.3 per 1,000 live births. This rate is the lowest ever recorded in the Commonwealth. Reference to Table 22, on page 96, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

The figures from 1916 to 1930 are shown in the following table:

| Years. | Number of deaths under one year of age. | Infant mortality rates. |
|---|---|---|
| 1916 | 9,334 | 99.8 |
| 1917 | 9,325 | 97.4 |
| 1918 | 10,820 | 113.2 |
| 1919 | 7,769 | 88.5 |
| 1920 | 8,382 | 91.2 |
| 1921 | 7,005 | 75.9 |
| 1922 | 7,129 | 81.3 |
| 1923 | 6,968 | 78.1 |
| 1924 | 6,191 | 67.7 |
| 1925 | 6,294 | 73.1 |
| 1926 | 6,130 | 73.4 |
| 1927 | 5,320 | 64.7 |
| 1928 | 5,118 | 64.7 |
| 1929 | 4,592 | 62.0 |
| 1930 | 4,440 | 60.3 |

In the ten years from 1921 to 1930, there has been a decrease of 20.1 per cent in the number of live births registered, and in the actual number of deaths under one year of 36.6 per cent. In 1930, deaths in Boston under 1 year of age numbered 1,257, or 69.6 per 1,000 live births, as compared with 68.9 in 1929, 76.9 in 1928, 85.4 in 1927, and 83.9 in 1926. In the ten years from 1921 to 1930 there has been a decrease of 1,340 in the number of live births registered, and a decrease in the actual number of deaths under 1 year of 240, or 16 per cent. For the remainder of the State the number of births registered decreased 23.6 per cent during this period, while the number of deaths under 1 year decreased 42.2 per cent. The infant mortality rates for the State, exclusive of Boston, decreased from 106.6 per 1,000 live births in 1914 to 57.2 in 1930, as compared with a decrease in Boston from 105.2 in 1914 to 69.6 in 1930. (See Table 25 on page 98.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 94 to 96.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1925 are shown for the years 1923 to 1930 in Table 23 on page 97.

A careful analysis of the returns of cities and towns in which children's hospitals are located would probably show lower infant mortality rates than appear in Table 23.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1930, 2,047 deaths occurred in the first week, constituting 46.1 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (25.3) was higher than on any other day. In the first month of life there were 2,594 deaths, or 58.4 per cent of all infant deaths.

In the first three months there were 3,199 deaths, or 72.0 per cent of all infant deaths. Over three-fourths (84.8 per cent) of the infant deaths occurred in the first half of the year.

Over three-fourths (84.4 per cent) of the 2,047 babies who died less than one week after birth died of prematurity, congenital debility, malformations, or in-

juries received at birth. Of the 2,304 babies who died from these causes before reaching the age of 1 year 43.8 per cent died in less than one day, 75.0 per cent died in less than one week, and 88.2 per cent died in less than one month. The second most important cause of infant deaths — gastric and intestinal diseases — claimed 394, or 8.9 per cent of the babies who died before reaching 1 year of age. Thirteen and two-tenths per cent of the babies who died from this cause died in less than one month after birth, 14.7 per cent within one but less than two months after birth, and 14.0 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes, — from 30.0 deaths per 1,000 live births in 1922 to 25.5 in 1930. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1926 when there were 847 infant deaths from this cause, 693 in 1927, 769 in 1928, 674 in 1929, and 633 in 1930. The principal causes of infant deaths for the years 1923 to 1930 are shown in Table 27, page 99.

*Causes of Death.*[1]

**Sources of Error in Mortality Statistics.** — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. It is also probable that there are many unavoidable errors of mistaken diagnosis.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 205 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 49,503 received during 1930 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

**Principal Causes of Death.** — More than one-third of the 49,503 deaths reported in 1930 were caused by organic heart disease* (including pericarditis), pneumonia (including bronchopneumonia), and tuberculosis in all forms. These diseases, together with cerebral hemorrhage*, cancer, Bright's disease* and nephritis, external causes, malformations* and the diseases of early infancy, caused 75 per cent of the deaths for the year.

**Pneumonia** (including bronchopneumonia) caused 4,043 deaths in 1930, or 95.1 per 100,000 population. It was responsible for 4,906 deaths, or 112 per 100,000 population in 1929 as compared with 106.9 in 1928, 95.8 in 1927, and 122.4 in 1926. The deaths from *Heart Disease** in 1930 numbered 11,353, or 22.9 per cent of all deaths, or 267.2 per 100,000 population, as compared with 11,528, or 22.1 per cent of all deaths, or 263.2 per 100,000 population in 1929. In 1929, deaths from this cause increased 1,313 over 1928, while the death rate per 100,000 population increased from 236.2 for 1928 to 263.2 for 1929.

**Tuberculosis** in its various forms claimed 2,734 victims in 1930, of whom 2,423 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 4.9 per cent of all deaths during the year, as compared with 8.1 per

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

cent for the five years from 1912 to 1916. In the six years from 1910 to 1915 the death rate from tuberculosis of the respiratory system* fell from 133.2 to 116 per 100,000 population, a drop of 17.2, the decline being continuous from year to year. In 1918, however, there was an increase in the death rate to 130, but in 1919 there was a decline to 108.1, 94.6 in 1920, 84.2 in 1921, 80.5 in 1922, 77.1 in 1923, 73.8 in 1924, 69.6 in 1925, 70.3 in 1926, 65 in 1927, 62.2 in 1928, 58.5 in 1929 and 57 in 1930.

**Cerebral Hemorrhage*** was the cause of 4,108 deaths, or 96.7 per 100,000 population. The death rate from this disease has fluctuated somewhat being 97.8 in 1926, 93.3 in 1927, 98.1 in 1928, and 94.8 in 1929.

**Cancer and other Malignant Tumors** caused 5,813 deaths in 1930, corresponding to a death rate of 136.8 as compared with 129.5 in 1929. Of the deaths from cancer 28.4 per cent resulted from cancers of the stomach and liver. The death rate from cancer has risen from 89.9 in 1910, to 136.8 in 1930. The increase has been continuous. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

**Diabetes** was the cause of 1,021 deaths in 1930, being responsible for a rate of 24.0 per 100,000 population. The rate from this disease has shown a steady increase for the last five years, being 22.8 for 1929, 21.5 for 1928 and 19.8 for 1926 and 1927.

**Bright's Disease* and Nephritis** were the causes of 3,617 deaths in 1930, corresponding to a rate of 85.1 per 100,000 population, as compared with 79 in 1929, 84.4 in 1928, 85.4 in 1927, 91.8 in 1926, and an average rate of 80.1 for the five years from 1921 to 1925. There were 3,485 deaths caused by Bright's disease*, and 132 by acute nephritis.

**Congenital Debility* and Malformations*** caused 1,929 deaths in 1930, corresponding to a rate of 45.4 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2).

**Diarrhea and Enteritis*** caused 572 deaths in 1930, or 13.5 per 100,000 population. For the last ten years this rate has shown a marked decline. Seventy-one and seven tenths per cent of the total number of deaths charged to these causes in 1930 were of infants under 2 years of age. The rates from this cause for all ages have declined steadily, being 21.8 in 1926, 17 in 1927, 15 in 1928, and 12.6 in 1929.

**Diphtheria and Croup*** — which are classed together in the statistics, but practically all of which are of diphtheria — number 182, or 4.3 per 100,000 population in 1930. This rate was 5.8 in 1929 and 1928 as compared with 6.3 in 1927, and 5.9 in 1926.

**Typhoid Fever*** has shown a steady decline since 1910, having dropped from 12.2 in that year to .9 in 1930. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1930 was 38, as compared with 42 in 1929, 36 in 1928, 44 in 1927, and 61 in 1926.

**Alcoholism** caused 214 deaths in 1930, a decrease of 67 from those in 1929, and corresponding to a rate of 5 per 100,000 population. In 1928 there were 258 deaths from this cause; in 1927, 260, and in 1926, 285.

**Influenza** was responsible for 270 deaths, or 6.3 per 100,000 inhabitants, as compared with 352.7 in 1918, 17 in 1926, 7.6 in 1927, 12 in 1928, and 27.1 in 1929.

The principal epidemic maladies of childhood (*whooping cough**, *measles**, and *scarlet fever**) were together responsible for 417 deaths of both adults and children, or 9.8 per 100,000 population in 1930, the rates for the three diseases separately being 4.3, 3.2, and 2.3 respectively. The mortality rates for all three of these diseases have changed greatly from year to year.

**Death Rates from Violence** during the past five years per 100,000 population were 79.3 in 1926, 79 in 1927, 82.5 in 1928, 81.8 in 1929, and 82.3 in 1930.

Deaths due to *Railroad Accidents and Injuries** total 79 in 1930, or 1.9 per 100,000 population. The rates for previous years were 2.4 in 1929, 2.8 in 1928, and 2.7 in 1927.

Deaths resulting from *street-car accidents and injuries** numbered 35, or .8 per 100,000 population.

**Automobile Accidents and Injuries*** caused 799 deaths in 1930, or 18.8 per 100,000 population. This is a slight increase over the last few years, being 17.9 in 1929, 17 in 1928, 16.3 in 1927, and 16.2 in 1926. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year.

It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

**Effects of Heat.** — In 1930 the deaths from this cause numbered 25. In 1929 there were 37 deaths, in 1928, 34, in 1927, 14, and in 1926 there were 63 deaths. The highest temperature recorded in 1930 was 98 degrees on August 3. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on July 6.

The maximum mean temperature for the months of June, July and August was as follows:

| | June. | July. | August. |
|---|---|---|---|
| 1930 | 81.9 | 80.7 | 78.4 |
| 1929 | 77.7 | 82.2 | 78.5 |
| 1928 | 72.6 | 81.2 | 81.0 |
| 1927 | 73.5 | 80.2 | 75.1 |
| 1926 | 73.0 | 78.4 | 77.6 |
| 1925 | 80.7 | 80.5 | 80.0 |
| 1911 | 73.2 | 86.0 | 76.3 |

The average monthly humidity was as follows:

| | June. | July. | August. |
|---|---|---|---|
| 1930 | 65 | 64 | 66 |
| 1929 | 61 | 59 | 64 |
| 1928 | 70 | 70 | 74 |
| 1927 | 62 | 78 | 75 |
| 1926 | 62 | 68 | 72 |
| 1925 | 69 | 68 | 67 |
| 1911 | 75 | 65 | 78 |

Deaths caused by *machinery accidents** in 1930 numbered 63, or 1.5 per 100,000 population. The corresponding figures for previous years were 1.2 in 1925, 1.3 in 1926, 1.2 in 1927 and 1928, and 1.3 in 1929.

The number of *suicides** reported in 1930 was 547, or 12.9 per 100,000 population. The rates since 1925 have been: 1926, 11.2; 1927, 10.9; 1928, 12.7, and 1929, 12.4.

Deaths caused by *firearms* numbered 178 in 1930, corresponding to a rate of 4.2 per 100,000 population. Of these deaths 118 were suicides, 34 were homicides, and 26 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Deaths from *homicide** numbered 79 in 1930, or 1.9 per 100,000 population. The rates for homicide in recent years are 2.1 in 1926, 2 in 1927, 1.8 in 1928, and 1.6 in 1929.

The causes of death of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 38 to 63. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. In Table 15, on pages 64 to 88, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1924 to 1930 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17, on pages 90 and 91. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 92 and 93.

*Deaths Investigated by Medical Examiners.*

**Source of Data.** — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to

violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The causes when certified on the death certificates are more nearly accurate, because the reports received from the medical examiners after they themselves have certified in many instances to the cause shown do not contain all of the facts that led to death. Both the reports and certificates should compare and efforts are now being directed toward a uniformity in this regard.

**Number of Deaths Investigated.** — The number of deaths investigated by the medical examiners in 1930 was 7,982, or 16.1 per cent of the total number of deaths which occurred during the year, as compared with 8,097 deaths in 1929, or 15.5 per cent of the total number of deaths. Two-thirds (66.8 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,170 or 39.7 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,499 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1930 was in Suffolk County, 1,817 as compared with 2,047 in 1929. Of the deaths investigated in Suffolk County, 734 or 40.4 per cent, were reported as due to violence (see Table 32, pages 118 and 119).

**Autopsies.** — Autopsies were made in 551, or 6.9 per cent, of the cases investigated by the medical examiners in 1930, as compared with 7.2 per cent in 1929, 8 per cent in 1928, 7 per cent in 1927, and 7.4 per cent in 1926.

The highest proportion of autopsies was in Suffolk County where 15.4 per cent of the views were autopsied, as compared with 17.4 per cent in 1929. Table 34, on pages 124 and 125, shows the number of views and the number of autopsies in each county in each year from 1921 to 1930, and the number and per cent of views autopsied for the ten-year period, 1921 to 1930.

**Cause of Death.** — Nearly one-half (49.6 per cent) of the deaths viewed by medical examiners in 1930 were from causes not due to violence, 39.7 per cent were due to violence, and .9 per cent were stillbirths. Seven hundred eighty-five, or 9.8 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 3,956, of which 3,660 were from natural causes and 209 were due to alcoholism.

Deaths due to violence numbered 3,170, of which 2,535 were due to accident or negligence, 556 were suicides, and 79 were homicides.

Of the 2,535 deaths due to accident or negligence, 754 were due to falls and blows, 791 were due to automobile accidents, 240 resulted from drowning, 75 were due to railroad accidents, and 675 to other causes. The number of deaths due to automobile accidents in the last ten years is shown in the following table:

| Years. | Deaths from automobile accidents. | Years. | Deaths from automobile accidents. |
|---|---|---|---|
| 1921 | 506 | 1926 | 687 |
| 1922 | 494 | 1927 | 682 |
| 1923 | 619 | 1928 | 722 |
| 1924 | 687 | 1929 | 772 |
| 1925 | 733 | 1930 | 791 |

**Suicides** numbered 556, or 17.5 per cent, of the deaths due to violence. Suicides committed with firearms 121, and by the use of illuminating and other gases, 147, constituted about one-half (48.2 per cent) of the total number. The number of suicides by poisons was 45, by hanging or strangulation, 121, by drowning, 59, and other methods, 63. About three-fourths (74.8 per cent) of the suicides were males.

Of the 556 persons committing suicide, 134 were 50 to 59 years of age, 116 were

40 to 49 years of age, 92 were 30 to 39 years of age, 59 were 20 to 29 years of age, 144 were over 60 years of age, and 11 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 101, and from 40 to 49 years, 80, while among the female suicides the largest numbers were from 40 to 49 years of age, 36, and from 50 to 59 years of age, 33, and from 30 to 39 years, 27. The most common method of committing suicide was by illuminating or other gases.

**Homicide** numbered 79, of which 33 were by firearms, 12 were by cutting or piercing instruments, 33 by other means, and 1 was a case of infanticide. Of the 79 homicides, 52, or 65.8 per cent, were males.

---

The charts that follow were prepared by Mayo Tolman, Sanitary Engineer, from figures compiled by the Division of Vital Statistics.


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
CANCER
130
120
110
100
90
80
70
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
DIABETES
35
30
25
20
15
10
5
0
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
HEART DISEASE
270
260
250
240
230
220
210
200
190
180
170
160
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
TUBERCULOSIS ALL FORMS
TUBERCULOSIS OF THE LUNGS
250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
DIPHTHERIA
SCARLET FEVER
55
50
45
40
35
30
25
20
15
10
5
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 100000
WHOOPING COUGH
MEASLES
25
20
15
10
5
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1900 – 1930
Death Rate per 1000
INFANT MORTALITY
UNDER 1 YEAR
UNDER 5 YEARS
Rates computed from Age Group Population by U.S. Census
190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
0
1900
1905
1910
1915
1920
1925
1930


MASSACHUSETTS
1912 – 1930
Death Rate per 100000
AUTOMOBILE
ACCIDENTS
25
20
15
10
5
0
1912
1915
1920
1925
1930

# STATISTICAL TABLES.

## General Mortality

**Table 1** — Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1930.

| Counties and Municipalities.[1] | Total number. | Sex. Male. | Sex. Female. | Nativity. Native. | Nativity. Foreign born. | Nativity. Unknown. | Death rate[3] per 1,000 population. U. S. Census April 1, 1930. | Death rate[3] per 1,000 population. Including non-residents. | Death rate[3] per 1,000 population. Excluding non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| **The State.** | **49,503** | **25,242** | **24,261** | **31,331** | **18,019** | **153** | **4,249,614** | **11.6** | – |
| Counties. | | | | | | | | | |
| Barnstable | 476 | 250 | 226 | 401 | 74 | 1 | 32,305 | 14.7 | – |
| Berkshire | 1,455 | 750 | 705 | 1,067 | 388 | – | 120,700 | 12.1 | – |
| Bristol | 4,092 | 2,023 | 2,069 | 2,300 | 1,781 | 11 | 364,590 | 11.2 | – |
| Dukes | 86 | 42 | 44 | 70 | 16 | – | 4,953 | 17.4 | – |
| Essex | 5,676 | 2,838 | 2,838 | 3,626 | 2,036 | 14 | 498,040 | 11.4 | – |
| Franklin | 596 | 306 | 290 | 474 | 120 | 2 | 49,612 | 12.0 | – |
| Hampden | 3,583 | 1,835 | 1,748 | 2,322 | 1,247 | 14 | 335,496 | 10.7 | – |
| Hampshire | 935 | 479 | 456 | 651 | 282 | 2 | 72,801 | 12.8 | – |
| Middlesex | 9,779 | 4,792 | 4,987 | 6,111 | 3,653 | 15 | 934,924 | 10.5 | – |
| Nantucket | 56 | 29 | 27 | 46 | 10 | – | 3,678 | 15.2 | – |
| Norfolk | 3,075 | 1,525 | 1,550 | 2,032 | 1,033 | 10 | 299,426 | 10.3 | – |
| Plymouth | 1,996 | 1,028 | 968 | 1,436 | 554 | 6 | 162,311 | 12.3 | – |
| Suffolk | 11,896 | 6,274 | 5,622 | 7,070 | 4,756 | 70 | 879,536 | 13.5 | – |
| Worcester | 5,802 | 3,071 | 2,731 | 3,725 | 2,069 | 8 | 491,242 | 11.8 | – |
| Municipalities. | | | | | | | | | |
| Abington | 58 | 35 | 23 | 41 | 17 | – | – | – | – |
| Acton | 32 | 16 | 16 | 24 | 8 | – | – | – | – |
| Acushnet | 52 | 30 | 22 | 33 | 19 | – | – | – | – |
| Adams | 143 | 71 | 72 | 77 | 66 | – | 12,697 | 11.3 | – |
| Agawam | 51 | 19 | 32 | 38 | 13 | – | – | – | – |
| Alford | 1 | 1 | – | – | 1 | – | – | – | – |
| Amesbury | 145 | 76 | 69 | 103 | 41 | 1 | 11,899 | 12.2 | – |
| Amherst | 43 | 22 | 21 | 37 | 6 | – | – | – | – |
| Andover | 99 | 41 | 58 | 59 | 40 | – | 9,969 | 9.9 | – |
| Arlington | 336[4] | 154 | 182 | 214 | 122 | – | 36,094 | 9.3 | 7.9 |
| Ashburnham | 12 | 7 | 5 | 9 | 3 | – | – | – | – |
| Ashby | 10 | 7 | 3 | 8 | 2 | – | – | – | – |
| Ashfield | 14 | 7 | 7 | 14 | – | – | – | – | – |
| Ashland | 15 | 9 | 6 | 9 | 6 | – | – | – | – |
| Athol | 114 | 57 | 57 | 97 | 17 | – | 10,677 | 10.7 | – |
| Attleboro | 225[5] | 118 | 107 | 153 | 71 | 1 | 21,769 | 10.3 | 8.5 |
| Auburn | 35 | 16 | 19 | 20 | 15 | – | – | – | – |
| Avon | 22 | 9 | 13 | 16 | 6 | – | – | – | – |
| Ayer | 43 | 15 | 28 | 33 | 10 | – | – | – | – |
| Barnstable | 131 | 66 | 65 | 111 | 20 | – | – | – | – |
| Barre | 37 | 23 | 14 | 23 | 14 | – | – | – | – |
| Becket | 10 | 7 | 3 | 9 | 1 | – | – | – | – |
| Bedford | 19 | 11 | 8 | 12 | 7 | – | – | – | – |
| Belchertown | 26 | 12 | 14 | 20 | 6 | – | – | – | – |
| Bellingham | 18 | 8 | 10 | 12 | 6 | – | – | – | – |
| Belmont | 153 | 64 | 89 | 100 | 53 | – | 21,748 | 7.0 | – |
| Berkley | 10 | 6 | 4 | 8 | 2 | – | – | – | – |
| Berlin | 6 | – | 6 | 5 | 1 | – | – | – | – |
| Bernardston | 9 | 2 | 7 | 8 | 1 | – | – | – | – |
| Beverly | 270[6] | 134 | 136 | 201 | 69 | – | 25,086 | 10.8 | 9.0 |
| Billerica | 48 | 16 | 32 | 32 | 15 | 1 | – | – | – |
| Blackstone | 31 | 21 | 10 | 18 | 13 | – | – | – | – |
| Blandford | 5 | 4 | 1 | 5 | – | – | – | – | – |
| Bolton | 5 | 4 | 1 | 3 | 2 | – | – | – | – |
| Boston | 11,015[7] | 5,726 | 5,289 | 6,564 | 4,383 | 68 | 781,188 | 14.1 | 11.3 |
| Bourne | 51 | 30 | 21 | 42 | 9 | – | – | – | – |
| Boxborough | 1 | 1 | – | 1 | – | – | – | – | – |
| Boxford | 7 | 6 | 1 | 4 | 3 | – | – | – | – |
| Boylston | 10 | 4 | 6 | 6 | 4 | – | – | – | – |
| Braintree | 163 | 91 | 72 | 115 | 48 | – | 15,712 | 10.4 | – |
| Brewster | 11 | 6 | 5 | 11 | – | – | – | – | – |
| Bridgewater | 133 | 111 | 22 | 80 | 52 | 1 | – | – | – |
| Brimfield | 12 | 4 | 8 | 10 | 2 | – | – | – | – |
| Brockton | 818[8] | 402 | 416 | 566 | 249 | 3 | 63,797 | 12.8 | 10.5 |
| Brookfield | 11 | 2 | 9 | 10 | 1 | – | – | – | – |
| Brookline | 498[9] | 231 | 267 | 350 | 143 | 5 | 47,490 | 10.5 | 7.6 |
| Buckland | 20 | 8 | 12 | 17 | 3 | – | – | – | – |
| Burlington | 6 | 4 | 2 | 3 | 3 | – | – | – | – |

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.
[3] The rates shown in this column are based on the total population, and make no allowance for differences in the sex and age distribution of the population. The rates for certain localities are materially affected by deaths of nonresidents who may be attracted to those localities by their superior hospital facilities, or may resort to certain localities for treatment of tuberculosis, mental defects, or other diseases. The death rate, both including and excluding nonresidents, is shown.
[4] 50 nonresidents.
[5] 40 nonresidents.
[6] 45 nonresidents.
[7] 2,163 nonresidents.
[8] 148 nonresidents.
[9] 139 nonresidents.

**Table 1**

| Municipalities.[1] | Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total number. | Sex. | | Nativity. | | | Death rate[3] per 1,000 population. | | |
| | | Male. | Female. | Native. | Foreign born. | Unknown. | U. S. Census April 1, 1930. | Including nonresidents. | Excluding nonresidents. |
| Cambridge | 1,350 [4] | 686 | 664 | 776 | 572 | 2 | 113,643 | 11.9 | 9.0 |
| Canton | 63 | 37 | 26 | 39 | 23 | 1 | – | – | – |
| Carlisle | 3 | 1 | 2 | 2 | 1 | – | – | – | – |
| Carver | 14 | 9 | 5 | 6 | 8 | – | – | – | – |
| Charlemont | 14 | 7 | 7 | 13 | 1 | – | – | – | – |
| Charlton | 30 | 19 | 11 | 20 | 9 | 1 | – | – | – |
| Chatham | 18 | 5 | 13 | 15 | 3 | – | – | – | – |
| Chelmsford | 41 | 24 | 17 | 30 | 11 | – | – | – | – |
| Chelsea | 549 [5] | 393 | 156 | 319 | 228 | 2 | 45,816 | 11.9 | 6.5 |
| Cheshire | 28 | 13 | 15 | 23 | 5 | – | – | – | – |
| Chester | 9 | 8 | 1 | 5 | 4 | – | – | – | – |
| Chesterfield | 6 | 2 | 4 | 5 | 1 | – | – | – | – |
| Chicopee | 250 [6] | 141 | 109 | 132 | 118 | – | 43,930 | 5.7 | 5.4 |
| Chilmark | 5 | 2 | 3 | 4 | 1 | – | – | – | – |
| Clarksburg | 6 | 3 | 3 | 5 | 1 | – | – | – | – |
| Clinton | 142 | 75 | 67 | 80 | 62 | – | 12,817 | 11.1 | – |
| Cohasset | 58 | 31 | 27 | 46 | 12 | – | – | – | – |
| Colrain | 10 | 6 | 4 | 7 | 3 | – | – | – | – |
| Concord | 91 | 43 | 48 | 61 | 30 | – | – | – | – |
| Conway | 6 | 5 | 1 | 4 | 2 | – | – | – | – |
| Cummington | 7 | 4 | 3 | 7 | – | – | – | – | – |
| Dalton | 33 | 17 | 16 | 24 | 9 | – | – | – | – |
| Dana | 5 | 2 | 3 | 5 | – | – | – | – | – |
| Danvers | 376 [7] | 190 | 186 | 231 | 143 | 2 | 12,957 | 29.0 | 8.7 |
| Dartmouth | 84 | 47 | 37 | 46 | 38 | – | – | – | – |
| Dedham | 100 | 47 | 53 | 63 | 37 | – | 15,136 | 6.6 | – |
| Deerfield | 33 | 22 | 11 | 23 | 10 | – | – | – | – |
| Dennis | 35 | 23 | 12 | 33 | 2 | – | – | – | – |
| Dighton | 23 | 16 | 7 | 16 | 7 | – | – | – | – |
| Douglas | 18 | 10 | 8 | 7 | 11 | – | – | – | – |
| Dover | 3 | 1 | 2 | 3 | – | – | – | – | – |
| Dracut | 57 | 31 | 26 | 32 | 25 | – | – | – | – |
| Dudley | 28 | 15 | 13 | 8 | 20 | – | – | – | – |
| Dunstable | 1 | – | 1 | 1 | – | – | – | – | – |
| Duxbury | 28 | 16 | 12 | 24 | 4 | – | – | – | – |
| East Bridgewater | 30 | 17 | 13 | 25 | 5 | – | – | – | – |
| East Brookfield | 10 | 9 | 1 | 8 | 1 | 1 | – | – | – |
| East Longmeadow | 20 | 7 | 13 | 16 | 4 | – | – | – | – |
| Eastham | 4 | 1 | 3 | 3 | 1 | – | – | – | – |
| Easthampton | 73 | 35 | 38 | 45 | 28 | – | 11,323 | 6.4 | – |
| Easton | 57 | 23 | 34 | 47 | 10 | – | – | – | – |
| Edgartown | 10 | 5 | 5 | 7 | 3 | – | – | – | – |
| Egremont | 3 | 1 | 2 | 3 | – | – | – | – | – |
| Enfield | 8 | 2 | 6 | 6 | 2 | – | – | – | – |
| Erving | 10 | 5 | 5 | 7 | 3 | – | – | – | – |
| Essex | 19 | 8 | 11 | 15 | 4 | – | – | – | – |
| Everett | 366 [8] | 176 | 190 | 219 | 147 | – | 48,424 | 7.6 | 7.0 |
| Fairhaven | 76 | 33 | 43 | 51 | 25 | – | 10,951 | 6.9 | – |
| Fall River | 1,322 [9] | 620 | 702 | 673 | 646 | 3 | 115,274 | 11.5 | 10.7 |
| Falmouth | 44 | 26 | 18 | 33 | 11 | – | – | – | – |
| Fitchburg | 453 [10] | 215 | 238 | 250 | 203 | – | 40,692 | 11.1 | 10.0 |
| Florida | 2 | 2 | – | 2 | – | – | – | – | – |
| Foxborough | 115 | 57 | 58 | 72 | 41 | 2 | – | – | – |
| Framingham | 296 [11] | 148 | 148 | 210 | 86 | – | 22,210 | 13.3 | 9.8 |
| Franklin | 68 | 31 | 37 | 43 | 25 | – | – | – | – |
| Freetown | 12 | 5 | 7 | 8 | 4 | – | – | – | – |
| Gardner | 245 [12] | 139 | 106 | 148 | 97 | – | 19,399 | 12.6 | 8.9 |
| Gay Head | – | – | – | – | – | – | – | – | – |
| Georgetown | 31 | 13 | 18 | 27 | 4 | – | – | – | – |
| Gill | 12 | 5 | 7 | 8 | 4 | – | – | – | – |
| Gloucester | 283 [13] | 136 | 147 | 193 | 90 | – | 24,204 | 11.7 | 10.9 |
| Goshen | 4 | 2 | 2 | 3 | 1 | – | – | – | – |
| Gosnold | – | – | – | – | – | – | – | – | – |
| Grafton | 103 [14] | 40 | 63 | 72 | 31 | – | – | – | – |
| Granby | 6 | 4 | 2 | 5 | 1 | – | – | – | – |
| Granville | 6 | 5 | 1 | 5 | 1 | – | – | – | – |
| Great Barrington | 98 | 50 | 48 | 74 | 24 | – | – | – | – |
| Greenfield | 194 | 103 | 91 | 157 | 36 | 1 | 15,500 | 12.5 | – |
| Greenwich | 4 | 3 | 1 | 4 | – | – | – | – | – |
| Groton | 29 | 13 | 16 | 19 | 10 | – | – | – | – |
| Groveland | 25 | 13 | 12 | 18 | 7 | – | – | – | – |
| Hadley | 21 | 11 | 10 | 15 | 6 | – | – | – | – |

See footnotes 1–3, on page 18.

[4] 323 nonresidents.
[5] 252 nonresidents.
[6] 11 nonresidents.
[7] 263 nonresidents.
[8] 25 nonresidents.
[9] 92 nonresidents.
[10] 48 nonresidents.
[11] 78 nonresidents.
[12] 73 nonresidents.
[13] 18 nonresidents.
[14] 53 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. Male. | SEX. Female. | NATIVITY. Native. | NATIVITY. Foreign born. | NATIVITY. Unknown. | DEATH RATE[3] PER 1,000 POPULATION. U. S. Census April 1, 1930. | DEATH RATE[3] PER 1,000 POPULATION. Including non-residents. | DEATH RATE[3] PER 1,000 POPULATION. Excluding non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| Halifax | 5 | 3 | 2 | 3 | 2 | – | – | – | – |
| Hamilton | 12 | 8 | 4 | 8 | 4 | – | – | – | – |
| Hampden | 8 | 4 | 4 | 6 | 2 | – | – | – | – |
| Hancock | 6 | 2 | 4 | 6 | – | – | – | – | – |
| Hanover | 31 | 18 | 13 | 20 | 11 | – | – | – | – |
| Hanson | 59 | 27 | 32 | 42 | 17 | – | – | – | – |
| Hardwick | 19 | 10 | 9 | 10 | 9 | – | – | – | – |
| Harvard | 10 | 3 | 7 | 7 | 3 | – | – | – | – |
| Harwich | 37 | 16 | 21 | 34 | 3 | – | – | – | – |
| Hatfield | 15 | 9 | 6 | 9 | 6 | – | – | – | – |
| HAVERHILL | 546[4] | 277 | 269 | 376 | 167 | 3 | 48,710 | 11.2 | 10.3 |
| Hawley | 3 | 1 | 2 | 3 | – | – | – | – | – |
| Heath | 1 | 1 | – | 1 | – | – | – | – | – |
| Hingham | 63 | 27 | 36 | 50 | 13 | – | – | – | – |
| Hinsdale | 12 | 8 | 4 | 11 | 1 | – | – | – | – |
| Holbrook | 38 | 21 | 17 | 29 | 9 | – | – | – | – |
| Holden | 38 | 19 | 19 | 30 | 8 | – | – | – | – |
| Holland | 2 | 2 | – | 2 | – | – | – | – | – |
| Holliston | 25 | 14 | 11 | 18 | 7 | – | – | – | – |
| HOLYOKE | 740[5] | 376 | 364 | 376 | 363 | 1 | 56,537 | 13.1 | 10.9 |
| Hopedale | 35 | 15 | 20 | 29 | 6 | – | – | – | – |
| Hopkinton | 22 | 8 | 14 | 16 | 6 | – | – | – | – |
| Hubbardston | 11 | 7 | 4 | 10 | 1 | – | – | – | – |
| Hudson | 75 | 31 | 44 | 56 | 19 | – | – | – | – |
| Hull | 34 | 21 | 13 | 16 | 18 | – | – | – | – |
| Huntington | 10 | 7 | 3 | 9 | 1 | – | – | – | – |
| Ipswich | 67 | 33 | 34 | 48 | 19 | – | – | – | – |
| Kingston | 23 | 10 | 13 | 18 | 5 | – | – | – | – |
| Lakeville | 37[6] | 19 | 18 | 29 | 8 | – | – | – | – |
| Lancaster | 29 | 13 | 16 | 22 | 7 | – | – | – | – |
| Lanesborough | 8 | 4 | 4 | 7 | 1 | – | – | – | – |
| LAWRENCE | 905[7] | 493 | 412 | 406 | 498 | 1 | 85,068 | 10.6 | 9.5 |
| Lee | 34 | 14 | 20 | 25 | 9 | – | – | – | – |
| Leicester | 26 | 14 | 12 | 18 | 8 | – | – | – | – |
| Lenox | 14 | 8 | 6 | 8 | 6 | – | – | – | – |
| LEOMINSTER | 228[8] | 113 | 115 | 162 | 66 | – | 21,810 | 10.5 | 9.9 |
| Leverett | 6 | 3 | 3 | 4 | 1 | 1 | – | – | – |
| Lexington | 81 | 35 | 46 | 55 | 26 | – | – | – | – |
| Leyden | 2 | 2 | – | 2 | – | – | – | – | – |
| Lincoln | 13 | 9 | 4 | 9 | 4 | – | – | – | – |
| Littleton | 17 | 7 | 10 | 10 | 6 | 1 | – | – | – |
| Longmeadow | 28 | 12 | 16 | 16 | 12 | – | – | – | – |
| LOWELL | 1,331[9] | 647 | 684 | 712 | 616 | 3 | 100,234 | 13.3 | 12.3 |
| Ludlow | 52 | 29 | 23 | 34 | 17 | 1 | – | – | – |
| Lunenburg | 23 | 15 | 8 | 20 | 3 | – | – | – | – |
| LYNN | 1,086[10] | 543 | 543 | 722 | 363 | 1 | 102,320 | 10.6 | 9.8 |
| Lynnfield | 21 | 9 | 12 | 13 | 8 | – | – | – | – |
| MALDEN | 480[11] | 226 | 254 | 294 | 185 | 1 | 58,036 | 8.3 | 7.5 |
| Manchester | 19 | 6 | 13 | 14 | 5 | – | – | – | – |
| Mansfield | 63 | 30 | 33 | 44 | 19 | – | – | – | – |
| Marblehead | 95 | 45 | 50 | 85 | 10 | – | – | – | – |
| Marion | 9 | 3 | 6 | 9 | – | – | – | – | – |
| MARLBOROUGH | 176[12] | 98 | 78 | 114 | 60 | 2 | 15,587 | 11.3 | 9.9 |
| Marshfield | 23 | 15 | 8 | 22 | 1 | – | – | – | – |
| Mashpee | 1 | 1 | – | 1 | – | – | – | – | – |
| Mattapoisett | 17 | 8 | 9 | 14 | 3 | – | – | – | – |
| Maynard | 44 | 17 | 27 | 23 | 21 | – | – | – | – |
| Medfield | 108[13] | 52 | 56 | 59 | 49 | – | – | – | – |
| MEDFORD | 465[14] | 190 | 275 | 301 | 164 | – | 59,714 | 7.8 | 6.8 |
| Medway | 23 | 7 | 16 | 15 | 8 | – | – | – | – |
| MELROSE | 311[15] | 149 | 162 | 236 | 75 | – | 23,170 | 13.4 | 10.0 |
| Mendon | 13 | 5 | 8 | 9 | 4 | – | – | – | – |
| Merrimac | 19 | 8 | 11 | 13 | 6 | – | – | – | – |
| Methuen | 178[16] | 76 | 102 | 89 | 88 | 1 | 21,069 | 8.4 | 7.5 |
| Middleborough | 114 | 57 | 57 | 86 | 28 | – | – | – | – |
| Middlefield | 3 | 2 | 1 | 2 | 1 | – | – | – | – |
| Middleton | 94 | 53 | 41 | 61 | 32 | 1 | – | – | – |
| Milford | 196 | 115 | 81 | 129 | 66 | 1 | 14,741 | 13.3 | – |
| Millbury | 45 | 20 | 25 | 26 | 19 | – | – | – | – |
| Millis | 13 | 9 | 4 | 8 | 5 | – | – | – | – |
| Millville | 14 | 6 | 8 | 9 | 5 | – | – | – | – |

See footnotes 1–3, on page 18.

[4] 43 nonresidents.
[5] 124 nonresidents.
[6] 20 nonresidents.
[7] 93 nonresidents.
[8] 11 nonresidents.
[9] 97 nonresidents.
[10] 85 nonresidents.
[11] 45 nonresidents.
[12] 21 nonresidents.
[13] 98 nonresidents.
[14] 58 nonresidents.
[15] 79 nonresidents.
[16] 19 nonresidents.

**Table 1**

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. Male. | SEX. Female. | NATIVITY. Native. | NATIVITY. Foreign born. | NATIVITY. Unknown. | DEATH RATE[3] PER 1,000 POPULATION. U. S. Census April 1, 1930. | DEATH RATE[3] PER 1,000 POPULATION. Including non-residents. | DEATH RATE[3] PER 1,000 POPULATION. Excluding non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| Milton | 106 | 50 | 56 | 70 | 35 | 1 | 16,434 | 6.5 | – |
| Monroe | – | – | – | – | – | – | – | – | – |
| Monson | 128[4] | 85 | 43 | 107 | 20 | 1 | – | – | – |
| Montague | 125 | 61 | 64 | 92 | 33 | – | – | – | – |
| Monterey | 6 | 1 | 5 | 5 | 1 | – | – | – | – |
| Montgomery | 3 | 1 | 2 | 3 | – | – | – | – | – |
| Mount Washington | – | – | – | – | – | – | – | – | – |
| Nahant | 24 | 8 | 16 | 16 | 8 | – | – | – | – |
| Nantucket | 56 | 29 | 27 | 46 | 10 | – | – | – | – |
| Natick | 158 | 81 | 77 | 115 | 43 | – | 13,589 | 11.6 | – |
| Needham | 93 | 38 | 55 | 66 | 27 | – | 10,845 | 8.6 | – |
| New Ashford | – | – | – | – | – | – | – | – | – |
| NEW BEDFORD | 1,243[5] | 607 | 636 | 621 | 618 | 4 | 112,597 | 11.0 | 10.2 |
| New Braintree | 1 | 1 | – | – | 1 | – | – | – | – |
| New Marlborough | 12 | 8 | 4 | 11 | 1 | – | – | – | – |
| New Salem | 7 | 6 | 1 | 7 | – | – | – | – | – |
| Newbury | 23 | 11 | 12 | 19 | 3 | 1 | – | – | – |
| NEWBURYPORT | 205[6] | 85 | 120 | 152 | 52 | 1 | 15,084 | 13.6 | 11.9 |
| NEWTON | 546[7] | 232 | 314 | 405 | 141 | – | 65,276 | 8.4 | 7.1 |
| Norfolk | 249[8] | 136 | 113 | 131 | 118 | – | – | – | – |
| NORTH ADAMS | 295[9] | 154 | 141 | 211 | 84 | – | 21,621 | 13.6 | 11.8 |
| North Andover | 65 | 36 | 29 | 39 | 26 | – | – | – | – |
| North Attleborough | 99 | 52 | 47 | 67 | 32 | – | 10,197 | 9.7 | – |
| North Brookfield | 30 | 16 | 14 | 22 | 8 | – | – | – | – |
| North Reading | 51 | 21 | 30 | 41 | 10 | – | – | – | – |
| NORTHAMPTON | 515[10] | 269 | 246 | 351 | 163 | 1 | 24,381 | 21.1 | 9.8 |
| Northborough | 22 | 12 | 10 | 16 | 6 | – | – | – | – |
| Northbridge | 82 | 43 | 39 | 45 | 37 | – | 9,713 | 8.4 | – |
| Northfield | 27 | 12 | 15 | 24 | 3 | – | – | – | – |
| Norton | 19 | 10 | 9 | 14 | 5 | – | – | – | – |
| Norwell | 20 | 11 | 9 | 17 | 3 | – | – | – | – |
| Norwood | 142 | 77 | 65 | 90 | 52 | – | 15,049 | 9.4 | – |
| Oak Bluffs | 53 | 27 | 26 | 44 | 9 | – | – | – | – |
| Oakham | 4 | 2 | 2 | 4 | – | – | – | – | – |
| Orange | 69 | 33 | 36 | 57 | 12 | – | – | – | – |
| Orleans | 21 | 10 | 11 | 20 | 1 | – | – | – | – |
| Otis | 9 | 5 | 4 | 8 | 1 | – | – | – | – |
| Oxford | 39 | 22 | 17 | 21 | 17 | 1 | – | – | – |
| Palmer | 104 | 48 | 56 | 65 | 39 | – | 9,577 | 10.9 | – |
| Paxton | 5 | 2 | 3 | 5 | – | – | – | – | – |
| PEABODY | 197[11] | 103 | 94 | 123 | 74 | – | 21,345 | 9.2 | 8.2 |
| Pelham | 8 | 4 | 4 | 6 | 2 | – | – | – | – |
| Pembroke | 15 | 11 | 4 | 14 | 1 | – | – | – | – |
| Pepperell | 47 | 31 | 16 | 36 | 11 | – | – | – | – |
| Peru | 2 | 2 | – | 2 | – | – | – | – | – |
| Petersham | 7 | 3 | 4 | 6 | 1 | – | – | – | – |
| Phillipston | 3 | 1 | 2 | 2 | 1 | – | – | – | – |
| PITTSFIELD | 618[12] | 316 | 302 | 460 | 158 | – | 49,677 | 12.4 | 9.9 |
| Plainfield | 5 | 2 | 3 | 5 | – | – | – | – | – |
| Plainville | 15 | 6 | 9 | 12 | 3 | – | – | – | – |
| Plymouth | 158 | 65 | 93 | 107 | 51 | – | 13,042 | 12.1 | – |
| Plympton | 6 | 4 | 2 | 6 | – | – | – | – | – |
| Prescott | – | – | – | – | – | – | – | – | – |
| Princeton | 3 | – | 3 | 1 | 2 | – | – | – | – |
| Provincetown | 47 | 23 | 24 | 33 | 14 | – | – | – | – |
| QUINCY | 601[13] | 317 | 284 | 362 | 239 | – | 71,983 | 8.3 | 7.5 |
| Randolph | 68 | 29 | 39 | 45 | 22 | 1 | – | – | – |
| Raynham | 19 | 11 | 8 | 13 | 6 | – | – | – | – |
| Reading | 98 | 43 | 55 | 70 | 28 | – | – | – | – |
| Rehoboth | 18 | 11 | 7 | 13 | 5 | – | – | – | – |
| REVERE | 178[14] | 82 | 96 | 87 | 91 | – | 35,680 | 5.0 | 4.7 |
| Richmond | 8 | 5 | 3 | 7 | 1 | – | – | – | – |
| Rochester | 11 | 7 | 4 | 9 | 2 | – | – | – | – |
| Rockland | 80 | 41 | 39 | 65 | 14 | 1 | – | – | – |
| Rockport | 47 | 22 | 25 | 33 | 14 | – | – | – | – |
| Rowe | 5 | 3 | 2 | 5 | – | – | – | – | – |
| Rowley | 14 | 5 | 9 | 12 | 2 | – | – | – | – |
| Royalston | 8 | 7 | 1 | 7 | 1 | – | – | – | – |
| Russell | 6 | 5 | 1 | 4 | 2 | – | – | – | – |
| Rutland | 202[15] | 166 | 36 | 160 | 42 | – | – | – | – |
| SALEM | 558[16] | 274 | 284 | 366 | 190 | 2 | 43,353 | 12.9 | 10.9 |

See footnotes 1–3, on page 18.

[4] 83 nonresidents.
[5] 94 nonresidents.
[6] 26 nonresidents.
[7] 80 nonresidents.
[8] 237 nonresidents.
[9] 39 nonresidents.
[10] 275 nonresidents.
[11] 22 nonresidents.
[12] 126 nonresidents.
[13] 60 nonresidents.
[14] 9 nonresidents.
[15] 198 nonresidents.
[16] 86 nonresidents.

**Table 1**

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. Male. | SEX. Female. | NATIVITY. Native. | NATIVITY. Foreign born. | NATIVITY. Unknown. | DEATH RATE[3] PER 1,000 POPULATION. U. S. Census April 1, 1930. | DEATH RATE[3] PER 1,000 POPULATION. Including non-residents. | DEATH RATE[3] PER 1,000 POPULATION. Excluding non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| Salisbury | 23 | 13 | 10 | 18 | 5 | – | – | – | – |
| Sandisfield | 1 | 1 | – | 1 | – | – | – | – | – |
| Sandwich | 16 | 11 | 5 | 14 | 2 | – | – | – | – |
| Saugus | 101 | 52 | 49 | 68 | 33 | – | 14,700 | 6.9 | – |
| Savoy | 2 | – | 2 | 2 | – | – | – | – | – |
| Scituate | 57 | 23 | 34 | 46 | 10 | 1 | – | – | – |
| Seekonk | 56 | 26 | 30 | 39 | 17 | – | – | – | – |
| Sharon | 34 | 18 | 16 | 25 | 9 | – | – | – | – |
| Sheffield | 21 | 10 | 11 | 21 | – | – | – | – | – |
| Shelburne | 10 | 5 | 5 | 7 | 3 | – | – | – | – |
| Sherborn | 7 | 4 | 3 | 5 | 2 | – | – | – | – |
| Shirley | 11 | 8 | 3 | 8 | 3 | – | – | – | – |
| Shrewsbury | 64 | 36 | 28 | 48 | 16 | – | – | – | – |
| Shutesbury | 1 | – | 1 | 1 | – | – | – | – | – |
| Somerset | 48 | 30 | 18 | 31 | 17 | – | – | – | – |
| SOMERVILLE | 1,009[4] | 498 | 511 | 625 | 384 | – | 103,908 | 9.7 | 9.1 |
| South Hadley | 51 | 22 | 29 | 33 | 18 | – | – | – | – |
| Southampton | 10 | 5 | 5 | 8 | 2 | – | – | – | – |
| Southborough | 16 | 10 | 6 | 13 | 3 | – | – | – | – |
| Southbridge | 107 | 54 | 53 | 63 | 44 | – | 14,264 | 7.5 | – |
| Southwick | 7 | 4 | 3 | 7 | – | – | – | – | – |
| Spencer | 60 | 25 | 35 | 37 | 22 | 1 | – | – | – |
| SPRINGFIELD | 1,783[5] | 897 | 886 | 1,228 | 548 | 7 | 149,900 | 11.9 | 9.9 |
| Sterling | 18 | 7 | 11 | 14 | 4 | – | – | – | – |
| Stockbridge | 17 | 9 | 8 | 16 | 1 | – | – | – | – |
| Stoneham | 118 | 47 | 71 | 89 | 28 | 1 | 10,060 | 11.7 | – |
| Stoughton | 77 | 38 | 39 | 57 | 20 | – | – | – | – |
| Stow | 12 | 6 | 6 | 7 | 5 | – | – | – | – |
| Sturbridge | 25 | 15 | 10 | 14 | 11 | – | – | – | – |
| Sudbury | 13 | 8 | 5 | 11 | 2 | – | – | – | – |
| Sunderland | 6 | 3 | 3 | 6 | – | – | – | – | – |
| Sutton | 17 | 10 | 7 | 9 | 8 | – | – | – | – |
| Swampscott | 78 | 38 | 40 | 61 | 17 | – | 10,346 | 7.5 | – |
| Swansea | 33 | 18 | 15 | 21 | 12 | – | – | – | – |
| TAUNTON | 597[6] | 309 | 288 | 380 | 214 | 3 | 37,355 | 16.0 | 11.2 |
| Templeton | 37 | 15 | 22 | 30 | 7 | – | – | – | – |
| Tewksbury | 25 | 11 | 14 | 13 | 12 | – | – | – | – |
| State Infirmary | 565 | 386 | 179 | 284 | 278 | 3 | – | – | – |
| Tisbury | 15 | 5 | 10 | 12 | 3 | – | – | – | – |
| Tolland | 1 | – | 1 | 1 | – | – | – | – | – |
| Topsfield | 16 | 9 | 7 | 12 | 4 | – | – | – | – |
| Townsend | 25 | 11 | 14 | 22 | 3 | – | – | – | – |
| Truro | 9 | 6 | 3 | 8 | 1 | – | – | – | – |
| Tyngsborough | 16 | 8 | 8 | 11 | 5 | – | – | – | – |
| Tyringham | 4 | 3 | 1 | 4 | – | – | – | – | – |
| Upton | 18 | 11 | 7 | 12 | 6 | – | – | – | – |
| Uxbridge | 50 | 26 | 24 | 34 | 16 | – | – | – | – |
| Wakefield | 134 | 59 | 75 | 87 | 47 | – | 16,318 | 8.2 | – |
| Wales | 6 | 3 | 3 | 3 | 2 | 1 | – | – | – |
| Walpole | 48 | 25 | 23 | 25 | 23 | – | – | – | – |
| WALTHAM | 407[7] | 190 | 217 | 256 | 150 | 1 | 39,247 | 10.4 | 8.5 |
| Ware | 95 | 48 | 47 | 63 | 31 | 1 | – | – | – |
| Wareham | 65 | 31 | 34 | 50 | 15 | – | – | – | – |
| Warren | 38 | 17 | 21 | 25 | 13 | – | – | – | – |
| Warwick | 5 | 2 | 3 | 3 | 2 | – | – | – | – |
| Washington | 5 | 3 | 2 | 1 | 4 | – | – | – | – |
| Watertown | 189[8] | 83 | 106 | 109 | 80 | – | 34,913 | 5.4 | 5.1 |
| Wayland | 35 | 19 | 16 | 30 | 5 | – | – | – | – |
| Webster | 128 | 61 | 67 | 68 | 60 | – | 12,992 | 9.9 | – |
| Wellesley | 65 | 29 | 36 | 47 | 18 | – | – | – | – |
| Wellfleet | 23 | 9 | 14 | 20 | 3 | – | – | – | – |
| Wendell | – | – | – | – | – | – | – | – | – |
| Wenham | 13 | 6 | 7 | 10 | 3 | – | – | – | – |
| West Boylston | 21 | 12 | 9 | 18 | 3 | – | – | – | – |
| West Bridgewater | 29 | 14 | 15 | 24 | 5 | – | – | – | – |
| West Brookfield | 13 | 7 | 6 | 12 | 1 | – | – | – | – |
| West Newbury | 15 | 8 | 7 | 11 | 4 | – | – | – | – |
| West Springfield | 99 | 46 | 53 | 67 | 31 | 1 | 16,684 | 5.9 | – |
| West Stockbridge | 11 | 5 | 6 | 6 | 5 | – | – | – | – |
| West Tisbury | 3 | 3 | – | 3 | – | – | – | – | – |
| Westborough | 190[9] | 91 | 99 | 127 | 62 | 1 | – | – | – |
| WESTFIELD | 247[10] | 126 | 121 | 180 | 65 | 2 | 19,775 | 12.5 | 10.5 |
| Westford | 22 | 14 | 8 | 14 | 8 | – | – | – | – |
| Westhampton | 3 | – | 3 | 3 | – | – | – | – | – |

See footnotes 1–3, on page 18.

[4] 63 nonresidents.
[5] 305 nonresidents.
[6] 177 nonresidents.
[7] 74 nonresidents.
[8] 11 nonresidents.
[9] 108 nonresidents.
[10] 40 nonresidents.

**Table 1**

| Municipalities.[1] | Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total number. | Sex. | | Nativity. | | | Death rate[3] per 1,000 population. | | |
| | | Male. | Female. | Native. | Foreign born. | Unknown. | U. S. Census April 1, 1930. | Including nonresidents. | Excluding nonresidents. |
| Westminster | 17 | 9 | 8 | 13 | 4 | – | – | – | – |
| Weston | 13 | 6 | 7 | 9 | 4 | – | – | – | – |
| Westport | 36 | 21 | 15 | 22 | 14 | – | – | – | – |
| Westwood | 12 | 7 | 5 | 8 | 4 | – | – | – | – |
| Weymouth | 220 | 97 | 123 | 174 | 46 | – | 20,882 | 10.5 | – |
| Whately | 7 | 4 | 3 | 4 | 3 | – | – | – | – |
| Whitman | 59 | 23 | 36 | 47 | 12 | – | – | – | – |
| Wilbraham | 16 | 9 | 7 | 12 | 4 | – | – | – | – |
| Williamsburg | 21 | 13 | 8 | 14 | 7 | – | – | – | – |
| Williamstown | 42 | 25 | 17 | 34 | 8 | – | – | – | – |
| Wilmington | 32 | 17 | 15 | 19 | 13 | – | – | – | – |
| Winchendon | 94 | 49 | 45 | 69 | 25 | – | – | – | – |
| Winchester | 137 | 75 | 62 | 93 | 44 | – | 12,719 | 10.8 | – |
| Windsor | 4 | 2 | 2 | 4 | – | – | – | – | – |
| Winthrop | 154 | 73 | 81 | 100 | 54 | – | 16,852 | 9.1 | – |
| Woburn | 172 [4] | 84 | 88 | 122 | 50 | – | 19,434 | 8.9 | 8.2 |
| Worcester | 2,501 [5] | 1,328 | 1,173 | 1,560 | 939 | 2 | 195,311 | 12.8 | 10.0 |
| Worthington | 1 | 1 | – | 1 | – | – | – | – | – |
| Wrentham | 55 [6] | 26 | 29 | 50 | 5 | – | – | – | – |
| Yarmouth | 28 | 17 | 11 | 23 | 4 | 1 | – | – | – |

See footnotes 1–3, on page 18.

[4] 12 nonresidents. [5] 558 nonresidents. [6] 26 nonresidents.

| Line No. | Table 2 — Counties and Sex. | Deaths,[1] by Sex and — All ages. | Under 5 years. | Under 1 year. | 1 year. | 2 years. | 3 years. | 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 24 years. | 25 to 29 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | **The State.** | 49,503 | 5,873 | 4,440 | 639 | 330 | 245 | 219 | 742 | 479 | 705 | 939 | 1,017 |
| 2 | Males . . . | 25,242 | 3,271 | 2,482 | 363 | 187 | 132 | 107 | 409 | 282 | 375 | 475 | 493 |
| 3 | Females . . | 24,261 | 2,602 | 1,958 | 276 | 143 | 113 | 112 | 333 | 197 | 330 | 464 | 524 |
| 4 | Barnstable. | 476 | | | | | | | | | | | |
| 5 | Males . . . | 250 | 28 | 23 | 1 | 3 | 1 | – | 1 | 1 | 10 | 11 | 2 |
| 6 | Females . . | 226 | 17 | 15 | 1 | – | 1 | – | 3 | 1 | 6 | 4 | 1 |
| 7 | Berkshire. | 1,455 | | | | | | | | | | | |
| 8 | Males . . . | 750 | 84 | 65 | 8 | 3 | 5 | 3 | 10 | 8 | 12 | 10 | 8 |
| 9 | Females . . | 705 | 67 | 45 | 7 | 5 | 6 | 4 | 12 | 5 | 7 | 12 | 8 |
| 10 | Bristol. | 4,092 | | | | | | | | | | | |
| 11 | Males . . . | 2,023 | 293 | 216 | 37 | 20 | 11 | 9 | 40 | 25 | 32 | 53 | 38 |
| 12 | Females . . | 2,069 | 213 | 169 | 18 | 7 | 11 | 8 | 38 | 23 | 35 | 51 | 47 |
| 13 | Dukes. | 86 | | | | | | | | | | | |
| 14 | Males . . . | 42 | 3 | 3 | – | – | – | – | – | 1 | – | 1 | – |
| 15 | Females . . | 44 | 2 | 2 | – | – | – | – | – | 1 | 2 | – | 1 |
| 16 | Essex. | 5,676 | | | | | | | | | | | |
| 17 | Males . . . | 2,838 | 342 | 259 | 31 | 23 | 18 | 11 | 49 | 19 | 41 | 49 | 59 |
| 18 | Females . . | 2,838 | 267 | 203 | 34 | 12 | 7 | 11 | 46 | 23 | 35 | 42 | 62 |
| 19 | Franklin. | 596 | | | | | | | | | | | |
| 20 | Males . . . | 306 | 37 | 32 | 4 | 1 | – | – | 5 | 8 | 3 | 2 | 2 |
| 21 | Females . . | 290 | 25 | 22 | – | 1 | – | 2 | 3 | 4 | 2 | 2 | 4 |
| 22 | Hampden. | 3,583 | | | | | | | | | | | |
| 23 | Males . . . | 1,835 | 232 | 175 | 24 | 16 | 7 | 10 | 40 | 24 | 31 | 32 | 42 |
| 24 | Females . . | 1,748 | 188 | 144 | 20 | 6 | 11 | 7 | 27 | 24 | 35 | 37 | 34 |
| 25 | Hampshire. | 935 | | | | | | | | | | | |
| 26 | Males . . . | 479 | 46 | 35 | 8 | 2 | – | 1 | 4 | 7 | 6 | 11 | 9 |
| 27 | Females . . | 456 | 37 | 29 | 3 | 1 | 3 | 1 | 4 | 1 | 8 | 11 | 11 |
| 28 | Middlesex. | 9,779 | | | | | | | | | | | |
| 29 | Males . . . | 4,792 | 621 | 471 | 76 | 26 | 23 | 25 | 86 | 51 | 50 | 82 | 84 |
| 30 | Females . . | 4,987 | 504 | 382 | 48 | 27 | 28 | 19 | 65 | 39 | 64 | 76 | 123 |
| 31 | Nantucket. | 56 | | | | | | | | | | | |
| 32 | Males . . . | 29 | 4 | 4 | – | – | – | – | – | – | – | – | – |
| 33 | Females . . | 27 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| 34 | Norfolk. | 3,075 | | | | | | | | | | | |
| 35 | Males . . . | 1,525 | 143 | 105 | 19 | 11 | 4 | 4 | 15 | 18 | 27 | 25 | 25 |
| 36 | Females . . | 1,550 | 104 | 79 | 9 | 12 | – | 4 | 13 | 13 | 17 | 26 | 32 |
| 37 | Plymouth. | 1,996 | | | | | | | | | | | |
| 38 | Males . . . | 1,028 | 89 | 67 | 10 | 4 | 6 | 2 | 16 | 12 | 22 | 21 | 16 |
| 39 | Females . . | 968 | 84 | 60 | 10 | 4 | 3 | 7 | 7 | 8 | 9 | 14 | 15 |
| 40 | Suffolk. | 11,896 | | | | | | | | | | | |
| 41 | Males . . . | 6,274 | 1,005 | 754 | 119 | 59 | 43 | 30 | 113 | 74 | 91 | 122 | 140 |
| 42 | Females . . | 5,622 | 792 | 570 | 95 | 50 | 37 | 40 | 79 | 38 | 73 | 129 | 128 |
| 43 | Worcester. | 5,802 | | | | | | | | | | | |
| 44 | Males . . . | 3,071 | 344 | 273 | 26 | 19 | 14 | 12 | 30 | 34 | 50 | 56 | 68 |
| 45 | Females . . | 2,731 | 301 | 237 | 31 | 18 | 6 | 9 | 36 | 17 | 37 | 60 | 58 |

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1930.

| Line No. | 30 to 34 years. | 35 to 39 years. | 40 to 44 years. | 45 to 49 years. | 50 to 54 years. | 55 to 59 years. | 60 to 64 years. | 65 to 69 years. | 70 to 74 years. | 75 to 79 years. | 80 to 84 years. | 85 to 89 years. | 90 to 94 years. | 95 to 99 years. | 100 years and over. | Age unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1,301 | 1,658 | 1,894 | 2,384 | 3,151 | 3,838 | 4,680 | 5,201 | 5,201 | 4,436 | 3,350 | 1,821 | 668 | 139 | 25 | 1 |
| 2 | 642 | 945 | 1,087 | 1,282 | 1,728 | 2,129 | 2,523 | 2,661 | 2,518 | 2,076 | 1,413 | 683 | 209 | 38 | 3 | – |
| 3 | 659 | 713 | 807 | 1,102 | 1,423 | 1,709 | 2,157 | 2,540 | 2,683 | 2,360 | 1,937 | 1,138 | 459 | 101 | 22 | 1 |
| 4 | | | | | | | | | | | | | | | | |
| 5 | 2 | 5 | 6 | 8 | 10 | 13 | 23 | 20 | 34 | 26 | 33 | 14 | 3 | – | – | – |
| 6 | 1 | 4 | 5 | 5 | 7 | 14 | 16 | 21 | 27 | 31 | 30 | 25 | 8 | – | – | – |
| 7 | | | | | | | | | | | | | | | | |
| 8 | 14 | 21 | 20 | 35 | 47 | 74 | 77 | 100 | 75 | 75 | 46 | 26 | 7 | 1 | – | – |
| 9 | 19 | 19 | 19 | 28 | 42 | 57 | 61 | 66 | 92 | 71 | 63 | 48 | 8 | 1 | – | – |
| 10 | | | | | | | | | | | | | | | | |
| 11 | 40 | 76 | 75 | 82 | 149 | 161 | 187 | 229 | 211 | 147 | 109 | 63 | 10 | 3 | – | – |
| 12 | 47 | 53 | 68 | 103 | 128 | 139 | 201 | 211 | 239 | 193 | 154 | 83 | 34 | 8 | 1 | – |
| 13 | | | | | | | | | | | | | | | | |
| 14 | 2 | 2 | 3 | 1 | 2 | 1 | 5 | 5 | 5 | 3 | 5 | 3 | – | – | – | – |
| 15 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 2 | 7 | 6 | 6 | 3 | 3 | 1 | – | – |
| 16 | | | | | | | | | | | | | | | | |
| 17 | 50 | 77 | 105 | 167 | 203 | 231 | 285 | 298 | 317 | 247 | 185 | 78 | 29 | 7 | – | – |
| 18 | 62 | 79 | 80 | 121 | 142 | 186 | 236 | 301 | 334 | 318 | 266 | 154 | 68 | 14 | 2 | – |
| 19 | | | | | | | | | | | | | | | | |
| 20 | 4 | 10 | 8 | 12 | 14 | 20 | 26 | 35 | 42 | 29 | 32 | 9 | 7 | 1 | – | – |
| 21 | 5 | 5 | 12 | 11 | 8 | 12 | 31 | 23 | 40 | 43 | 27 | 19 | 13 | – | 1 | – |
| 22 | | | | | | | | | | | | | | | | |
| 23 | 47 | 82 | 113 | 113 | 118 | 168 | 201 | 153 | 155 | 143 | 82 | 45 | 12 | 2 | – | – |
| 24 | 56 | 61 | 71 | 94 | 115 | 129 | 140 | 171 | 197 | 153 | 110 | 78 | 24 | 3 | 1 | – |
| 25 | | | | | | | | | | | | | | | | |
| 26 | 11 | 22 | 25 | 34 | 25 | 40 | 45 | 47 | 57 | 43 | 24 | 21 | 1 | – | 1 | – |
| 27 | 10 | 15 | 13 | 21 | 31 | 32 | 36 | 58 | 52 | 44 | 27 | 23 | 18 | 4 | – | – |
| 28 | | | | | | | | | | | | | | | | |
| 29 | 99 | 141 | 167 | 221 | 274 | 418 | 485 | 528 | 528 | 424 | 325 | 152 | 44 | 12 | – | – |
| 30 | 130 | 130 | 151 | 216 | 268 | 340 | 419 | 544 | 548 | 542 | 439 | 247 | 107 | 28 | 6 | 1 |
| 31 | | | | | | | | | | | | | | | | |
| 32 | 2 | – | – | 2 | 4 | 2 | 4 | 3 | 3 | 2 | – | 2 | 1 | – | – | – |
| 33 | 1 | 1 | 2 | 2 | 2 | – | 2 | 3 | 1 | 4 | 1 | 5 | 1 | 1 | – | – |
| 34 | | | | | | | | | | | | | | | | |
| 35 | 52 | 51 | 63 | 62 | 109 | 125 | 153 | 165 | 197 | 139 | 93 | 40 | 19 | 4 | – | – |
| 36 | 38 | 44 | 48 | 69 | 89 | 112 | 121 | 176 | 206 | 163 | 145 | 82 | 35 | 13 | 4 | – |
| 37 | | | | | | | | | | | | | | | | |
| 38 | 18 | 21 | 29 | 40 | 73 | 71 | 99 | 112 | 113 | 138 | 81 | 37 | 18 | 2 | – | – |
| 39 | 25 | 17 | 32 | 39 | 41 | 56 | 101 | 106 | 120 | 107 | 103 | 60 | 20 | 4 | – | – |
| 40 | | | | | | | | | | | | | | | | |
| 41 | 198 | 285 | 339 | 362 | 502 | 557 | 623 | 645 | 510 | 355 | 229 | 95 | 23 | 4 | 2 | – |
| 42 | 202 | 191 | 217 | 266 | 387 | 449 | 552 | 608 | 526 | 389 | 331 | 176 | 70 | 16 | 3 | – |
| 43 | | | | | | | | | | | | | | | | |
| 44 | 103 | 152 | 134 | 143 | 198 | 248 | 310 | 321 | 271 | 305 | 169 | 98 | 35 | 2 | – | – |
| 45 | 62 | 93 | 88 | 124 | 162 | 182 | 239 | 250 | 294 | 296 | 235 | 135 | 50 | 8 | 4 | – |

[2] Age at last birthday.

**Table 3**

| Line No. | Municipalities and Sex. | Deaths,[1] by Sex and Age,[2] in Municipalities | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All ages. | Under 5 years. | Under 1 year. | 1 year. | 2 years. | 3 years. | 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 24 years. | 25 to 29 years. |
| 1 | Adams (town). | 143 | | | | | | | | | | | |
| 2 | Males . . . | 71 | 7 | 5 | 1 | 1 | – | – | 1 | – | 1 | 1 | – |
| 3 | Females . . . | 72 | 11 | 10 | – | – | 1 | – | 1 | 2 | 2 | – | 1 |
| 4 | Amesbury (town). | 145 | | | | | | | | | | | |
| 5 | Males . . . | 76 | 17 | 13 | 2 | 1 | 1 | – | 3 | 1 | 1 | – | 1 |
| 6 | Females . . . | 69 | 7 | 3 | 2 | – | 1 | 1 | 1 | – | – | 2 | – |
| 7 | Arlington (town). | 336 | | | | | | | | | | | |
| 8 | Males . . . | 154 | 23 | 15 | 5 | 2 | – | 1 | 6 | 4 | – | 4 | 1 |
| 9 | Females . . . | 182 | 15 | 11 | 3 | – | 1 | – | – | 1 | 2 | 4 | 3 |
| 10 | Athol (town). | 114 | | | | | | | | | | | |
| 11 | Males . . . | 57 | 5 | 2 | 1 | – | – | 2 | – | 2 | – | – | 1 |
| 12 | Females . . . | 57 | 7 | 5 | 1 | – | – | 1 | 3 | 1 | – | – | 1 |
| 13 | Attleboro. | 225 | | | | | | | | | | | |
| 14 | Males . . . | 118 | 19 | 17 | 2 | – | – | – | 5 | 2 | 3 | 3 | 3 |
| 15 | Females . . . | 107 | 15 | 14 | 1 | – | – | – | 2 | 1 | 2 | 6 | 5 |
| 16 | Belmont (town). | 153 | | | | | | | | | | | |
| 17 | Males . . . | 64 | 7 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | 1 |
| 18 | Females . . . | 89 | 2 | 2 | – | – | – | – | – | – | – | 1 | 1 |
| 19 | Beverly. | 270 | | | | | | | | | | | |
| 20 | Males . . . | 134 | 11 | 7 | 1 | 1 | 1 | 1 | 1 | – | 2 | 1 | 4 |
| 21 | Females . . . | 136 | 10 | 7 | 2 | 1 | – | – | 2 | 2 | – | 2 | 7 |
| 22 | Boston. | 11,015 | | | | | | | | | | | |
| 23 | Males . . . | 5,726 | 963 | 719 | 116 | 57 | 42 | 29 | 112 | 70 | 88 | 109 | 127 |
| 24 | Females . . . | 5,289 | 748 | 538 | 91 | 49 | 33 | 37 | 78 | 37 | 70 | 125 | 121 |
| 25 | Braintree (town). | 163 | | | | | | | | | | | |
| 26 | Males . . . | 91 | 7 | 5 | 1 | 1 | – | – | – | – | 2 | 1 | 4 |
| 27 | Females . . . | 72 | 3 | 1 | 1 | 1 | – | – | – | 1 | 4 | 6 | 7 |
| 28 | Brockton. | 818 | | | | | | | | | | | |
| 29 | Males . . . | 402 | 53 | 41 | 7 | – | 3 | 2 | 7 | 7 | 11 | 10 | 2 |
| 30 | Females . . . | 416 | 40 | 27 | 5 | 2 | 2 | 4 | 5 | 4 | 4 | 5 | 8 |
| 31 | Brookline (town). | 498 | | | | | | | | | | | |
| 32 | Males . . . | 231 | 4 | 2 | 2 | – | – | – | 3 | 1 | 3 | 2 | 1 |
| 33 | Females . . . | 267 | 4 | 3 | – | 1 | – | – | – | 2 | 1 | 2 | 4 |
| 34 | Cambridge. | 1,350 | | | | | | | | | | | |
| 35 | Males . . . | 686 | 82 | 62 | 9 | 4 | 1 | 6 | 8 | 6 | 8 | 13 | 24 |
| 36 | Females . . . | 664 | 78 | 56 | 6 | 6 | 5 | 5 | 6 | 5 | 11 | 6 | 22 |
| 37 | Chelsea. | 549 | | | | | | | | | | | |
| 38 | Males . . . | 393 | 27 | 25 | 1 | 1 | – | – | 1 | 2 | 2 | 5 | 11 |
| 39 | Females . . . | 156 | 24 | 20 | 1 | – | 1 | 2 | 1 | – | 1 | 3 | 5 |
| 40 | Chicopee. | 250 | | | | | | | | | | | |
| 41 | Males . . . | 141 | 18 | 14 | 3 | 1 | – | – | 2 | 2 | 3 | 1 | 3 |
| 42 | Females . . . | 109 | 18 | 14 | 2 | 1 | 1 | – | – | 2 | 4 | 7 | 3 |
| 43 | Clinton (town). | 142 | | | | | | | | | | | |
| 44 | Males . . . | 75 | 7 | 6 | 1 | – | – | – | – | 2 | 1 | 1 | 2 |
| 45 | Females . . . | 67 | 12 | 8 | 1 | 2 | 1 | – | – | 1 | – | – | 2 |
| 46 | Danvers (town). | 376 | | | | | | | | | | | |
| 47 | Males . . . | 190 | 3 | 3 | – | – | – | – | – | – | 1 | 2 | 4 |
| 48 | Females . . . | 186 | 3 | 1 | 1 | – | – | 1 | 1 | – | – | 3 | 3 |
| 49 | Dedham (town). | 100 | | | | | | | | | | | |
| 50 | Males . . . | 47 | 12 | 12 | – | – | – | – | 1 | – | – | – | 1 |
| 51 | Females . . . | 53 | 6 | 5 | 1 | – | – | – | – | – | 1 | 1 | 1 |
| 52 | Easthampton (town). | 73 | | | | | | | | | | | |
| 53 | Males . . . | 35 | 7 | 7 | – | – | – | – | – | 1 | – | 1 | – |
| 54 | Females . . . | 38 | 7 | 5 | 1 | – | 1 | – | 1 | – | – | 1 | – |
| 55 | Everett. | 366 | | | | | | | | | | | |
| 56 | Males . . . | 176 | 21 | 15 | 3 | 1 | – | 2 | 3 | 4 | 3 | 5 | 4 |
| 57 | Females . . . | 190 | 18 | 13 | 2 | – | 2 | 1 | 2 | – | 2 | 1 | 4 |
| 58 | Fairhaven (town). | 76 | | | | | | | | | | | |
| 59 | Males . . . | 33 | 3 | 3 | – | – | – | – | 1 | – | – | 1 | – |
| 60 | Females . . . | 43 | 2 | 2 | – | – | – | – | 2 | – | – | – | – |
| 61 | Fall River. | 1,322 | | | | | | | | | | | |
| 62 | Males . . . | 620 | 105 | 74 | 15 | 6 | 5 | 5 | 12 | 9 | 14 | 24 | 15 |
| 63 | Females . . . | 702 | 92 | 72 | 9 | 2 | 7 | 2 | 11 | 8 | 19 | 22 | 19 |
| 64 | Fitchburg. | 453 | | | | | | | | | | | |
| 65 | Males . . . | 215 | 31 | 24 | 4 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 66 | Females . . . | 238 | 30 | 26 | 3 | 1 | – | – | 3 | 1 | 4 | 4 | 6 |
| 67 | Framingham (town). | 296 | | | | | | | | | | | |
| 68 | Males . . . | 148 | 20 | 12 | 2 | 2 | 4 | – | 2 | – | 2 | 3 | 3 |
| 69 | Females . . . | 148 | 11 | 7 | 2 | 1 | – | 1 | 4 | – | 2 | 3 | 2 |
| 70 | Gardner. | 245 | | | | | | | | | | | |
| 71 | Males . . . | 139 | 12 | 10 | 1 | 1 | – | – | 3 | 2 | 2 | 3 | 5 |
| 72 | Females . . . | 106 | 13 | 11 | 1 | 1 | – | – | 2 | – | 1 | – | – |
| 73 | Gloucester. | 283 | | | | | | | | | | | |
| 74 | Males . . . | 136 | 19 | 17 | – | 1 | 1 | – | – | 2 | 1 | 3 | – |
| 75 | Females . . . | 147 | 17 | 12 | 3 | 1 | – | 1 | 3 | – | 1 | 2 | 4 |
| 76 | Greenfield (town). | 194 | | | | | | | | | | | |
| 77 | Males . . . | 103 | 13 | 12 | 1 | – | – | – | 3 | 4 | – | – | – |
| 78 | Females . . . | 91 | 7 | 7 | – | – | – | – | 1 | 2 | – | 1 | 2 |
| 79 | Haverhill. | 546 | | | | | | | | | | | |
| 80 | Males . . . | 277 | 29 | 20 | 3 | 2 | 3 | 1 | 5 | 1 | 1 | 4 | 5 |
| 81 | Females . . . | 269 | 25 | 18 | 4 | – | 2 | 1 | 5 | 4 | 4 | 3 | 2 |

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1930.

| Line No. | 30 to 34 years. | 35 to 39 years. | 40 to 44 years. | 45 to 49 years. | 50 to 54 years. | 55 to 59 years. | 60 to 64 years. | 65 to 69 years. | 70 to 74 years. | 75 to 79 years. | 80 to 84 years. | 85 to 89 years. | 90 to 94 years. | 95 to 99 years. | 100 years and over. | Age unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | | | | | | | | | | | | | | | | |
| 2 | 1 | 2 | 1 | 5 | 8 | 5 | 8 | 7 | 10 | 9 | 4 | 1 | – | – | – | – |
| 3 | 2 | 2 | 1 | 3 | 4 | 9 | 6 | 6 | 9 | 6 | 2 | 5 | – | – | – | – |
| 4 | | | | | | | | | | | | | | | | |
| 5 | – | 1 | 1 | 1 | 4 | 4 | 7 | 4 | 7 | 9 | 9 | 5 | 1 | – | – | – |
| 6 | 2 | 1 | 4 | 1 | 5 | 6 | 4 | 5 | 6 | 5 | 11 | 3 | 5 | 1 | – | – |
| 7 | | | | | | | | | | | | | | | | |
| 8 | 2 | 4 | 5 | 7 | 9 | 12 | 11 | 16 | 15 | 20 | 10 | 5 | – | – | – | – |
| 9 | 6 | 7 | 8 | 8 | 12 | 11 | 23 | 18 | 18 | 21 | 14 | 6 | 4 | 1 | – | – |
| 10 | | | | | | | | | | | | | | | | |
| 11 | – | 3 | 4 | – | 5 | 6 | 1 | 3 | 4 | 5 | 9 | 4 | 5 | – | – | – |
| 12 | 2 | 2 | 1 | – | 4 | 1 | 3 | 8 | 3 | 6 | 4 | 9 | 2 | – | – | – |
| 13 | | | | | | | | | | | | | | | | |
| 14 | 4 | 1 | 5 | 7 | 5 | 9 | 8 | 12 | 8 | 11 | 9 | 3 | 1 | – | – | – |
| 15 | 3 | 2 | 5 | 4 | 3 | 5 | 9 | 10 | 10 | 10 | 8 | 5 | 2 | – | – | – |
| 16 | | | | | | | | | | | | | | | | |
| 17 | – | – | 1 | 4 | 4 | 7 | 6 | 6 | 8 | 10 | 5 | 2 | – | – | – | – |
| 18 | 2 | 2 | 2 | 4 | 5 | 8 | 5 | 13 | 13 | 13 | 6 | 9 | 2 | 1 | – | – |
| 19 | | | | | | | | | | | | | | | | |
| 20 | 2 | 2 | 1 | 8 | 11 | 13 | 9 | 13 | 20 | 16 | 12 | 2 | 5 | 1 | – | – |
| 21 | 1 | 4 | 3 | 4 | 9 | 13 | 8 | 13 | 15 | 18 | 10 | 8 | 4 | 3 | – | – |
| 22 | | | | | | | | | | | | | | | | |
| 23 | 164 | 227 | 304 | 339 | 460 | 505 | 565 | 590 | 478 | 328 | 201 | 73 | 17 | 4 | 2 | – |
| 24 | 188 | 179 | 208 | 252 | 366 | 429 | 520 | 561 | 488 | 367 | 310 | 156 | 67 | 16 | 3 | – |
| 25 | | | | | | | | | | | | | | | | |
| 26 | 8 | 4 | 4 | 5 | 10 | 6 | 10 | 6 | 12 | 6 | 3 | 3 | – | – | – | – |
| 27 | – | 6 | 4 | 4 | 2 | 3 | 3 | 6 | 6 | 7 | 3 | 5 | 2 | – | – | – |
| 28 | | | | | | | | | | | | | | | | |
| 29 | 7 | 7 | 15 | 13 | 32 | 29 | 39 | 45 | 39 | 43 | 30 | 11 | 2 | – | – | – |
| 30 | 10 | 9 | 19 | 21 | 21 | 21 | 50 | 51 | 53 | 41 | 36 | 14 | 2 | 2 | – | – |
| 31 | | | | | | | | | | | | | | | | |
| 32 | 4 | 6 | 11 | 7 | 17 | 25 | 26 | 24 | 33 | 33 | 19 | 8 | 4 | – | – | – |
| 33 | 5 | 10 | 5 | 13 | 11 | 23 | 13 | 44 | 36 | 31 | 32 | 17 | 12 | 2 | – | – |
| 34 | | | | | | | | | | | | | | | | |
| 35 | 25 | 30 | 37 | 37 | 37 | 64 | 71 | 75 | 70 | 40 | 44 | 10 | 5 | – | – | – |
| 36 | 20 | 22 | 22 | 31 | 37 | 57 | 56 | 57 | 76 | 68 | 48 | 26 | 10 | 4 | 2 | – |
| 37 | | | | | | | | | | | | | | | | |
| 38 | 29 | 54 | 29 | 16 | 30 | 38 | 41 | 30 | 25 | 9 | 19 | 20 | 5 | – | – | – |
| 39 | 10 | 6 | 5 | 8 | 10 | 8 | 17 | 18 | 18 | 8 | 8 | 5 | 1 | – | – | – |
| 40 | | | | | | | | | | | | | | | | |
| 41 | 7 | 5 | 8 | 8 | 4 | 9 | 20 | 14 | 15 | 10 | 6 | 5 | – | 1 | – | – |
| 42 | 1 | 6 | 3 | 10 | 5 | 7 | 7 | 5 | 16 | 10 | – | 5 | – | – | – | – |
| 43 | | | | | | | | | | | | | | | | |
| 44 | 4 | 1 | – | 2 | 6 | 8 | 9 | 8 | 7 | 7 | 4 | 5 | 1 | – | – | – |
| 45 | 2 | 3 | 1 | 4 | 5 | 3 | 8 | 7 | 4 | 6 | 6 | 3 | – | – | – | – |
| 46 | | | | | | | | | | | | | | | | |
| 47 | 6 | 5 | 8 | 19 | 10 | 16 | 24 | 18 | 21 | 29 | 17 | 6 | – | 1 | – | – |
| 48 | 4 | 6 | 8 | 16 | 7 | 13 | 19 | 14 | 29 | 28 | 17 | 10 | 5 | – | – | – |
| 49 | | | | | | | | | | | | | | | | |
| 50 | – | 4 | 4 | 1 | 3 | 3 | 3 | 3 | 1 | 3 | 4 | 1 | 3 | – | – | – |
| 51 | 1 | – | 2 | 3 | 2 | 5 | 4 | 2 | 6 | 5 | 7 | 3 | 1 | 2 | 1 | – |
| 52 | | | | | | | | | | | | | | | | |
| 53 | 1 | 2 | – | 3 | 1 | 3 | 4 | 2 | 5 | 3 | 2 | – | – | – | – | – |
| 54 | 1 | 1 | 2 | 1 | 2 | 4 | 1 | 6 | 5 | 1 | 2 | 2 | – | 1 | – | – |
| 55 | | | | | | | | | | | | | | | | |
| 56 | 8 | 3 | 3 | 7 | 8 | 16 | 17 | 24 | 18 | 14 | 10 | 7 | – | 1 | – | – |
| 57 | 7 | 3 | 5 | 10 | 10 | 6 | 27 | 19 | 23 | 22 | 20 | 7 | 3 | – | 1 | – |
| 58 | | | | | | | | | | | | | | | | |
| 59 | 1 | 2 | 2 | – | 5 | 1 | 2 | 5 | 2 | 3 | 4 | 1 | – | – | – | – |
| 60 | – | – | – | – | 4 | – | 3 | 5 | 9 | 4 | 6 | 3 | 4 | – | 1 | – |
| 61 | | | | | | | | | | | | | | | | |
| 62 | 10 | 24 | 28 | 19 | 41 | 56 | 53 | 62 | 63 | 43 | 20 | 16 | 4 | 2 | – | – |
| 63 | 19 | 16 | 28 | 36 | 35 | 47 | 68 | 76 | 93 | 50 | 31 | 24 | 7 | 1 | – | – |
| 64 | | | | | | | | | | | | | | | | |
| 65 | 5 | 7 | 11 | 5 | 15 | 21 | 34 | 16 | 21 | 18 | 12 | 5 | 2 | – | – | – |
| 66 | 6 | 12 | 11 | 8 | 9 | 8 | 17 | 23 | 33 | 23 | 24 | 13 | 3 | – | – | – |
| 67 | | | | | | | | | | | | | | | | |
| 68 | 6 | 7 | 4 | 4 | 9 | 7 | 19 | 15 | 20 | 14 | 8 | 4 | 1 | – | – | – |
| 69 | 6 | 5 | 5 | 11 | 10 | 12 | 8 | 18 | 15 | 20 | 8 | 8 | – | – | – | – |
| 70 | | | | | | | | | | | | | | | | |
| 71 | 2 | 10 | 8 | 7 | 14 | 10 | 11 | 20 | 11 | 12 | 1 | 5 | 1 | – | – | – |
| 72 | 3 | 7 | 5 | 8 | 6 | 7 | 13 | 9 | 6 | 14 | 7 | 1 | 3 | – | 1 | – |
| 73 | | | | | | | | | | | | | | | | |
| 74 | 2 | 3 | 2 | 8 | 10 | 11 | 11 | 17 | 14 | 15 | 11 | 3 | 4 | – | – | – |
| 75 | 4 | 5 | 4 | 5 | 9 | 11 | 13 | 15 | 16 | 14 | 13 | 6 | 3 | 2 | – | – |
| 76 | | | | | | | | | | | | | | | | – |
| 77 | 2 | 6 | 4 | 3 | 3 | 10 | 11 | 10 | 14 | 7 | 8 | 4 | 1 | – | – | – |
| 78 | 1 | 1 | 3 | 5 | 1 | 7 | 14 | 9 | 9 | 10 | 7 | 4 | 7 | – | – | – |
| 79 | | | | | | | | | | | | | | | | |
| 80 | 2 | 8 | 15 | 19 | 15 | 23 | 32 | 41 | 30 | 21 | 18 | 6 | 2 | – | – | – |
| 81 | 7 | 8 | 4 | 15 | 15 | 18 | 17 | 30 | 28 | 34 | 33 | 11 | 6 | – | – | – |

[1] Age at last birthday.

Table 3

| Line No. | Municipalities and Sex. | Deaths,[1] by Sex and Age,[2] in Municipalities | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All ages. | Under 5 years. | Under 1 year. | 1 year. | 2 years. | 3 years. | 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 24 years. | 25 to 29 years. |
| 1 | Holyoke. | 740 | | | | | | | | | | | |
| 2 | Males | 376 | 42 | 29 | 7 | 3 | 1 | 2 | 8 | 3 | 5 | 3 | 11 |
| 3 | Females | 364 | 38 | 28 | 5 | 1 | 2 | 2 | 4 | 9 | 6 | 5 | 7 |
| 4 | Lawrence. | 905 | | | | | | | | | | | |
| 5 | Males | 493 | 75 | 58 | 6 | 7 | 1 | 3 | 9 | 1 | 11 | 8 | 8 |
| 6 | Females | 412 | 51 | 43 | 5 | 2 | – | 1 | 12 | 6 | 10 | 8 | 8 |
| 7 | Leominster. | 228 | | | | | | | | | | | |
| 8 | Males | 113 | 24 | 21 | 2 | 1 | – | – | 1 | 2 | – | 2 | 2 |
| 9 | Females | 115 | 25 | 21 | 2 | 1 | 1 | – | 4 | – | 1 | 3 | 1 |
| 10 | Lowell. | 1,331 | | | | | | | | | | | |
| 11 | Males | 647 | 104 | 82 | 12 | 5 | 5 | – | 18 | 6 | 5 | 8 | 2 |
| 12 | Females | 684 | 88 | 73 | 5 | 1 | 7 | 2 | 13 | 6 | 8 | 10 | 16 |
| 13 | Lynn. | 1,086 | | | | | | | | | | | |
| 14 | Males | 543 | 78 | 60 | 6 | 6 | 6 | – | 15 | 6 | 6 | 9 | 12 |
| 15 | Females | 543 | 55 | 44 | 5 | 3 | – | 3 | 6 | 3 | 5 | 7 | 16 |
| 16 | Malden. | 480 | | | | | | | | | | | |
| 17 | Males | 226 | 29 | 23 | 4 | – | 1 | 1 | 6 | 1 | 3 | 4 | 3 |
| 18 | Females | 254 | 17 | 13 | 2 | – | 1 | 1 | 3 | – | 2 | 8 | 6 |
| 19 | Marlborough. | 176 | | | | | | | | | | | |
| 20 | Males | 98 | 8 | 7 | 1 | – | – | – | 1 | 1 | – | – | – |
| 21 | Females | 78 | 6 | 5 | 1 | – | – | – | – | 1 | 1 | – | 1 |
| 22 | Medford | 465 | | | | | | | | | | | |
| 23 | Males | 190 | 21 | 19 | 1 | – | – | 1 | 5 | 1 | 2 | 4 | 2 |
| 24 | Females | 275 | 31 | 22 | 2 | 4 | 3 | – | 4 | 2 | 1 | 5 | 8 |
| 25 | Melrose. | 311 | | | | | | | | | | | |
| 26 | Males | 149 | 18 | 13 | 1 | 1 | – | 3 | 2 | 1 | 2 | 2 | 3 |
| 27 | Females | 162 | 14 | 14 | – | – | – | – | 3 | 1 | – | 1 | 5 |
| 28 | Methuen (town). | 178 | | | | | | | | | | | |
| 29 | Males | 76 | 8 | 6 | – | – | – | 2 | 2 | – | 2 | 2 | – |
| 30 | Females | 102 | 7 | 7 | – | – | – | – | 1 | 1 | 1 | – | – |
| 31 | Milford (town). | 196 | | | | | | | | | | | |
| 32 | Males | 115 | 13 | 12 | 1 | – | – | – | – | – | 2 | 1 | 2 |
| 33 | Females | 81 | 9 | 7 | 1 | – | 1 | – | 2 | 1 | 2 | 2 | 2 |
| 34 | Milton (town). | 106 | | | | | | | | | | | |
| 35 | Males | 50 | 5 | 3 | – | 1 | 1 | – | – | 1 | 2 | 2 | 1 |
| 36 | Females | 56 | 6 | 4 | – | 2 | – | – | 2 | – | – | – | – |
| 37 | Natick (town). | 158 | | | | | | | | | | | |
| 38 | Males | 81 | 12 | 12 | – | – | – | – | 3 | – | 1 | 2 | – |
| 39 | Females | 77 | 5 | 5 | – | – | – | – | 1 | – | 1 | 2 | – |
| 40 | Needham (town). | 93 | | | | | | | | | | | |
| 41 | Males | 38 | 3 | 2 | – | 1 | – | – | – | – | – | 3 | 2 |
| 42 | Females | 55 | 5 | 3 | 1 | 1 | – | – | 1 | 1 | – | – | 2 |
| 43 | New Bedford. | 1,243 | | | | | | | | | | | |
| 44 | Males | 607 | 81 | 60 | 9 | 6 | 5 | 1 | 17 | 6 | 6 | 13 | 10 |
| 45 | Females | 636 | 60 | 49 | 3 | 2 | 2 | 4 | 14 | 9 | 8 | 13 | 17 |
| 46 | Newburyport. | 205 | | | | | | | | | | | |
| 47 | Males | 85 | 9 | 6 | – | – | 1 | 2 | 1 | – | 1 | 2 | 1 |
| 48 | Females | 120 | 11 | 9 | 1 | – | 1 | – | 2 | – | – | 3 | 2 |
| 49 | Newton. | 546 | | | | | | | | | | | |
| 50 | Males | 232 | 20 | 15 | 3 | 1 | 1 | – | 3 | 3 | 3 | 5 | 3 |
| 51 | Females | 314 | 18 | 12 | 2 | 2 | 2 | – | 2 | 4 | 2 | 3 | 10 |
| 52 | North Adams. | 295 | | | | | | | | | | | |
| 53 | Males | 154 | 26 | 20 | 3 | 1 | 1 | 1 | 2 | – | 2 | 1 | 1 |
| 54 | Females | 141 | 26 | 15 | 4 | 3 | 4 | – | [illegible] | – | 1 | 5 | 1 |
| 55 | North Attleborough (town). | 99 | | | | | | | | | | | |
| 56 | Males | 52 | 3 | 3 | – | – | – | – | 1 | 1 | 1 | 1 | – |
| 57 | Females | 47 | 2 | 2 | – | – | – | – | – | – | – | 1 | 3 |
| 58 | Northampton. | 515 | | | | | | | | | | | |
| 59 | Males | 269 | 17 | 13 | 4 | – | – | – | 1 | 3 | 4 | 5 | 6 |
| 60 | Females | 246 | 15 | 14 | – | – | 1 | – | 2 | 1 | 4 | 7 | 6 |
| 61 | Norwood (town). | 142 | | | | | | | | | | | |
| 62 | Males | 77 | 17 | 14 | 1 | 1 | – | 1 | 1 | 1 | 2 | – | 2 |
| 63 | Females | 65 | 13 | 12 | – | 1 | – | – | – | 1 | 1 | – | 2 |
| 64 | Peabody. | 197 | | | | | | | | | | | |
| 65 | Males | 103 | 7 | 5 | 2 | – | – | – | 3 | 3 | 3 | 2 | 2 |
| 66 | Females | 94 | 10 | 8 | 1 | 1 | – | – | 1 | – | 2 | 2 | 1 |
| 67 | Pittsfield. | 618 | | | | | | | | | | | |
| 68 | Males | 316 | 40 | 34 | 3 | – | 2 | 1 | 7 | 7 | 5 | 6 | 5 |
| 69 | Females | 302 | 23 | 14 | 2 | 2 | 1 | 4 | 6 | 2 | 3 | 4 | 3 |
| 70 | Plymouth (town). | 158 | | | | | | | | | | | |
| 71 | Males | 65 | 10 | 9 | 1 | – | – | – | 2 | – | 1 | 3 | 4 |
| 72 | Females | 93 | 11 | 8 | 2 | – | – | 1 | 1 | – | 1 | 1 | 1 |
| 73 | Quincy. | 601 | | | | | | | | | | | |
| 74 | Males | 317 | 45 | 31 | 7 | 4 | – | 3 | 3 | 3 | 7 | 7 | 2 |
| 75 | Females | 284 | 29 | 23 | 3 | 2 | – | 1 | 3 | 4 | 3 | 3 | 9 |
| 76 | Revere. | 178 | | | | | | | | | | | |
| 77 | Males | 82 | 8 | 4 | 1 | 1 | 1 | 1 | – | 1 | 1 | 4 | – |
| 78 | Females | 96 | 12 | 6 | 3 | 1 | 1 | 1 | – | 1 | 1 | – | 1 |
| 79 | Salem. | 558 | | | | | | | | | | | |
| 80 | Males | 274 | 54 | 37 | 8 | 5 | 2 | 2 | 8 | – | 3 | 2 | 5 |
| 81 | Females | 284 | 47 | 34 | 7 | 4 | 2 | – | 9 | 2 | 5 | 1 | 5 |

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1930 — Con.

| Line No. | 30 to 34 years. | 35 to 39 years. | 40 to 44 years. | 45 to 49 years. | 50 to 54 years. | 55 to 59 years. | 60 to 64 years. | 65 to 69 years. | 70 to 74 years. | 75 to 79 years. | 80 to 84 years. | 85 to 89 years. | 90 to 94 years. | 95 to 99 years. | 100 years and over. | Age unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | | | | | | | | | | | | | | | | |
| 2 | 6 | 18 | 24 | 26 | 16 | 42 | 53 | 27 | 29 | 36 | 16 | 10 | 1 | – | – | – |
| 3 | 14 | 16 | 18 | 20 | 24 | 24 | 34 | 37 | 43 | 25 | 25 | 9 | 5 | 1 | – | – |
| 4 | | | | | | | | | | | | | | | | |
| 5 | 12 | 13 | 24 | 24 | 43 | 55 | 52 | 56 | 52 | 22 | 18 | 8 | 1 | 1 | – | – |
| 6 | 9 | 18 | 9 | 19 | 24 | 33 | 36 | 52 | 40 | 28 | 29 | 12 | 7 | 1 | – | – |
| 7 | | | | | | | | | | | | | | | | |
| 8 | 1 | 2 | 5 | 4 | 3 | 6 | 8 | 17 | 12 | 13 | 8 | 3 | – | – | – | – |
| 9 | – | 5 | – | 2 | 1 | 5 | 14 | 9 | 12 | 16 | 9 | 6 | 2 | – | – | – |
| 10 | | | | | | | | | | | | | | | | |
| 11 | 8 | 21 | 19 | 33 | 46 | 70 | 72 | 61 | 73 | 48 | 32 | 15 | 6 | – | – | – |
| 12 | 21 | 17 | 21 | 29 | 47 | 51 | 61 | 86 | 53 | 71 | 44 | 25 | 14 | 3 | – | – |
| 13 | | | | | | | | | | | | | | | | |
| 14 | 9 | 15 | 16 | 37 | 46 | 39 | 52 | 55 | 59 | 40 | 32 | 9 | 7 | 1 | – | – |
| 15 | 14 | 14 | 17 | 22 | 27 | 35 | 51 | 58 | 70 | 62 | 45 | 26 | 9 | 1 | – | – |
| 16 | | | | | | | | | | | | | | | | |
| 17 | 6 | 4 | 5 | 13 | 16 | 16 | 23 | 32 | 24 | 19 | 10 | 9 | 1 | 2 | – | – |
| 18 | 5 | 12 | 9 | 14 | 15 | 15 | 24 | 26 | 23 | 26 | 31 | 14 | 3 | 1 | – | – |
| 19 | | | | | | | | | | | | | | | | |
| 20 | 2 | 7 | – | 5 | 5 | 10 | 16 | 6 | 13 | 9 | 10 | 4 | 1 | – | – | – |
| 21 | 1 | 1 | 5 | 4 | 6 | 3 | 8 | 13 | 7 | 11 | 6 | 4 | – | – | – | – |
| 22 | | | | | | | | | | | | | | | | |
| 23 | 5 | 5 | 3 | 8 | 11 | 18 | 22 | 21 | 21 | 19 | 14 | 8 | – | – | – | – |
| 24 | 7 | 12 | 8 | 15 | 15 | 14 | 19 | 33 | 33 | 28 | 24 | 11 | 5 | – | – | – |
| 25 | | | | | | | | | | | | | | | | |
| 26 | 1 | 4 | 5 | 6 | 9 | 11 | 7 | 19 | 25 | 17 | 13 | 3 | 1 | – | – | – |
| 27 | 5 | 5 | 4 | 10 | 3 | 10 | 21 | 18 | 19 | 11 | 14 | 12 | 5 | 1 | – | – |
| 28 | | | | | | | | | | | | | | | | |
| 29 | – | 1 | – | 4 | 8 | 5 | 5 | 7 | 17 | 5 | 5 | 4 | 1 | – | – | – |
| 30 | 2 | – | 3 | 3 | 7 | 6 | 10 | 11 | 14 | 11 | 7 | 10 | 5 | 3 | – | – |
| 31 | | | | | | | | | | | | | | | | |
| 32 | 7 | 3 | 3 | 8 | 10 | 13 | 11 | 16 | 4 | 9 | 9 | 2 | 2 | – | – | – |
| 33 | 3 | – | 2 | 4 | 8 | 6 | 7 | 7 | 9 | 5 | 8 | 1 | 2 | 1 | – | – |
| 34 | | | | | | | | | | | | | | | | |
| 35 | – | 2 | 1 | – | 1 | 4 | 7 | 3 | 12 | 6 | 2 | 1 | – | – | – | – |
| 36 | 1 | – | 4 | 3 | 2 | 3 | 6 | 8 | 4 | 6 | 5 | 5 | 1 | – | – | – |
| 37 | | | | | | | | | | | | | | | | |
| 38 | 4 | 1 | 4 | 4 | 4 | 3 | 8 | 9 | 9 | 6 | 3 | 5 | 3 | – | – | – |
| 39 | 3 | 1 | 2 | 2 | 4 | 5 | 9 | 13 | 8 | 5 | 12 | 4 | – | – | – | – |
| 40 | | | | | | | | | | | | | | | | |
| 41 | 2 | 1 | 1 | 2 | 4 | 4 | 3 | 3 | 2 | 3 | 3 | – | 2 | – | – | – |
| 42 | 2 | 1 | 1 | – | 3 | 4 | 2 | 5 | 9 | 7 | 7 | 3 | 2 | – | – | – |
| 43 | | | | | | | | | | | | | | | | |
| 44 | 13 | 30 | 25 | 28 | 56 | 52 | 56 | 70 | 59 | 29 | 33 | 20 | 2 | 1 | – | – |
| 45 | 14 | 22 | 20 | 36 | 52 | 43 | 70 | 60 | 61 | 66 | 43 | 18 | 7 | 3 | – | – |
| 46 | | | | | | | | | | | | | | | | |
| 47 | 1 | 3 | 1 | 3 | 8 | 4 | 11 | 9 | 11 | 11 | 5 | 4 | – | – | – | – |
| 48 | 1 | – | 6 | 3 | 2 | 8 | 11 | 15 | 19 | 14 | 9 | 11 | 2 | – | 1 | – |
| 49 | | | | | | | | | | | | | | | | |
| 50 | 4 | 8 | 8 | 12 | 14 | 23 | 23 | 26 | 21 | 22 | 15 | 14 | 4 | 1 | – | – |
| 51 | 3 | 6 | 11 | 7 | 18 | 26 | 23 | 32 | 40 | 40 | 34 | 22 | 10 | 3 | – | – |
| 52 | | | | | | | | | | | | | | | | |
| 53 | 6 | 3 | 2 | 4 | 8 | 16 | 12 | 31 | 16 | 10 | 8 | 5 | 1 | – | – | – |
| 54 | 3 | 4 | 3 | 4 | 10 | 11 | 13 | 9 | 17 | 12 | 9 | 8 | 2 | – | – | – |
| 55 | | | | | | | | | | | | | | | | |
| 56 | 2 | – | – | 2 | 2 | 2 | 6 | 7 | 13 | 4 | 5 | 2 | – | – | – | – |
| 57 | – | 2 | – | 2 | 2 | 2 | 4 | 5 | 5 | 7 | 9 | 2 | 1 | – | – | – |
| 58 | | | | | | | | | | | | | | | | |
| 59 | 9 | 15 | 18 | 20 | 20 | 20 | 27 | 25 | 34 | 17 | 16 | 12 | – | – | – | – |
| 60 | 7 | 8 | 8 | 17 | 15 | 14 | 19 | 36 | 25 | 24 | 15 | 12 | 11 | – | – | – |
| 61 | | | | | | | | | | | | | | | | |
| 62 | 3 | 4 | 2 | 4 | 4 | 4 | 8 | 8 | 7 | 5 | 2 | 3 | – | – | – | – |
| 63 | 2 | 1 | 3 | 3 | 4 | 4 | 10 | 10 | 3 | 6 | 1 | – | – | 1 | – | – |
| 64 | | | | | | | | | | | | | | | | |
| 65 | 2 | 3 | 7 | 4 | 6 | 8 | 18 | 13 | 9 | 7 | 4 | 1 | 1 | – | – | – |
| 66 | 2 | 5 | 4 | 5 | 6 | 5 | 12 | 11 | 9 | 10 | 5 | 2 | 2 | – | – | – |
| 67 | | | | | | | | | | | | | | | | |
| 68 | 2 | 11 | 13 | 19 | 19 | 27 | 34 | 42 | 25 | 27 | 14 | 8 | 5 | – | – | – |
| 69 | 12 | 10 | 12 | 11 | 20 | 28 | 29 | 29 | 40 | 25 | 24 | 19 | 2 | – | – | – |
| 70 | | | | | | | | | | | | | | | | |
| 71 | 1 | 1 | – | 7 | 4 | 5 | 3 | 2 | 5 | 9 | 2 | 4 | 2 | – | – | – |
| 72 | 2 | 1 | 1 | 4 | 3 | 10 | 13 | 14 | 7 | 7 | 6 | 7 | 3 | – | – | – |
| 73 | | | | | | | | | | | | | | | | |
| 74 | 14 | 7 | 20 | 13 | 16 | 31 | 33 | 33 | 30 | 24 | 23 | 5 | 1 | – | – | – |
| 75 | 4 | 9 | 8 | 10 | 15 | 17 | 23 | 23 | 42 | 31 | 26 | 15 | 4 | 5 | 1 | – |
| 76 | | | | | | | | | | | | | | | | |
| 77 | 3 | 3 | 4 | 6 | 7 | 10 | 7 | 11 | 1 | 8 | 6 | 2 | – | – | – | – |
| 78 | 1 | 5 | 3 | 3 | 8 | 5 | 8 | 15 | 10 | 7 | 6 | 9 | 1 | – | – | – |
| 79 | | | | | | | | | | | | | | | | |
| 80 | 5 | 11 | 11 | 23 | 14 | 16 | 24 | 23 | 25 | 26 | 15 | 7 | 2 | – | – | – |
| 81 | 5 | 8 | 9 | 7 | 10 | 14 | 28 | 30 | 28 | 27 | 28 | 15 | 5 | 1 | – | – |

[3] Age at last birthday.

| Line No. | Table 3 — Municipalities and Sex. | Deaths,[1] by Sex and Age,[2] in Municipalities — All ages. | Under 5 years. | Under 1 year. | 1 year. | 2 years. | 3 years. | 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 24 years. | 25 to 29 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Saugus (town). | 101 | | | | | | | | | | | |
| 2 | Males . . . | 52 | 5 | 3 | 2 | – | – | – | 1 | 1 | 2 | 2 | 1 |
| 3 | Females . . . | 49 | 4 | 3 | 1 | – | – | – | 1 | 2 | – | – | – |
| 4 | Somerville. | 1,009 | | | | | | | | | | | |
| 5 | Males . . . | 498 | 93 | 67 | 10 | 5 | 6 | 5 | 16 | 9 | 3 | 7 | 10 |
| 6 | Females . . . | 511 | 55 | 40 | 5 | 5 | 2 | 3 | 10 | 6 | 5 | 4 | 19 |
| 7 | Southbridge (town). | 107 | | | | | | | | | | | |
| 8 | Males . . . | 54 | 8 | 7 | – | 1 | – | – | 1 | – | 2 | – | 1 |
| 9 | Females . . . | 53 | 6 | 6 | – | – | – | – | 2 | – | 1 | 2 | 1 |
| 10 | Springfield. | 1,783 | | | | | | | | | | | |
| 11 | Males . . . | 897 | 120 | 95 | 11 | 4 | 4 | 6 | 16 | 11 | 7 | 14 | 19 |
| 12 | Females . . . | 886 | 92 | 73 | 9 | 1 | 5 | 4 | 19 | 5 | 10 | 14 | 16 |
| 13 | Stoneham (town). | 118 | | | | | | | | | | | |
| 14 | Males . . . | 47 | 11 | 11 | – | – | – | – | – | – | 1 | – | – |
| 15 | Females . . . | 71 | 9 | 7 | 1 | 1 | – | – | – | – | – | 1 | 2 |
| 16 | Swampscott (town). | 78 | | | | | | | | | | | |
| 17 | Males . . . | 38 | 5 | 4 | – | – | 1 | – | – | – | 1 | – | – |
| 18 | Females . . . | 40 | 3 | 1 | 2 | – | – | – | – | 1 | – | – | 1 |
| 19 | Taunton. | 597 | | | | | | | | | | | |
| 20 | Males . . . | 309 | 46 | 34 | 6 | 4 | 1 | 1 | – | 2 | 3 | 5 | 10 |
| 21 | Females . . . | 288 | 21 | 16 | 2 | – | 2 | 1 | 5 | 1 | 4 | 4 | 2 |
| 22 | Wakefield (town). | 134 | | | | | | | | | | | |
| 23 | Males . . . | 59 | 9 | 5 | 2 | 1 | – | 1 | 1 | – | – | 1 | – |
| 24 | Females . . . | 75 | 5 | 3 | – | 1 | 1 | – | – | – | – | 1 | – |
| 25 | Waltham. | 407 | | | | | | | | | | | |
| 26 | Males . . . | 190 | 33 | 28 | 5 | – | – | – | – | 2 | 3 | 7 | 4 |
| 27 | Females . . . | 217 | 27 | 21 | 3 | 1 | – | 2 | 2 | 6 | 5 | 4 | 7 |
| 28 | Watertown (town). | 189 | | | | | | | | | | | |
| 29 | Males . . . | 83 | 11 | 9 | 1 | 1 | – | – | – | – | 1 | – | 3 |
| 30 | Females . . . | 106 | 8 | 7 | 1 | – | – | – | 3 | – | 1 | 6 | – |
| 31 | Webster (town). | 128 | | | | | | | | | | | |
| 32 | Males . . . | 61 | 9 | 8 | 1 | – | – | – | – | 1 | 1 | – | 2 |
| 33 | Females . . . | 67 | 4 | 2 | – | 1 | – | 1 | 1 | 1 | – | 1 | – |
| 34 | Wellesley (town). | 65 | | | | | | | | | | | |
| 35 | Males . . . | 29 | 3 | 2 | 1 | – | – | – | 1 | – | – | – | – |
| 36 | Females . . . | 36 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| 37 | W. Springfield (town). | 99 | | | | | | | | | | | |
| 38 | Males . . . | 46 | 9 | 7 | – | 2 | – | – | 1 | 1 | 2 | 1 | – |
| 39 | Females . . . | 53 | 6 | 5 | 1 | – | – | – | – | 1 | – | – | 1 |
| 40 | Westfield. | 247 | | | | | | | | | | | |
| 41 | Males . . . | 126 | 14 | 11 | – | 2 | 1 | – | 4 | – | 5 | 3 | 2 |
| 42 | Females . . . | 121 | 14 | 9 | 3 | – | 2 | – | – | 1 | 7 | 2 | 4 |
| 43 | Weymouth (town). | 220 | | | | | | | | | | | |
| 44 | Males . . . | 97 | 12 | 9 | 2 | 1 | – | – | – | – | 3 | 1 | 1 |
| 45 | Females . . . | 123 | 10 | 7 | – | 1 | – | 2 | 2 | 1 | – | 2 | 2 |
| 46 | Winchester (town). | 137 | | | | | | | | | | | |
| 47 | Males . . . | 75 | 13 | 10 | 2 | – | 1 | – | – | – | 3 | 3 | 4 |
| 48 | Females . . . | 62 | 2 | 2 | – | – | – | – | 1 | 1 | – | 1 | – |
| 49 | Winthrop (town). | 154 | | | | | | | | | | | |
| 50 | Males . . . | 73 | 7 | 6 | 1 | – | – | – | – | 1 | – | 4 | 2 |
| 51 | Females . . . | 81 | 8 | 6 | – | – | 2 | – | – | – | 1 | 1 | 1 |
| 52 | Woburn. | 172 | | | | | | | | | | | |
| 53 | Males . . . | 84 | 12 | 9 | 2 | – | 1 | – | – | – | 1 | – | – |
| 54 | Females . . . | 88 | 13 | 10 | 2 | 1 | – | – | 3 | – | 1 | 2 | 3 |
| 55 | Worcester. | 2,501 | | | | | | | | | | | |
| 56 | Males . . . | 1,328 | 155 | 121 | 6 | 9 | 11 | 8 | 17 | 15 | 24 | 27 | 23 |
| 57 | Females . . . | 1,173 | 140 | 109 | 14 | 9 | 1 | 7 | 16 | 8 | 19 | 28 | 30 |

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1930 — Con.

| Line No. | 30 to 34 years. | 35 to 39 years. | 40 to 44 years. | 45 to 49 years. | 50 to 54 years. | 55 to 59 years. | 60 to 64 years. | 65 to 69 years. | 70 to 74 years. | 75 to 79 years. | 80 to 84 years. | 85 to 89 years. | 90 to 94 years. | 95 to 99 years. | 100 years and over. | Age unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | | | | | | | | | | | | | | | | |
| 2 | 2 | 1 | 3 | – | 3 | 5 | 6 | 2 | 7 | 6 | 1 | 1 | 2 | 1 | – | – |
| 3 | – | 1 | 2 | 3 | – | 3 | 3 | 3 | 6 | 8 | 7 | 2 | 4 | – | – | – |
| 4 | | | | | | | | | | | | | | | | |
| 5 | 2 | 8 | 11 | 14 | 24 | 45 | 57 | 49 | 44 | 51 | 34 | 15 | 5 | 1 | – | – |
| 6 | 9 | 9 | 14 | 19 | 18 | 34 | 43 | 56 | 68 | 52 | 47 | 30 | 12 | 1 | – | – |
| 7 | | | | | | | | | | | | | | | | |
| 8 | 2 | 1 | 4 | 1 | 6 | 1 | 6 | 7 | 7 | 6 | 1 | – | – | – | – | – |
| 9 | – | 1 | 1 | 1 | – | 5 | 4 | 7 | 12 | 4 | 5 | – | 1 | – | – | – |
| 10 | | | | | | | | | | | | | | | | |
| 11 | 22 | 43 | 60 | 65 | 69 | 87 | 87 | 76 | 81 | 52 | 45 | 15 | 8 | – | – | – |
| 12 | 34 | 25 | 39 | 55 | 60 | 71 | 69 | 89 | 93 | 77 | 62 | 42 | 13 | 1 | – | – |
| 13 | | | | | | | | | | | | | | | | |
| 14 | 1 | 1 | 2 | 1 | 6 | 3 | 2 | 2 | 3 | 4 | 5 | 3 | – | 2 | – | – |
| 15 | 2 | 2 | 1 | 3 | 3 | 5 | 4 | 8 | 12 | 9 | 1 | 3 | 4 | 2 | – | – |
| 16 | | | | | | | | | | | | | | | | |
| 17 | 2 | – | 1 | 4 | 2 | 4 | 3 | 5 | 4 | 4 | 2 | 1 | – | – | – | – |
| 18 | 1 | – | 1 | 4 | 1 | 3 | – | 5 | 3 | 6 | 7 | 3 | 1 | – | – | – |
| 19 | | | | | | | | | | | | | | | | |
| 20 | 3 | 11 | 9 | 17 | 20 | 26 | 34 | 32 | 32 | 34 | 15 | 10 | – | – | – | – |
| 21 | 6 | 8 | 5 | 15 | 20 | 25 | 27 | 29 | 33 | 30 | 31 | 14 | 6 | 2 | – | – |
| 22 | | | | | | | | | | | | | | | | |
| 23 | 1 | 2 | 2 | 2 | 1 | 9 | 3 | 7 | 3 | 6 | 6 | 4 | 2 | – | – | – |
| 24 | 1 | – | 1 | 3 | 3 | 3 | 7 | 9 | 7 | 11 | 9 | 10 | 4 | 1 | – | – |
| 25 | | | | | | | | | | | | | | | | |
| 26 | 1 | 5 | 4 | 9 | 9 | 13 | 25 | 18 | 22 | 14 | 13 | 7 | 1 | – | – | – |
| 27 | 7 | 2 | 4 | 10 | 17 | 14 | 15 | 27 | 17 | 23 | 16 | 9 | 4 | 1 | – | – |
| 28 | | | | | | | | | | | | | | | | |
| 29 | – | 1 | 7 | 5 | 9 | 7 | 5 | 8 | 13 | 4 | 5 | 4 | – | – | – | – |
| 30 | 1 | 1 | 5 | 6 | 6 | 9 | 9 | 11 | 15 | 9 | 10 | 5 | – | 1 | – | – |
| 31 | | | | | | | | | | | | | | | | |
| 32 | – | 1 | 2 | 5 | 4 | 5 | 9 | 5 | 4 | 9 | 2 | 1 | 1 | – | – | – |
| 33 | 2 | 3 | 2 | 3 | 8 | 5 | 8 | 3 | 7 | 9 | 4 | 4 | 1 | 1 | – | – |
| 34 | | | | | | | | | | | | | | | | |
| 35 | 1 | 1 | 3 | – | 3 | 4 | 4 | 3 | 4 | 1 | – | – | 1 | – | – | – |
| 36 | – | – | 1 | 2 | – | 3 | 1 | 5 | 5 | 8 | 4 | 3 | 2 | – | – | – |
| 37 | | | | | | | | | | | | | | | | |
| 38 | 2 | 2 | 4 | – | 3 | 2 | 5 | 5 | 3 | 5 | 1 | – | – | – | – | – |
| 39 | 1 | – | 3 | 1 | 5 | 2 | 3 | 8 | 8 | 11 | 2 | – | 1 | – | – | – |
| 40 | | | | | | | | | | | | | | | | |
| 41 | 5 | 6 | 6 | 5 | 6 | 11 | 12 | 12 | 12 | 17 | 2 | 4 | – | – | – | – |
| 42 | 2 | 4 | 3 | 4 | 9 | 13 | 8 | 14 | 12 | 6 | 12 | 4 | 1 | 1 | – | – |
| 43 | | | | | | | | | | | | | | | | |
| 44 | 2 | 5 | 4 | 2 | 7 | 1 | 7 | 13 | 16 | 5 | 9 | 7 | 2 | – | – | – |
| 45 | 3 | 3 | 4 | 3 | 7 | 10 | 11 | 14 | 15 | 14 | 16 | 3 | 2 | 1 | – | – |
| 46 | | | | | | | | | | | | | | | | |
| 47 | 2 | 1 | 1 | 3 | 2 | 4 | 10 | 13 | 3 | 4 | 4 | 3 | 2 | – | – | – |
| 48 | 2 | 3 | 1 | 2 | 7 | 2 | 6 | 5 | 9 | 7 | 5 | 2 | 5 | – | 1 | – |
| 49 | | | | | | | | | | | | | | | | |
| 50 | 2 | 1 | 2 | 1 | 5 | 4 | 10 | 14 | 6 | 10 | 3 | – | 1 | – | – | – |
| 51 | 3 | 1 | 1 | 3 | 3 | 7 | 7 | 14 | 10 | 7 | 7 | 6 | 1 | – | – | – |
| 52 | | | | | | | | | | | | | | | | |
| 53 | – | 1 | 2 | 5 | 4 | 13 | 6 | 16 | 9 | 6 | 6 | 2 | 1 | – | – | – |
| 54 | 3 | 2 | 8 | 3 | 3 | 7 | 2 | 8 | 6 | 9 | 10 | 3 | 2 | – | – | – |
| 55 | | | | | | | | | | | | | | | | |
| 56 | 19 | 58 | 55 | 74 | 90 | 126 | 144 | 145 | 111 | 126 | 70 | 40 | 8 | 1 | – | – |
| 57 | 22 | 47 | 41 | 69 | 79 | 88 | 103 | 97 | 113 | 120 | 78 | 52 | 20 | 3 | – | – |

[1] Age at last birthday.

**Table 4**

| Years. | Population, Deaths,[1] and Death Rates, per 1,000 Population: 1906 to 1930. | | |
|---|---|---|---|
| | Population. | Deaths. | Death rates. |
| 1906 | 3,089,029 | 50,624 | 16.4 |
| 1907 | 3,162,186 | 54,234 | 17.2 |
| 1908 | 3,235,343 | 51,788 | 16.0 |
| 1909 | 3,308,500 | 51,236 | 15.5 |
| 1910 | 3,380,151 | 54,407 | 16.1 |
| 1911 | 3,446,079 | 53,062 | 15.4 |
| 1912 | 3,512,007 | 52,400 | 14.9 |
| 1913 | 3,577,935 | 53,402 | 14.9 |
| 1914 | 3,643,863 | 52,978 | 14.5 |
| 1915 | 3,693,310 | 53,131 | 14.4 |
| 1916 | 3,775,720 | 56,366 | 14.9 |
| 1917 | 3,841,648 | 56,628 | 14.7 |
| 1918 | 3,907,576 | 78,842 | 20.2 |
| 1919 | 3,835,614 | 52,345 | 13.6 |
| 1920 | 3,852,356 | 53,632 | 13.9 |
| 1921 | 3,885,836 | 47,780 | 12.3 |
| 1922 | 3,936,056 | 51,115 | 13.0 |
| 1923 | 3,969,536 | 52,380 | 13.2 |
| 1924 | 4,003,016 | 49,466 | 12.4 |
| 1925 | 4,144,205 | 51,890 | 12.5 |
| 1926 | 4,213,700[2] | 52,888 | 12.6 |
| 1927 | 4,269,296[2] | 49,324 | 11.6 |
| 1928 | 4,324,892[2] | 51,442 | 11.9 |
| 1929 | 4,380,488[2] | 52,171 | 11.9 |
| 1930 | 4,249,614 | 49,503 | 11.6 |

[1] Exclusive of stillbirths.
[2] Estimated.

**Table 5**

| Years. | Mortality[1] of Males and Females: 1906 to 1930. | | | | | |
|---|---|---|---|---|---|---|
| | Deaths. | | Deaths of males to 1,000 deaths of females. | Death rates[2] per 1,000 population. | | |
| | Males. | Females. | | Males. | Females. | Excess of male rate. |
| 1906 | 26,190 | 24,434 | 1,072 | – | – | – |
| 1907 | 28,023 | 26,211 | 1,069 | – | – | – |
| 1908 | 26,772 | 25,016 | 1,070 | – | – | – |
| 1909 | 26,320 | 24,916 | 1,056 | – | – | – |
| *1910* | *28,259* | *26,148* | *1,081* | *17.1* | *15.3* | *1.8* |
| 1911 | 27,526 | 25,536 | 1,078 | – | – | – |
| 1912 | 27,027 | 25,373 | 1,065 | – | – | – |
| 1913 | 28,039 | 25,363 | 1,106 | – | – | – |
| 1914 | 27,569 | 25,409 | 1,085 | – | – | – |
| *1915* | *27,335* | *25,792* | *1,060* | *15.1* | *13.7* | *1.4* |
| 1916 | 29,536 | 26,823 | 1,101 | – | – | – |
| 1917 | 29,622 | 27,005 | 1,097 | – | – | – |
| 1918 | 41,670 | 37,163 | 1,121 | – | – | – |
| 1919 | 26,407 | 25,930 | 1,018 | – | – | – |
| *1920* | *26,625* | *27,004* | *986* | *14.1* | *13.8* | *.3* |
| 1921 | 23,944 | 23,836 | 1,005 | 12.6 | 12.0 | .6 |
| 1922 | 25,679 | 25,433 | 1,010 | 13.3 | 12.7 | .6 |
| 1923 | 26,268 | 26,111 | 1,006 | 13.5 | 12.9 | .6 |
| 1924 | 25,392 | 24,074 | 1,055 | 12.9 | 11.8 | 1.1 |
| *1925* | *26,457* | *25,433* | *1,040* | – | – | – |
| 1926 | 26,943 | 25,945 | 1,038 | – | – | – |
| 1927 | 25,233 | 24,091 | 1,047 | – | – | – |
| 1928 | 26,082 | 25,360 | 1,028 | – | – | – |
| 1929 | 26,461 | 25,710 | 1,029 | – | – | – |
| *1930* | *25,242* | *24,261* | *1,041* | – | – | – |

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and U. S. Census of 1930.

**Table 6**

| Age Periods. | Deaths[1] at Specified Ages: Census Years 1905 to 1930. | | | | | |
|---|---|---|---|---|---|---|
| | 1930. | 1925. | 1920. | 1915. | 1910. | 1905. |
| All Ages. | 49,503 | 51,890 | 53,632 | 53,131 | 54,407 | 50,486 |
| Under 5 years | 5,873 | 8,623 | 11,739 | 12,891 | 15,433 | 14,055 |
| Under 1 year | 4,440 | 6,294 | 8,382 | 9,490 | 11,499 | 10,519 |
| 5 to 9 years | 742 | 922 | 1,129 | 1,026 | 1,091 | 1,017 |
| 10 to 14 years | 479 | 678 | 689 | 648 | 678 | 734 |
| 15 to 19 years | 705 | 891 | 957 | 984 | 1,002 | 1,050 |
| 20 to 29 years | 1,956 | 2,498 | 3,282 | 3,234 | 3,329 | 3,562 |
| 30 to 39 years | 2,959 | 3,161 | 3,916 | 3,823 | 4,102 | 4,149 |
| 40 to 49 years | 4,278 | 4,521 | 4,554 | 4,825 | 4,615 | 4,139 |
| 50 to 59 years | 6,989 | 6,838 | 6,154 | 6,058 | 5,501 | 5,174 |
| 60 to 69 years | 9,881 | 9,186 | 7,784 | 7,323 | 7,168 | 6,346 |
| 70 to 79 years | 9,637 | 8,882 | 8,049 | 7,613 | 6,977 | 6,106 |
| 80 years and over | 6,003 | 5,685 | 5,370 | 4,667 | 4,471 | 4,101 |
| Age unknown | 1 | 5 | 9 | 39 | 40 | 53 |
| | Death Rates per 1,000 Population[2] at Specified Ages. | | | | | |
| All Ages. | 11.6 | 12.5 | 13.9 | 14.4 | 16.2 | 16.8 |
| Under 5 years | – | – | 30.4 | 35.5 | 46.9 | 53.6 |
| Under 1 year | – | – | 111.9 | 126.1 | 162.6 | 208.0 |
| 5 to 9 years | – | – | 3.1 | 3.1 | 3.7 | 3.7 |
| 10 to 14 years | – | – | 2.1 | 2.1 | 2.4 | 2.8 |
| 15 to 19 years | – | – | 3.2 | 3.1 | 3.4 | 4.0 |
| 20 to 29 years | – | – | 4.9 | 4.6 | 5.2 | 6.3 |
| 30 to 39 years | – | – | 6.4 | 6.5 | 7.4 | 8.2 |
| 40 to 49 years | – | – | 9.1 | 10.3 | 11.0 | 11.2 |
| 50 to 59 years | – | – | 17.2 | 19.1 | 19.9 | 21.4 |
| 60 to 69 years | – | – | 37.5 | 40.5 | 43.1 | 41.1 |
| 70 to 79 years | – | – | 85.5 | 87.1 | 79.2 | 83.2 |
| 80 years and over | – | – | 193.0 | 177.5 | 191.3 | 179.6 |

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925, U. S. Census figures for 1930 not available.

**Table 7**

| Years. | Per Cent of Deaths[1] at Specified Ages — Both Sexes. | | | |
|---|---|---|---|---|
| | Under 1 year. | Under 5 years. | 20 to 29 years. | All others. |
| 1906 | 21.9 | 29.7 | 6.5 | 63.8 |
| 1907 | 20.8 | 27.5 | 6.6 | 66.0 |
| 1908 | 22.4 | 28.3 | 6.3 | 65.4 |
| 1909 | 20.9 | 27.9 | 6.1 | 66.0 |
| 1910 | 21.1 | 28.4 | 6.1 | 65.5 |
| 1911 | 19.9 | 26.4 | 6.1 | 67.5 |
| 1912 | 20.0 | 26.3 | 6.0 | 67.6 |
| 1913 | 18.9 | 25.8 | 6.0 | 68.2 |
| 1914 | 18.7 | 24.6 | 6.0 | 69.4 |
| 1915 | 17.9 | 24.3 | 6.1 | 69.7 |
| 1916 | 16.6 | 23.2 | 5.8 | 71.0 |
| 1917 | 16.5 | 22.5 | 5.9 | 71.6 |
| 1918 | 13.7 | 21.0 | 13.7 | 65.3 |
| 1919 | 14.8 | 20.7 | 7.3 | 72.0 |
| 1920 | 15.6 | 21.9 | 6.1 | 72.0 |
| 1921 | 14.7 | 19.7 | 5.3 | 75.0 |
| 1922 | 13.9 | 19.2 | 4.9 | 75.9 |
| 1923 | 13.3 | 18.4 | 4.9 | 76.7 |
| 1924 | 12.5 | 16.9 | 4.9 | 78.2 |
| 1925 | 12.1 | 16.6 | 4.8 | 78.6 |
| 1926 | 11.6 | 16.1 | 4.4 | 79.5 |
| 1927 | 10.8 | 14.3 | 4.6 | 81.1 |
| 1928 | 10.0 | 13.6 | 4.3 | 82.1 |
| 1929 | 8.8 | 12.0 | 4.4 | 83.6 |
| 1930 | 9.0 | 11.9 | 3.9 | 84.2 |

[1] Exclusive of stillbirths.

**Table 8**

| Age Periods. | Male Deaths per 1,000 Female Deaths at Specified Ages. | | | | Age Periods. | Male Deaths per 1,000 Female Deaths at Specified Ages. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 1930. | 1929. | 1928. | 1927. | | 1930. | 1929. | 1928. | 1927. |
| All Ages. | 1,041 | 1,029 | 1,028 | 1,047 | 40 to 44 years | 1,347 | 1,173 | 1,316 | 1,259 |
| Under 1 year | 1,268 | 1,345 | 1,293 | 1,367 | 45 to 49 years | 1,163 | 1,238 | 1,230 | 1,160 |
| 1 year | 1,315 | 1,308 | 1,092 | 1,407 | 50 to 54 years | 1,214 | 1,229 | 1,222 | 1,146 |
| 2 years | 1,308 | 1,275 | 1,050 | 1,038 | 55 to 59 years | 1,246 | 1,198 | 1,208 | 1,183 |
| 3 years | 1,168 | 1,154 | 1,192 | 1,007 | 60 to 64 years | 1,169 | 1,169 | 1,120 | 1,113 |
| 4 years | 955 | 1,000 | 1,107 | 993 | 65 to 69 years | 1,048 | 1,025 | 1,037 | 1,113 |
| 5 to 9 years | 1,228 | 1,222 | 1,399 | 1,328 | 70 to 74 years | 939 | 974 | 966 | 984 |
| 10 to 14 years | 1,431 | 1,241 | 1,289 | 1,201 | 75 to 79 years | 880 | 878 | 865 | 877 |
| 15 to 19 years | 1,136 | 1,025 | 1,048 | 1,176 | 80 to 84 years | 729 | 723 | 695 | 740 |
| 20 to 24 years | 1,024 | 1,000 | 827 | 884 | 85 to 89 years | 600 | 565 | 569 | 622 |
| 25 to 29 years | 945 | 947 | 861 | 886 | 90 to 94 years | 455 | 509 | 544 | 458 |
| 30 to 34 years | 977 | 935 | 1,057 | 1,023 | 95 to 99 years | 376 | 403 | 398 | 426 |
| 35 to 39 years | 1,325 | 1,061 | 1,099 | 1,191 | 100 years and over | 136 | 333 | 571 | 250 |

Table 9

| Age Periods and Years. | Deaths[1] of Males and Females at Specified Ages: 1921 to 1930. | | | | | | |
|---|---|---|---|---|---|---|---|
| | Both sexes. | | Males. | | Females. | | Female deaths per 1,000 male deaths. |
| | Number. | Per Cent distribution. | Number. | Per Cent distribution. | Number. | Per Cent distribution. | |
| **All Ages.** | | | | | | | |
| 1921 | 47,780 | 100.0 | 23,944 | 100.0 | 23,836 | 100.0 | 995 |
| 1922 | 51,115[2] | 100.0 | 25,679 | 100.0 | 25,433 | 100.0 | 990 |
| 1923 | 52,380[3] | 100.0 | 26,268 | 100.0 | 26,111 | 100.0 | 994 |
| 1924 | 49,466[4] | 100.0 | 25,390 | 100.0 | 24,076 | 100.0 | 948 |
| 1925 | 51,890[5] | 100.0 | 26,457 | 100.0 | 25,433 | 100.0 | 961 |
| 1926 | 52,888[6] | 100.0 | 26,943 | 100.0 | 25,945 | 100.0 | 963 |
| 1927 | 49,324[7] | 100.0 | 25,233 | 100.0 | 24,091 | 100.0 | 955 |
| 1928 | 51,442 | 100.0 | 26,082 | 100.0 | 25,360 | 100.0 | 972 |
| 1929 | 52,171 | 100.0 | 26,461 | 100.0 | 25,710 | 100.0 | 971 |
| 1930 | 49,503 | 100.0 | 25,242 | 100.0 | 24,261 | 100.0 | 961 |
| **Under 1 Year.** | | | | | | | |
| 1921 | 7,005 | 14.7 | 4,066 | 17.0 | 2,939 | 12.3 | 723 |
| 1922 | 7,129[2] | 13.9 | 4,150 | 16.2 | 2,976 | 11.7 | 717 |
| 1923 | 6,968 | 13.3 | 3,935 | 15.0 | 3,033 | 11.6 | 771 |
| 1924 | 6,191 | 12.5 | 3,525 | 13.9 | 2,666 | 11.1 | 756 |
| 1925 | 6,294 | 12.1 | 3,637 | 13.7 | 2,657 | 10.4 | 731 |
| 1926 | 6,130 | 11.6 | 3,375 | 12.5 | 2,755 | 10.6 | 816 |
| 1927 | 5,320 | 10.8 | 3,072 | 12.2 | 2,248 | 9.3 | 732 |
| 1928 | 5,117 | 10.0 | 2,886 | 11.1 | 2,231 | 8.8 | 773 |
| 1929 | 4,592 | 8.8 | 2,634 | 10.0 | 1,958 | 7.6 | 743 |
| 1930 | 4,440 | 9.0 | 2,482 | 9.8 | 1,958 | 8.1 | 789 |
| **Under 5 Years.** | | | | | | | |
| 1921 | 9,432 | 19.7 | 5,356 | 22.4 | 4,076 | 17.1 | 761 |
| 1922 | 9,807[3] | 19.2 | 5,604 | 21.8 | 4,200 | 16.5 | 749 |
| 1923 | 9,653 | 18.4 | 5,373 | 20.4 | 4,280 | 16.4 | 797 |
| 1924 | 8,350 | 16.9 | 4,698 | 18.5 | 3,652 | 15.2 | 777 |
| 1925 | 8,623 | 16.6 | 4,879 | 18.4 | 3,744 | 14.7 | 767 |
| 1926 | 8,503 | 16.1 | 4,669 | 17.3 | 3,834 | 14.8 | 821 |
| 1927 | 7,035 | 14.3 | 3,999 | 15.9 | 3,036 | 12.6 | 759 |
| 1928 | 6,994 | 13.6 | 3,869 | 14.8 | 3,125 | 12.3 | 808 |
| 1929 | 6,279 | 12.0 | 3,563 | 13.5 | 2,716 | 10.6 | 762 |
| 1930 | 5,873 | 11.9 | 3,271 | 13.0 | 2,602 | 10.7 | 795 |
| **20 to 29 Years.** | | | | | | | |
| 1921 | 2,523 | 5.3 | 1,192 | 5.0 | 1,331 | 5.6 | 1,117 |
| 1922 | 2,511 | 4.9 | 1,169 | 4.6 | 1,342 | 5.3 | 1,148 |
| 1923 | 2,541 | 4.9 | 1,203 | 4.6 | 1,338 | 5.1 | 1,112 |
| 1924 | 2,450 | 4.9 | 1,187 | 4.7 | 1,263 | 5.2 | 1,064 |
| 1925 | 2,498 | 4.8 | 1,161 | 4.4 | 1,337 | 5.3 | 1,151 |
| 1926 | 2,330 | 4.4 | 1,070 | 4.0 | 1,260 | 4.8 | 1,178 |
| 1927 | 2,264 | 4.6 | 1,063 | 4.2 | 1,201 | 5.0 | 1,129 |
| 1928 | 2,190 | 4.3 | 1,003 | 3.9 | 1,187 | 4.7 | 1,183 |
| 1929 | 2,266 | 4.4 | 1,117 | 4.2 | 1,149 | 4.5 | 1,029 |
| 1930 | 1,956 | 3.9 | 968 | 3.8 | 988 | 4.1 | 1 019 |
| **All Other Ages.** | | | | | | | |
| 1921 | 35,825 | 75.0 | 17,396 | 72.6 | 18,429 | 77.3 | 1,059 |
| 1922 | 38,800[8] | 75.9 | 18,906 | 73.6 | 19,891 | 78.2 | 1,052 |
| 1923 | 40,186[3] | 76.7 | 19,692 | 75.0 | 20,493 | 78.5 | 1,041 |
| 1924 | 38,666[4] | 78.2 | 19,505 | 76.8 | 19,161 | 79.6 | 982 |
| 1925 | 40,769[5] | 78.6 | 20,417 | 77.2 | 20,352 | 80.0 | 997 |
| 1926 | 42,055[6] | 79.5 | 21,204 | 78.7 | 20,851 | 80.4 | 983 |
| 1927 | 40,025[7] | 81.1 | 20,171 | 79.9 | 19,854 | 82.4 | 984 |
| 1928 | 42,258 | 82.1 | 21,210 | 81.3 | 21,048 | 83.0 | 992 |
| 1929 | 43,626 | 83.6 | 21,781 | 82.3 | 21,845 | 84.9 | 1,003 |
| 1930 | 41,674[9] | 84.2 | 21,003 | 83.2 | 20,671 | 85.2 | 984 |

[1] Exclusive of stillbirths.
[2] Includes 3 deaths, sex not reported.
[3] Includes 1 death, sex and age not reported.
[4] Includes 12 deaths, age not reported.
[5] Includes 5 deaths, age not reported.
[6] Includes 11 deaths, age not reported.
[7] Includes 2 deaths, age not reported.
[8] Includes 10 deaths, age not reported.
[9] Includes 1 death, age not reported.

**Table 10**

DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1930.

| Age at Death. Yrs. | Mos. | Sex. | Place of death. | Place of birth. | Marital condition. | Date of death. | Name (and maiden name of married and widowed women). |
|---|---|---|---|---|---|---|---|
| 107 | – | F. | Cambridge | Georgia | Widowed | Mar. 14 | Harriet Simmons, m. n. Black. |
| 105 | 10 | F. | Winchester | Liverpool, England | Single | Mar. 25 | Anne Dodd. |
| 105 | – | F. | Newburyport | Newbury | Widowed | Mar. 18 | Mary Newman Woodwell, m.n. Haskell. |
| 103 | 10 | F. | Boston | New York | Single | Nov. 13 | Mary E. Florence. |
| 103 | 3 | F. | Dedham | Plymouth, Vt. | Widowed | Nov. 15 | Lestina Prudence Johnson, m.n. Johnson. |
| 102 | 5 | F. | Groton | Unity, N. H. | Widowed | Sept. 24 | Eliza Roger Dickinson, m.n. Clark. |
| 102 | – | M. | Boston | Russia | Widowed | Sept. 1 | Louis Goldberg. |
| 102 | – | F. | Boston | Ireland | Widowed | April 29 | Mary A. Brown, m. n. Sullivan. |
| 101 | 10 | F. | Cambridge | Scotland | Widowed | May 31 | Annie Wass, m.n. McInnis. |
| 101 | 9 | F. | W. Brookfield | West Brookfield | Widowed | June 22 | Susan Jane Dane, m.n. Allen. |
| 101 | 4 | M. | South Hadley | Canada | Widowed | May 6 | Prudent Gadreault. |
| 101 | 3 | F. | Avon | Portugal | Widowed | Feb. 9 | Victoria E. Perry, m.n. unknown. |
| 101 | 3 | F. | Gardner | Walpole, N. H. | Widowed | Jan. 27 | Lorinda G. Conant, m.n. Gilbert. |
| 101 | 2 | F. | Quincy | Duxbury | Single | June 22 | Josephine Paulding. |
| 101 | – | F. | Fairhaven | Rochester | Widowed | June 11 | Elizabeth Butts, m. n. Hiller. |
| 101 | – | F. | Grafton | New Hampshire | Widowed | Feb. 1 | Jane Mason, m.n. Adams. |
| 100 | 8 | F. | Everett | Boston | Widowed | Aug. 3 | Mary A. Mitchell, m.n. Palmer. |
| 100 | 7 | F. | Andover | Danvers | Widowed | Mar. 6 | Elizabeth G. Kimball, m.n. Gray. |
| 100 | 6 | F. | Dudley | Germany | Widowed | Oct. 23 | Frances Motohski, m.n. unknown. |
| 100 | 6 | F. | Foxboro | Scotland | Widowed | Sept. 25 | Mary Clark, m.n. Clark. |
| 100 | 4 | F. | Ludlow | Ludlow | Widowed | Aug. 9 | Sarah E. Jones, m.n. Parsons. |
| 100 | 2 | F. | Orange | Ireland | Widowed | Aug. 18 | Honora Kiley, m.n. Sullivan. |
| 100 | 2 | F. | Billerica | Billerica | Widowed | June 21 | Elvira R. Gould, m. n. Rogers. |
| 100 | 1 | M. | Boston | Canada | Widowed | Jan. 27 | Thomas Allen. |
| 100 | – | F. | Boston | Ireland | Widowed | Jan. 6 | Margaret E. Cooney m.n. Murphy. |

**Table 11**

DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1906 TO 1930.

| Years. | Total. | Sex. Males. | Sex. Females. | Nativity. Native. | Nativity. Foreign. | Nativity. Unknown. | Marital condition. Single. | Marital condition. Married. | Marital condition. Widowed. | Marital condition. Divorced. | Age of oldest decedent. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1906 | 21 | 7 | 14 | 11 | 10 | – | 3 | – | 18 | – | 107 |
| 1907 | 23 | 6 | 17 | 11 | 12 | – | – | 1 | 22 | – | 112 |
| 1908 | 22 | 8 | 14 | 10 | 12 | – | 2 | – | 20 | – | 106 |
| 1909 | 13 | 2 | 11 | 5 | 7 | 1 | 1 | 1 | 11 | – | 108 |
| 1910 | 23 | 9 | 14 | 12 | 11 | – | 3 | 2 | 18 | – | 106 |
| 1911 | 17 | 8 | 9 | 8 | 9 | – | 1 | 2 | 14 | – | 108 |
| 1912 | 21 | 6 | 15 | 12 | 9 | – | – | – | 21 | – | 112 |
| 1913 | 18 | 4 | 14 | 10 | 8 | – | 2 | – | 16 | – | 104 |
| 1914 | 20 | 4 | 16 | 7 | 13 | – | – | – | 20 | – | 113 |
| 1915 | 25 | 10 | 15 | 15 | 10 | – | – | 3 | 22 | – | 105 |
| 1916 | 21 | 9 | 12 | 10 | 11 | – | – | 1 | 20 | – | 111 |
| 1917 | 29 | 10 | 19 | 15 | 14 | – | 4 | 2 | 23 | – | 108 |
| 1918 | 21 | 7 | 14 | 9 | 12 | – | 3 | – | 18 | – | 112 |
| 1919 | 21 | 5 | 16 | 11 | 10 | – | 3 | 3 | 15 | – | 113 |
| 1920 | 16 | 3 | 13 | 8 | 8 | – | – | 1 | 15 | – | 104 |
| 1921 | 19 | 4 | 15 | 9 | 10 | – | 1 | 1 | 17 | – | 107 |
| 1922 | 25 | 5 | 20 | 13 | 12 | – | 2 | – | 23 | – | 108 |
| 1923 | 23 | 10 | 13 | 9 | 14 | – | – | 1 | 21 | 1 | 115 |
| 1924 | 18 | 3 | 15 | 12 | 6 | – | 1 | – | 17 | – | 109 |
| 1925 | 22 | 6 | 16 | 11 | 10 | 1 | 1 | 1 | 20 | – | 118 |
| 1926 | 27 | 8 | 19 | 18 | 9 | – | 4 | 2 | 21 | – | 105 |
| 1927 | 20 | 4 | 16 | 10 | 10 | – | 2 | 2 | 16 | – | 105 |
| 1928 | 22 | 8 | 14 | 13 | 9 | – | 3 | – | 19 | – | 109 |
| 1929 | 28 | 7 | 21 | 14 | 14 | – | 4 | – | 24 | – | 108 |
| 1930 | 25 | 3 | 22 | 14 | 11 | – | 3 | – | 22 | – | 107 |

Table 12

DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1930.

| AGE AT DEATH. | Both Sexes. | MALES. | | | | | | FEMALES. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Single. | Married. | Widowed. | Divorced. | Unknown. | Total. | Single. | Married. | Widowed. | Divorced. | Unknown. |
| **The State.** | | | | | | | | | | | | | |
| **15 Years and Over.** | **42,409** | **21,280** | **4,200** | **11,984** | **4,746** | **288** | **62** | **21,129** | **3,823** | **8,371** | **8,704** | **226** | **5** |
| 15 to 19 years . | 705 | 375 | 373 | 2 | – | – | – | 330 | 293 | 37 | – | – | – |
| 20 to 29 years . | 1,956 | 968 | 723 | 234 | 7 | 4 | – | 988 | 424 | 541 | 13 | 10 | – |
| 30 to 39 years . | 2,959 | 1,587 | 533 | 988 | 41 | 18 | 7 | 1,372 | 253 | 1,048 | 47 | 24 | – |
| 40 to 49 years . | 4,278 | 2,369 | 546 | 1,640 | 121 | 50 | 12 | 1,909 | 296 | 1,367 | 210 | 36 | – |
| 50 to 59 years . | 6,989 | 3,857 | 671 | 2,698 | 407 | 72 | 9 | 3,132 | 512 | 1,914 | 651 | 53 | 2 |
| 60 to 69 years . | 9,881 | 5,184 | 720 | 3,311 | 1,061 | 73 | 19 | 4,697 | 712 | 2,017 | 1,921 | 47 | – |
| 70 to 79 years . | 9,637 | 4,594 | 478 | 2,351 | 1,701 | 53 | 11 | 5,043 | 793 | 1,173 | 3,038 | 37 | 2 |
| 80 years and over | 6,003 | 2,346 | 156 | 760 | 1,408 | 18 | 4 | 3,657 | 539 | 274 | 2,824 | 19 | 1 |
| Unknown age . | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| **BOSTON.** | | | | | | | | | | | | | |
| **15 Years and Over.** | 9,007 | 4,581 | 1,096 | 2,557 | 821 | 78 | 29 | 4,426 | 918 | 1,777 | 1,677 | 52 | 2 |
| 15 to 19 years . | 158 | 88 | 88 | – | – | – | – | 70 | 56 | 14 | – | – | – |
| 20 to 29 years . | 482 | 236 | 177 | 56 | 2 | 1 | – | 246 | 102 | 140 | 2 | 2 | – |
| 30 to 39 years . | 758 | 391 | 148 | 229 | 6 | 4 | 4 | 367 | 64 | 286 | 8 | 9 | – |
| 40 to 49 years . | 1,103 | 643 | 182 | 405 | 34 | 16 | 6 | 460 | 82 | 301 | 70 | 7 | – |
| 50 to 59 years . | 1,760 | 965 | 211 | 634 | 93 | 22 | 5 | 795 | 151 | 429 | 205 | 10 | – |
| 60 to 69 years . | 2,236 | 1,155 | 160 | 721 | 242 | 24 | 8 | 1,081 | 183 | 408 | 474 | 16 | – |
| 70 to 79 years . | 1,661 | 806 | 104 | 410 | 276 | 10 | 6 | 855 | 176 | 160 | 512 | 6 | 1 |
| 80 years and over | 849 | 297 | 26 | 102 | 168 | 1 | – | 552 | 104 | 39 | 406 | 2 | 1 |
| Unknown age . | – | – | – | – | – | – | – | – | – | – | – | – | – |

**Table 13**
Counties and Cities having over 50,000 Inhabitants in 1930 (Grouped in order of population).

Deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1930.

| | The Year. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **The State.** | **49,503** | **4,562** | **4,567** | **4,990** | **4,764** | **4,226** | **3,741** | **3,495** | **3,501** | **3,480** | **4,016** | **3,885** | **4,276** |
| Average daily number of deaths. | 136 | 147 | 163 | 161 | 159 | 136 | 125 | 113 | 113 | 116 | 130 | 130 | 138 |
| Counties. | | | | | | | | | | | | | |
| Middlesex | 9,779 | 969 | 928 | 967 | 940 | 825 | 742 | 659 | 667 | 679 | 800 | 761 | 842 |
| Suffolk | 11,896 | 1,090 | 1,049 | 1,213 | 1,159 | 1,073 | 884 | 810 | 831 | 812 | 984 | 981 | 1,010 |
| Essex | 5,676 | 513 | 531 | 576 | 515 | 456 | 441 | 402 | 415 | 437 | 460 | 428 | 502 |
| Worcester | 5,802 | 529 | 570 | 568 | 566 | 492 | 433 | 417 | 399 | 394 | 484 | 463 | 487 |
| Bristol | 4,092 | 381 | 376 | 395 | 413 | 375 | 328 | 301 | 263 | 288 | 320 | 305 | 347 |
| Hampden | 3,583 | 346 | 344 | 386 | 341 | 295 | 269 | 242 | 247 | 263 | 274 | 270 | 306 |
| Norfolk | 3,075 | 281 | 279 | 319 | 277 | 247 | 226 | 230 | 229 | 199 | 268 | 237 | 283 |
| Plymouth | 1,996 | 159 | 185 | 221 | 174 | 186 | 126 | 150 | 171 | 144 | 134 | 177 | 169 |
| Berkshire | 1,455 | 128 | 127 | 146 | 159 | 106 | 103 | 118 | 105 | 108 | 111 | 113 | 131 |
| Hampshire | 935 | 75 | 75 | 96 | 105 | 72 | 84 | 76 | 69 | 63 | 76 | 68 | 76 |
| Franklin | 596 | 45 | 58 | 60 | 65 | 45 | 50 | 35 | 41 | 43 | 57 | 38 | 59 |
| Barnstable | 476 | 37 | 35 | 29 | 42 | 40 | 40 | 42 | 49 | 39 | 36 | 33 | 54 |
| Dukes | 86 | 6 | 5 | 10 | 4 | 5 | 9 | 7 | 10 | 10 | 7 | 8 | 5 |
| Nantucket | 56 | 3 | 5 | 4 | 4 | 9 | 6 | 6 | 5 | 1 | 5 | 3 | 5 |
| Cities over 100,000. | | | | | | | | | | | | | |
| Boston | 11,015 | 1,004 | 976 | 1,116 | 1,065 | 991 | 819 | 741 | 776 | 756 | 909 | 916 | 946 |
| Worcester | 2,501 | 227 | 261 | 266 | 251 | 197 | 166 | 186 | 167 | 155 | 196 | 201 | 228 |
| Springfield | 1,783 | 178 | 176 | 192 | 157 | 154 | 130 | 118 | 123 | 130 | 129 | 132 | 164 |
| Fall River | 1,322 | 123 | 134 | 137 | 142 | 129 | 89 | 103 | 83 | 97 | 91 | 90 | 104 |
| Cambridge | 1,350 | 132 | 118 | 144 | 129 | 106 | 114 | 71 | 88 | 90 | 122 | 105 | 131 |
| New Bedford | 1,243 | 108 | 113 | 121 | 117 | 110 | 108 | 90 | 72 | 86 | 103 | 101 | 114 |
| Somerville | 1,009 | 118 | 109 | 109 | 99 | 76 | 55 | 65 | 70 | 67 | 75 | 74 | 92 |
| Lynn | 1,086 | 106 | 122 | 98 | 100 | 96 | 86 | 78 | 66 | 66 | 85 | 81 | 102 |
| Lowell | 1,331 | 120 | 136 | 128 | 118 | 117 | 117 | 98 | 94 | 75 | 118 | 105 | 105 |
| Cities 50,000 to 100,000. | | | | | | | | | | | | | |
| Lawrence | 905 | 70 | 91 | 88 | 86 | 71 | 71 | 59 | 71 | 70 | 64 | 77 | 87 |
| Quincy | 601 | 54 | 60 | 57 | 58 | 55 | 44 | 38 | 48 | 36 | 49 | 42 | 60 |
| Newton | 546 | 56 | 48 | 47 | 53 | 40 | 49 | 38 | 34 | 53 | 32 | 48 | 48 |
| Brockton | 818 | 63 | 76 | 98 | 75 | 72 | 49 | 56 | 74 | 52 | 61 | 72 | 70 |
| Medford | 465 | 55 | 37 | 44 | 48 | 45 | 34 | 34 | 25 | 26 | 36 | 41 | 40 |
| Malden | 480 | 55 | 40 | 58 | 57 | 44 | 36 | 28 | 30 | 32 | 39 | 28 | 33 |
| Holyoke | 740 | 69 | 63 | 84 | 69 | 57 | 55 | 51 | 55 | 51 | 56 | 71 | 59 |

[1] Exclusive of stillbirths.

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Months. | | | | | | | | | | | |
| | **All Causes.** | T | 49,503 | 4,562 | 4,567 | 4,990 | 4,764 | 4,226 | 3,741 | 3,515 | 3,501 | 3,480 | 4,016 | 3,885 | 4,276 |
| | | M | 25,242 | 2,355 | 2,244 | 2,437 | 2,407 | 2,102 | 1,922 | 1,826 | 1,794 | 1,781 | 2,127 | 2,034 | 2,213 |
| | | F | 24,261 | 2,207 | 2,323 | 2,553 | 2,357 | 2,124 | 1,819 | 1,689 | 1,707 | 1,699 | 1,889 | 1,851 | 2,063 |
| I. | Epidemic, Endemic and Infectious Diseases. | T | 4,163 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,320 | 191 | 219 | 246 | 262 | 222 | 186 | 181 | 172 | 146 | 175 | 144 | 176 |
| | | F | 1,843 | 153 | 177 | 227 | 191 | 198 | 143 | 117 | 114 | 115 | 157 | 134 | 117 |
| 1 | Typhoid and paratyphoid fever | T | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 25 | 2 | 2 | – | 3 | 1 | 2 | – | 2 | 8 | 1 | – | 4 |
| | | F | 13 | 2 | 1 | 1 | 1 | – | – | 2 | – | – | 2 | 2 | 2 |
| 1a | Typhoid fever | T | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 24 | 2 | 2 | – | 3 | 1 | 2 | – | 2 | 8 | 1 | – | 3 |
| | | F | 13 | 2 | 1 | 1 | 1 | – | – | 2 | – | – | 2 | 2 | 2 |
| 1b | Paratyphoid fever | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 2 | Typhus fever | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | Relapsing fever (spirillum obermeieri) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | Malta fever | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | Malaria | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Small-pox | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Measles | T | 137 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 59 | 4 | 2 | 9 | 10 | 15 | 7 | 5 | – | 1 | 2 | – | 4 |
| | | F | 78 | 2 | 4 | 14 | 14 | 20 | 8 | 5 | 1 | 1 | 3 | 2 | 4 |
| 8 | Scarlet fever | T | 98 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 48 | 5 | 9 | 6 | 6 | 7 | 3 | 2 | 2 | 2 | – | 3 | 3 |
| | | F | 50 | 8 | 6 | 8 | 10 | 8 | 4 | 1 | – | 1 | 1 | 1 | 2 |
| 9 | Whooping cough | T | 182 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 74 | 6 | 10 | 11 | 4 | 9 | 5 | 7 | 7 | 3 | 3 | 3 | 6 |
| | | F | 108 | 6 | 15 | 19 | 15 | 10 | 6 | 7 | 10 | 7 | 6 | 3 | 4 |
| 10 | Diphtheria | T | 182 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 96 | 11 | 16 | 15 | 7 | 4 | 1 | 5 | 7 | 4 | 7 | 5 | 14 |
| | | F | 86 | 8 | 8 | 12 | 6 | 6 | 11 | 7 | 8 | 6 | 5 | 5 | 4 |
| 11 | Influenza | T | 270 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 144 | 19 | 24 | 31 | 23 | 11 | 5 | 2 | 2 | 4 | 6 | 6 | 11 |
| | | F | 126 | 12 | 24 | 33 | 17 | 7 | 3 | 1 | 1 | 1 | 5 | 12 | 10 |
| 11a | With pulmonary complications specified | T | 200 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 107 | 12 | 19 | 26 | 16 | 10 | 4 | 1 | 2 | 2 | 3 | 3 | 9 |
| | | F | 93 | 11 | 17 | 28 | 11 | 5 | 2 | 1 | – | – | 2 | 8 | 8 |
| 11b | Without pulmonary complications specified | T | 70 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 37 | 7 | 5 | 5 | 7 | 1 | 1 | 1 | – | 2 | 3 | 3 | 2 |
| | | F | 33 | 1 | 7 | 5 | 6 | 2 | 1 | – | 1 | 1 | 3 | 4 | 2 |
| 12 | Miliary fever | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Mumps | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Asiatic cholera | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Cholera nostras | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 16 | Dysentery | T | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | – | – | – | 1 | – | 1 | 1 | 1 | 2 | – | 1 | – |
| | | F | 13 | 1 | – | 1 | 2 | 2 | 1 | – | – | 3 | 1 | 1 | 1 |
| 16a | Amebic | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | | F | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| 16b | Bacillary | T | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | | F | 3 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – |
| 16c | Unspecified or due to other causes | T | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | – | 1 | – | – | 1 | – | 2 | – | – | – |
| | | F | 7 | 1 | – | – | 1 | – | – | – | – | 2 | 1 | 1 | 1 |
| 17 | Plague | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| | 4,440 | 639 | 330 | 245 | 219 | 742 | 479 | 705 | 1,956 | 2,959 | 4,278 | 6,989 | 9,881 | 9,637 | 5,171 | 807 | 25 | 1 |
| | 2,482 | 363 | 187 | 132 | 107 | 409 | 282 | 375 | 968 | 1,587 | 2,369 | 3,857 | 5,184 | 4,594 | 2,096 | 247 | 3 | - |
| | 1,958 | 276 | 143 | 113 | 112 | 333 | 197 | 330 | 988 | 1,372 | 1,909 | 3,132 | 4,697 | 5,043 | 3,075 | 560 | 22 | 1 |
| I. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 150 | 109 | 54 | 39 | 36 | 99 | 39 | 82 | 283 | 406 | 382 | 340 | 194 | 90 | 15 | 2 | - | - |
| | 162 | 88 | 44 | 41 | 35 | 94 | 51 | 134 | 345 | 274 | 188 | 153 | 124 | 83 | 23 | 4 | - | - |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | - | 1 | 1 | 1 | 2 | 4 | 7 | 1 | 4 | 2 | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | - | 5 | 3 | 2 | 1 | - | - | - | - | - |
| 1a | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | 1 | 1 | 1 | 2 | 4 | 7 | 1 | 4 | 2 | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | - | 5 | 3 | 2 | 1 | - | - | - | - | - |
| 1b | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 12 | 24 | 5 | 5 | 3 | 8 | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| | 19 | 19 | 17 | 4 | 6 | 8 | 1 | - | 1 | - | 1 | 2 | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | 12 | 8 | 8 | 9 | 5 | - | 2 | 2 | - | 1 | - | - | - | - | - | - |
| | 1 | 5 | 3 | 6 | 4 | 12 | 6 | 4 | 3 | 1 | 1 | 2 | 1 | - | 1 | - | - | - |
| 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 48 | 14 | 5 | 1 | 4 | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 59 | 31 | 6 | 8 | 2 | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 6 | 15 | 13 | 11 | 12 | 32 | 1 | 2 | - | 1 | 1 | - | 2 | - | - | - | - | - |
| | 2 | 5 | 5 | 14 | 8 | 31 | 6 | 3 | 2 | 2 | - | 3 | 2 | 1 | 2 | - | - | - |
| 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 20 | 12 | 2 | 2 | 1 | 6 | 1 | 1 | 3 | 12 | 13 | 22 | 26 | 17 | 4 | 2 | - | - |
| | 16 | 3 | 2 | - | - | 4 | 4 | 2 | 3 | 5 | 10 | 14 | 20 | 30 | 9 | 4 | - | - |
| 11a | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 12 | 9 | 2 | 1 | 1 | 3 | 1 | - | - | 8 | 11 | 17 | 25 | 14 | 3 | - | - | - |
| | 12 | 3 | - | - | - | 1 | 2 | 2 | 2 | 3 | 7 | 12 | 19 | 21 | 6 | 3 | - | - |
| 11b | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 8 | 3 | - | 1 | - | 3 | - | 1 | 3 | 4 | 2 | 5 | 1 | 3 | 1 | 2 | - | - |
| | 4 | - | 2 | - | - | 3 | 2 | - | 1 | 2 | 3 | 2 | 1 | 9 | 3 | 1 | - | - |
| 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 15 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 2 | - | 1 | - | - | 1 | - | - | - | - | - | 1 | - | 2 | - | - | - | - |
| | 2 | 1 | 1 | - | - | 3 | - | - | - | - | - | 1 | 1 | 2 | 2 | - | - | - |
| 16a | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | - | - | - | - |
| 16b | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| 16c | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - |
| | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 2 | - | - | - |
| 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

| Detailed Int. List No. | Table 14 — Cause of Death | Sex | Deaths (exclusive of stillbirths) from List, by Months and Sex — Total | January | February | March | April | May | June | July | August | September | October | November | December |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 17a | Bubonic | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17b | Pneumonic | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17c | Septicemic | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17d | Unspecified | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 18 | Yellow fever | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Spirochetal hemorrhagic jaundice | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Leprosy | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 21 | Erysipelas | T | 127 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 54 | 6 | 8 | 7 | 11 | 7 | 2 | 2 | – | 3 | 2 | 4 | 2 |
| | | F | 73 | 10 | 10 | 12 | 8 | 7 | 6 | 7 | – | 3 | 4 | 4 | 2 |
| 22 | Acute poliomyelitis | T | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 20 | – | 1 | – | – | – | – | – | 4 | 6 | 7 | 1 | 1 |
| | | F | 15 | 2 | – | – | – | 1 | 1 | – | 3 | 3 | 4 | – | 1 |
| 23 | Lethargic encephalitis | T | 41 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 25 | – | 2 | 4 | 2 | 2 | 2 | 2 | 4 | 1 | 2 | 4 | – |
| | | F | 16 | – | 2 | 1 | – | 2 | 1 | – | 1 | 1 | 5 | 1 | 2 |
| 24 | Meningococcus meningitis | T | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 34 | 2 | 3 | 5 | 6 | 1 | 9 | 3 | 1 | – | 2 | 1 | 1 |
| | | F | 25 | 2 | 4 | 3 | 3 | 3 | 3 | – | 2 | – | 2 | 2 | 1 |
| 25 | Other epidemic and endemic diseases | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| | | F | 3 | – | – | – | – | – | 2 | – | – | – | – | – | 1 |
| 25a | Chicken-pox | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| | | F | 3 | – | – | – | – | – | 2 | – | – | – | – | – | 1 |
| 25b | German measles | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25c | Others under this title | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 26 | Glanders | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 27 | Anthrax | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 28 | Rabies | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 29 | Tetanus | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 22 | 1 | 1 | 2 | 1 | 3 | 3 | 1 | 3 | 2 | 1 | – | 4 |
| | | F | 3 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – |
| 30 | Mycoses | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – |
| | | F | 4 | – | 1 | 1 | – | 1 | – | – | – | – | – | 1 | – |
| 31–37 | Tuberculosis (total) | T | 2,734 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,576 | 121 | 128 | 144 | 170 | 152 | 134 | 143 | 128 | 102 | 133 | 106 | 115 |
| | | F | 1,158 | 87 | 94 | 116 | 110 | 126 | 93 | 81 | 85 | 85 | 113 | 93 | 75 |
| 31 | Tuberculosis of the respiratory system | T | 2,423 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,398 | 109 | 109 | 129 | 155 | 136 | 116 | 122 | 110 | 90 | 123 | 95 | 104 |
| | | F | 1,025 | 73 | 89 | 98 | 96 | 116 | 81 | 72 | 74 | 77 | 104 | 81 | 64 |
| 32 | Tuberculosis of the meninges and central nervous system | T | 108 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 58 | 4 | 6 | 6 | 6 | 3 | 6 | 8 | 6 | 4 | 3 | 2 | 4 |
| | | F | 50 | 8 | 1 | 7 | 5 | 5 | 6 | 3 | 4 | 2 | 3 | 3 | 3 |
| 33 | Tuberculosis of the intestines and peritoneum | T | 55 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 29 | 1 | – | 2 | 4 | 4 | 3 | 4 | 2 | 1 | 3 | 4 | 1 |
| | | F | 26 | 1 | – | 4 | 2 | 2 | 2 | 2 | – | 3 | 3 | 4 | 3 |
| 34 | Tuberculosis of the vertebral column | T | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | – | 3 | – | 2 | – | 2 | 2 | 2 | 1 | 2 | – | 1 |
| | | F | 11 | 1 | 1 | 1 | 1 | – | 1 | 2 | 2 | – | – | 1 | 1 |
| 35 | Tuberculosis of the joints | T | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 6 | – | 1 | – | – | 1 | – | 1 | 1 | 1 | – | – | 1 |
| | | F | 5 | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – | 1 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 17a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17d | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 18 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 21 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19 | 3 | – | – | – | 1 | – | – | – | 2 | 5 | 6 | 9 | 6 | 3 | – | – | – |
| | 23 | 3 | – | 1 | – | 1 | 3 | 1 | 1 | 4 | 7 | 6 | 8 | 14 | 1 | – | – | – |
| 22 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | 1 | 1 | 7 | 4 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | – | – | 2 | 1 | 1 | 5 | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| 23 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 2 | 1 | – | – | 1 | 1 | – | 3 | 4 | 7 | 1 | 3 | – | – | – | – | – |
| | – | – | – | – | 1 | – | 3 | – | 2 | – | 4 | 3 | 3 | – | – | – | – | – |
| 24 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 2 | – | 2 | – | 4 | 4 | 5 | 4 | 3 | 2 | 1 | 2 | – | – | – | – | – |
| | 8 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| 25 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 25a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 25b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 26 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 27 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 28 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 29 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 4 | 4 | 3 | 1 | 3 | 4 | 1 | 1 | – | – | – | – | – |
| | – | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 30 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| 31–37 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16 | 32 | 12 | 8 | 4 | 22 | 15 | 63 | 257 | 364 | 329 | 266 | 124 | 56 | 8 | – | – | – |
| | 10 | 14 | 6 | 6 | 10 | 25 | 21 | 119 | 325 | 248 | 151 | 105 | 82 | 31 | 5 | – | – | – |
| 31 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 8 | 2 | 5 | – | 8 | 8 | 54 | 233 | 338 | 310 | 252 | 119 | 51 | 7 | – | – | – |
| | 5 | 5 | 3 | 1 | 3 | 8 | 15 | 110 | 309 | 233 | 134 | 97 | 72 | 27 | 3 | – | – | – |
| 32 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7 | 15 | 6 | 1 | 4 | 7 | 3 | 1 | 3 | 8 | 3 | – | – | – | – | – | – | – |
| | 5 | 6 | 3 | 4 | 5 | 10 | 2 | 5 | 4 | 2 | 1 | 1 | 2 | – | – | – | – | – |
| 33 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 3 | – | 1 | – | 2 | 1 | 1 | 5 | 5 | 7 | – | 1 | 1 | – | – | – | – |
| | – | 1 | – | – | 1 | 1 | 1 | 2 | 4 | 3 | 5 | – | 6 | 2 | – | – | – | – |
| 34 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | 3 | – | 1 | 2 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | – | – | – |
| 35 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Months. | | | | | | | | | | | |
| 36 | Tuberculosis of other organs | T | 61 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 38 | 1 | 5 | 1 | – | 8 | 5 | 5 | 4 | 1 | 2 | 2 | 4 |
| | | F | 23 | 1 | 1 | 2 | 3 | 3 | 1 | 1 | 3 | 1 | 2 | 3 | 2 |
| 36a | Tuberculosis of the skin and subcutaneous cellular tissue | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 36b | Tuberculosis of the bones (vertebral column excepted) | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | – | – | – | 2 | – | – | 1 | – | – | – | – |
| | | F | 4 | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| 36c | Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted) | T | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 9 | 1 | 3 | 1 | – | – | 2 | – | 1 | – | – | 1 | – |
| | | F | 7 | – | – | – | – | – | 1 | – | 1 | – | 1 | 3 | 1 |
| 36d | Tuberculosis of the genito-urinary system | T | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 26 | – | 2 | – | – | 6 | 3 | 5 | 2 | 1 | 2 | 1 | 4 |
| | | F | 11 | – | 1 | 1 | 2 | 3 | – | 1 | 1 | – | 1 | – | 1 |
| 36e | Tuberculosis of organs other than the above. | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 37 | Disseminated tuberculosis | T | 50 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 32 | 6 | 4 | 6 | 3 | – | 2 | 1 | 3 | 4 | – | 3 | – |
| | | F | 18 | 3 | 1 | 3 | 3 | – | 2 | 1 | 1 | 2 | – | 1 | 1 |
| 37a | Acute | T | 42 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 28 | 6 | 4 | 5 | 3 | – | 2 | 1 | 2 | 3 | – | 2 | – |
| | | F | 14 | 3 | 1 | 2 | 3 | – | 1 | 1 | – | 1 | – | 1 | 1 |
| 37b | Chronic | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – |
| | | F | 4 | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – |
| 38 | Syphilis | T | 149 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 102 | 11 | 11 | 9 | 9 | 8 | 9 | 7 | 10 | 4 | 6 | 9 | 9 |
| | | F | 47 | 7 | 6 | 2 | 4 | 5 | 2 | 4 | – | 4 | 4 | 4 | 5 |
| 39 | Soft chancre | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 40 | Gonococcus infection | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | | F | 5 | 3 | – | 1 | – | – | – | – | – | – | – | 1 | – |
| 41 | Purulent infection, septicemia | T | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | 1 | 1 | 1 | 5 | – | – | 1 | – | 3 | – | 1 | 2 |
| | | F | 18 | 3 | 2 | 3 | 1 | – | 1 | 1 | 2 | – | 2 | 1 | 2 |
| 42 | Other infectious diseases | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| II. | General Diseases not included above. | T | 7,893 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3,415 | 293 | 256 | 270 | 286 | 306 | 270 | 281 | 262 | 285 | 305 | 282 | 319 |
| | | F | 4,478 | 392 | 393 | 368 | 371 | 373 | 352 | 345 | 381 | 359 | 384 | 338 | 422 |
| 43–49 | Cancer and other malignant tumors (total) | T | 5,813 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,488 | 210 | 176 | 205 | 198 | 216 | 198 | 206 | 201 | 214 | 223 | 207 | 234 |
| | | F | 3,325 | 290 | 296 | 278 | 262 | 248 | 277 | 263 | 285 | 281 | 291 | 248 | 306 |
| 43 | Of the buccal cavity | T | 187 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 152 | 14 | 10 | 17 | 11 | 16 | 9 | 4 | 7 | 9 | 15 | 17 | 23 |
| | | F | 35 | 2 | 2 | 4 | 3 | 4 | 2 | 3 | 5 | 3 | 1 | 3 | 3 |
| 44 | Of the stomach and liver | T | 1,651 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 882 | 88 | 50 | 75 | 62 | 82 | 72 | 77 | 72 | 81 | 82 | 67 | 74 |
| | | F | 769 | 57 | 73 | 63 | 49 | 66 | 58 | 64 | 73 | 71 | 70 | 52 | 73 |
| 45 | Of the peritoneum, intestines and rectum | T | 1,115 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 494 | 34 | 38 | 38 | 46 | 37 | 45 | 41 | 42 | 46 | 43 | 39 | 45 |
| | | F | 621 | 56 | 53 | 55 | 45 | 34 | 54 | 59 | 62 | 51 | 61 | 37 | 54 |
| 46 | Of the female genital organs | T | 778 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 778 | 71 | 65 | 56 | 60 | 58 | 66 | 61 | 64 | 78 | 64 | 60 | 75 |
| 47 | Of the breast | T | 641 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | – | 2 | – | – | 1 | 1 | 2 | – | 1 | 1 | 2 |
| | | F | 631 | 62 | 61 | 64 | 57 | 45 | 58 | 37 | 47 | 36 | 50 | 52 | 62 |
| 48 | Of the skin | T | 92 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 49 | 2 | 7 | 4 | 1 | 7 | 2 | 2 | 5 | 2 | 4 | 6 | 7 |
| | | F | 43 | 3 | 5 | 3 | 5 | 3 | 4 | 2 | – | 2 | 3 | 7 | 6 |
| 49 | Of other or unspecified organs | T | 1,349 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 901 | 72 | 71 | 69 | 78 | 74 | 69 | 81 | 73 | 76 | 78 | 77 | 83 |
| | | F | 448 | 39 | 37 | 33 | 43 | 38 | 35 | 37 | 34 | 40 | 42 | 37 | 33 |
| 50 | Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted) | T | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 22 | – | 2 | – | – | 1 | 4 | 4 | 1 | 3 | 4 | 1 | 2 |
| | | F | 22 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 5 |
| 51 | Acute rheumatic fever | T | 58 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 23 | 4 | 2 | 1 | 1 | 4 | – | 5 | 1 | – | 1 | 3 | 1 |
| | | F | 35 | 5 | 1 | 1 | 4 | 4 | 4 | 3 | 5 | 2 | 1 | 4 | 1 |

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1930.

| Detailed Int. List No. | Age of decedents (years). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 36 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 4 | – | – | – | 1 | 1 | 3 | 7 | 7 | 3 | 7 | 1 | 3 | 1 | – | – | – |
| | – | – | – | – | – | 3 | 1 | – | 5 | 4 | 5 | 3 | – | 1 | 1 | – | – | – |
| 36a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 36b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | 1 | – | – | – |
| 36c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 3 | – | – | – | 1 | – | – | – | – | 2 | 1 | – | 2 | – | – | – | – |
| | – | – | – | – | – | 2 | 1 | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| 36d | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | – | – | – | – | 1 | 3 | 6 | 7 | 1 | 5 | 1 | – | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | 3 | 4 | 2 | 2 | – | – | – | – | – | – |
| 36e | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | 2 | 3 | 1 | – | – | 2 | 1 | 5 | 2 | 3 | 6 | 2 | 1 | – | – | – | – |
| | – | 2 | – | 1 | 1 | 3 | 1 | 1 | 1 | 5 | 2 | 1 | – | – | – | – | – | – |
| 37a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | 1 | 3 | 1 | – | – | 2 | 1 | 5 | 2 | 2 | 4 | 2 | 1 | – | – | – | – |
| | – | 2 | – | 1 | 1 | 3 | 1 | – | – | 3 | 2 | 1 | – | – | – | – | – | – |
| 37b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| 38 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13 | – | 1 | – | – | – | – | – | 4 | 12 | 12 | 33 | 20 | 7 | – | – | – | – |
| | 17 | 1 | – | – | – | – | – | – | 2 | 2 | 7 | 11 | 3 | 3 | 1 | – | – | – |
| 39 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 40 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| 41 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | 1 | – | 1 | 1 | 2 | – | – | – | – | 3 | 4 | 1 | – | – | – | – |
| | 3 | 3 | – | – | – | – | 1 | – | 1 | 3 | 1 | 2 | 2 | – | 2 | – | – | – |
| 42 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 11. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 101 | 12 | 12 | 8 | 3 | 22 | 22 | 21 | 64 | 141 | 318 | 703 | 1,020 | 757 | 202 | 9 | – | – |
| | 59 | 14 | 4 | 8 | 4 | 20 | 16 | 14 | 66 | 202 | 516 | 1,007 | 1,232 | 960 | 322 | 33 | 1 | – |
| 43–49 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 2 | 4 | 4 | 1 | 7 | 6 | 3 | 30 | 72 | 200 | 548 | 819 | 616 | 166 | 7 | – | – |
| | – | 2 | 1 | 2 | 1 | 4 | 5 | 3 | 33 | 151 | 420 | 790 | 894 | 721 | 268 | 29 | 1 | – |
| 43 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | 1 | – | – | – | – | 1 | 3 | 12 | 28 | 46 | 43 | 16 | 2 | – | – |
| | – | – | – | – | – | – | – | 1 | – | 1 | 5 | 8 | 4 | 13 | 3 | – | – | – |
| 44 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | 1 | 1 | 3 | 18 | 72 | 217 | 301 | 213 | 52 | 3 | – | – |
| | – | – | – | – | – | 1 | – | – | 4 | 14 | 59 | 162 | 232 | 214 | 75 | 8 | – | – |
| 45 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 2 | 8 | 15 | 40 | 108 | 161 | 125 | 34 | – | – | – |
| | – | – | 1 | – | – | 1 | 1 | – | 6 | 26 | 46 | 120 | 182 | 167 | 64 | 7 | – | – |
| 46 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | 12 | 55 | 146 | 220 | 185 | 122 | 35 | 1 | 1 | – |
| 47 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | 2 | 5 | 1 | 2 | – | – | – |
| | – | – | – | – | – | – | – | – | 4 | 32 | 108 | 167 | 161 | 107 | 46 | 6 | – | – |
| 48 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 3 | 6 | 10 | 18 | 12 | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 9 | 11 | 14 | 5 | – | – |
| 49 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 2 | 4 | 3 | 1 | 7 | 4 | – | 18 | 36 | 73 | 187 | 296 | 216 | 50 | 2 | – | – |
| | – | 2 | – | 2 | 1 | 2 | 3 | 2 | 7 | 22 | 54 | 112 | 121 | 87 | 31 | 2 | – | – |
| 50 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | 2 | – | – | – | – | – | 2 | – | 4 | 2 | 6 | 5 | – | – | – | – |
| | 1 | 1 | – | – | – | – | 1 | – | 1 | 3 | 5 | 1 | 3 | 4 | 1 | 1 | – | – |
| 51 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | 5 | 5 | 2 | 2 | 1 | – | 4 | 2 | 1 | – | – | – | – |
| | – | – | – | 2 | – | 5 | 8 | 2 | 7 | 3 | 2 | 1 | 2 | 2 | 1 | – | – | – |

**Table 14**

| Detailed Int. List No. | Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | Months. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 52 | Chronic rheumatism, osteoarthritis, gout | T | 72 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 23 | 2 | 2 | 4 | 1 | 1 | – | 1 | 2 | 2 | 2 | 3 | 3 |
| | | F | 49 | 9 | 3 | 4 | 6 | 2 | 2 | 2 | 6 | 5 | 5 | 2 | 3 |
| 53 | Scurvy | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 54 | Pellagra | T | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | 1 | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| | | F | 5 | – | 1 | – | – | – | – | 2 | – | – | 2 | – | – |
| 55 | Beriberi | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 56 | Rickets | T | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 9 | 2 | 1 | – | – | – | 1 | – | 1 | 1 | 2 | 1 | – |
| | | F | 4 | – | 2 | – | – | 2 | – | – | – | – | – | – | – |
| 57 | Diabetes mellitus | T | 1,021 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 338 | 33 | 32 | 24 | 35 | 32 | 29 | 25 | 20 | 25 | 23 | 27 | 33 |
| | | F | 683 | 63 | 60 | 55 | 61 | 81 | 46 | 46 | 55 | 44 | 50 | 50 | 72 |
| 58 | Anemia, chlorosis | T | 177 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 69 | 6 | 5 | 5 | 8 | 7 | 7 | 2 | 5 | 7 | 6 | 3 | 8 |
| | | F | 108 | 8 | 7 | 5 | 9 | 13 | 8 | 10 | 12 | 7 | 10 | 10 | 9 |
| 58a | Pernicious anemia | T | 150 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 56 | 6 | 4 | 3 | 7 | 6 | 4 | 2 | 4 | 5 | 6 | 2 | 7 |
| | | F | 94 | 6 | 6 | 3 | 7 | 12 | 8 | 10 | 11 | 6 | 10 | 8 | 7 |
| 58b | Other anemias and chlorosis | T | 27 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 13 | – | 1 | 2 | 1 | 1 | 3 | – | 1 | 2 | – | 1 | 1 |
| | | F | 14 | 2 | 1 | 2 | 2 | 1 | – | – | 1 | 1 | – | 2 | 2 |
| 59 | Diseases of the pituitary gland | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 60 | Diseases of the thyroid gland | T | 75 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 16 | 3 | 2 | 3 | 1 | 1 | 1 | 2 | – | 1 | 1 | – | 1 |
| | | F | 59 | 5 | 3 | 5 | 9 | 6 | 3 | 2 | 5 | 6 | 6 | 6 | 3 |
| 60a | Exophthalmic goiter | T | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 14 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | – | 1 | 1 | – | 1 |
| | | F | 45 | 4 | 3 | 3 | 7 | 6 | 2 | 1 | 4 | 5 | 3 | 4 | 3 |
| 60b | Other diseases of the thyroid gland | T | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | | F | 14 | 1 | – | 2 | 2 | – | 1 | 1 | 1 | 1 | 3 | 2 | – |
| 61 | Diseases of the parathyroid glands | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 3 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| 62 | Diseases of the thymus gland | T | 99 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 66 | 5 | 9 | 6 | 9 | 2 | 4 | 5 | 2 | 6 | 9 | 4 | 5 |
| | | F | 33 | 3 | 3 | 6 | 1 | 2 | – | 1 | 2 | 3 | 5 | 2 | 5 |
| 63 | Diseases of the adrenals (Addison's disease) | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | | F | 6 | – | 1 | 1 | 1 | – | – | 3 | – | – | – | – | – |
| 64 | Diseases of the spleen | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| 65 | Leukemia and Hodgkin's disease | T | 195 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 116 | 7 | 9 | 4 | 10 | 13 | 8 | 13 | 11 | 7 | 14 | 10 | 10 |
| | | F | 79 | 3 | 6 | 3 | 10 | 9 | 4 | 7 | 6 | 6 | 6 | 7 | 12 |
| 65a | Leukemia | T | 130 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 77 | 5 | 6 | 4 | 7 | 11 | 5 | 9 | 5 | 2 | 11 | 8 | 4 |
| | | F | 53 | 2 | 3 | 2 | 6 | 5 | 3 | 5 | 4 | 5 | 6 | 4 | 8 |
| 65b | Hodgkin's disease | T | 65 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 39 | 2 | 3 | – | 3 | 2 | 3 | 4 | 6 | 5 | 3 | 2 | 6 |
| | | F | 26 | 1 | 3 | 1 | 4 | 4 | 1 | 2 | 2 | 1 | – | 3 | 4 |
| 66 | Alcoholism (acute or chronic) | T | 214 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 191 | 13 | 11 | 17 | 19 | 19 | 15 | 15 | 14 | 14 | 16 | 18 | 20 |
| | | F | 23 | 1 | 1 | 4 | 1 | 4 | 2 | – | – | 2 | 3 | 2 | 3 |
| 67 | Chronic poisoning by mineral substances | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | 3 | – | – | – | 1 | 1 | – | – | – | – | 2 | – |
| | | F | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 67a | Chronic lead poisoning | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | 1 | – | – | – | 1 | 1 | – | – | – | – | 2 | – |
| | | F | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 67b | Others under this title | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 68 | Chronic poisoning by organic substances | T | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | – | 1 | – | – | 2 | 1 | – | – | – | 1 | – | – |
| | | F | 4 | – | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – |
| 69 | Other general diseases | T | 71 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 34 | 4 | 3 | 1 | 4 | 7 | 1 | 2 | 3 | 3 | 2 | 3 | 1 |
| | | F | 37 | 3 | 7 | 3 | 3 | 1 | 4 | 2 | 2 | 2 | 3 | 5 | 2 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 52 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 | 7 | 6 | 5 | 1 | – | – |
| | – | – | – | – | 1 | 3 | – | – | – | 2 | 4 | 5 | 9 | 20 | 5 | – | – | – |
| 53 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 54 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | 2 | – | 1 | – | – | – | – | – |
| 55 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 56 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 57 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | 1 | – | 1 | 4 | 3 | 8 | 11 | 29 | 48 | 106 | 98 | 27 | 1 | – | – |
| | – | 1 | – | – | – | 3 | – | 3 | 9 | 13 | 41 | 148 | 252 | 172 | 40 | 1 | – | – |
| 58 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 1 | – | – | 1 | 1 | 1 | – | 1 | 3 | 3 | 11 | 29 | 14 | 2 | – | – | – |
| | 1 | 2 | 1 | – | 1 | – | – | 1 | 1 | 4 | 10 | 23 | 35 | 24 | 3 | 2 | – | – |
| 58a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 | 2 | 8 | 26 | 13 | 2 | – | – | – |
| | – | – | – | – | 1 | – | – | – | 1 | 4 | 10 | 22 | 31 | 21 | 2 | 2 | – | – |
| 58b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | – | 1 | 2 | 1 | 3 | 3 | 1 | – | – | – | – |
| | 1 | 2 | 1 | – | – | – | – | 1 | – | – | – | 1 | 4 | 3 | 1 | – | – | – |
| 59 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 60 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | 1 | – | – | – | – | 3 | 2 | 3 | 4 | 2 | 1 | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | 2 | 4 | 10 | 5 | 13 | 14 | 7 | 2 | – | – | – |
| 60a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 2 | 2 | 3 | 4 | 2 | 1 | – | – | – | – |
| | – | – | – | – | – | 1 | – | 2 | 3 | 7 | 3 | 10 | 11 | 6 | 2 | – | – | – |
| 60b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | 1 | 3 | 2 | 3 | 3 | 1 | – | – | – | – |
| 61 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 62 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 57 | 5 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 25 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 63 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 | – | – | – | – |
| 64 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| 65 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | – | 1 | – | 8 | 5 | 13 | 10 | 16 | 11 | 25 | 14 | 11 | 1 | – | – | – |
| | 1 | 1 | 1 | 2 | – | 2 | 2 | 2 | 8 | 5 | 13 | 17 | 15 | 8 | 2 | – | – | – |
| 65a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | – | 1 | – | 7 | 3 | 9 | 3 | 8 | 8 | 18 | 13 | 5 | 1 | – | – | – |
| | 1 | 1 | 1 | 2 | – | 2 | 2 | 1 | 5 | 2 | 9 | 11 | 12 | 3 | 1 | – | – | – |
| 65b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | 2 | 4 | 7 | 8 | 3 | 7 | 1 | 6 | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 3 | 3 | 4 | 6 | 3 | 5 | 1 | – | – | – |
| 66 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 6 | 31 | 63 | 58 | 29 | 3 | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | 4 | 10 | 7 | 2 | – | – | – | – | – |
| 67 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | – | – | 4 | 1 | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 67a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | – | 3 | 1 | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 67b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 68 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | 3 | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – |
| 69 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 30 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 26 | 2 | – | – | – | – | – | – | 3 | 2 | 1 | 1 | 2 | – | – | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| III. | Diseases of the Nervous System and of the Organs of Special Sense. | T | 5,211 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,416 | 215 | 216 | 210 | 248 | 214 | 188 | 167 | 159 | 166 | 210 | 201 | 222 |
| | | F | 2,795 | 238 | 236 | 291 | 273 | 244 | 202 | 218 | 191 | 207 | 222 | 209 | 264 |
| 70 | Encephalitis | T | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 16 | – | 1 | 1 | 1 | 3 | – | 1 | 2 | – | 2 | 4 | 1 |
| | | F | 14 | – | 2 | 2 | 3 | – | – | 2 | 2 | – | – | 2 | 1 |
| 71 | Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.) | T | 114 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 67 | 7 | 9 | 9 | 8 | 4 | 3 | 8 | 1 | 4 | 4 | 2 | 8 |
| | | F | 47 | 3 | 3 | 7 | 4 | 5 | 6 | 3 | 3 | 3 | 4 | 1 | 5 |
| 71a | Simple meningitis | T | 74 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 42 | 3 | 8 | 6 | 4 | 2 | 2 | 6 | – | 2 | 2 | 1 | 6 |
| | | F | 32 | 2 | 3 | 5 | 4 | 2 | 3 | 1 | 1 | 1 | 4 | 1 | 5 |
| 71b | Non-epidemic cerebro-spinal meningitis | T | 40 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 25 | 4 | 1 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 2 |
| | | F | 15 | 1 | – | 2 | – | 3 | 3 | 2 | 2 | 2 | – | – | – |
| 72 | Tabes dorsalis (locomotor ataxia) | T | 42 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 31 | 2 | 2 | 1 | 2 | 6 | 5 | 3 | – | 1 | 4 | 2 | 3 |
| | | F | 11 | 2 | – | – | 1 | – | 2 | – | 3 | 2 | 1 | – | – |
| 73 | Other diseases of the spinal cord | T | 91 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 42 | 1 | 3 | 3 | 4 | 2 | 3 | 3 | 6 | 8 | 5 | 3 | 1 |
| | | F | 49 | 4 | 6 | 5 | 4 | 4 | – | 4 | 5 | 6 | 6 | 3 | 2 |
| 74 | Cerebral hemorrhage, apoplexy | T | 4,108 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,776 | 161 | 164 | 162 | 177 | 147 | 135 | 118 | 125 | 118 | 146 | 150 | 172 |
| | | F | 2,332 | 207 | 197 | 227 | 220 | 203 | 171 | 190 | 157 | 168 | 189 | 185 | 218 |
| 74a | Cerebral hemorrhage | T | 3,907 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,687 | 155 | 151 | 153 | 166 | 139 | 128 | 111 | 119 | 113 | 142 | 146 | 164 |
| | | F | 2,220 | 197 | 186 | 212 | 209 | 193 | 163 | 179 | 152 | 158 | 184 | 177 | 210 |
| 74b | Cerebral thrombosis and embolism | T | 201 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 89 | 6 | 13 | 9 | 11 | 8 | 7 | 7 | 6 | 6 | 4 | 4 | 8 |
| | | F | 112 | 10 | 11 | 15 | 11 | 10 | 8 | 11 | 5 | 10 | 5 | 8 | 8 |
| 75 | Paralysis without specified cause | T | 97 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 36 | 1 | 4 | 2 | 5 | 7 | 1 | 2 | – | 2 | 2 | 7 | 3 |
| | | F | 61 | 2 | 4 | 7 | 5 | 8 | 2 | 3 | 6 | 9 | 4 | 3 | 8 |
| 75a | Hemiplegia | T | 80 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 29 | 1 | 4 | 2 | 3 | 5 | 1 | 2 | – | 2 | 2 | 6 | 1 |
| | | F | 51 | 2 | 4 | 4 | 5 | 7 | 2 | 2 | 5 | 8 | 3 | 3 | 6 |
| 75b | Others under this title | T | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | – | – | – | 2 | 2 | – | – | – | – | – | 1 | 2 |
| | | F | 10 | – | – | 3 | – | 1 | – | 1 | 1 | 1 | 1 | – | 2 |
| 76 | General paralysis of the insane | T | 168 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 130 | 9 | 6 | 9 | 18 | 7 | 9 | 13 | 7 | 13 | 11 | 14 | 14 |
| | | F | 38 | 5 | 3 | 5 | 1 | 3 | 2 | 1 | 3 | 2 | 8 | 3 | 2 |
| 77 | Other forms of mental alienation | T | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| | | F | 16 | – | 2 | 3 | 3 | 2 | – | 1 | 2 | – | 1 | 1 | 1 |
| 78 | Epilepsy | T | 126 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 82 | 12 | 8 | 4 | 10 | 9 | 7 | 3 | 5 | 7 | 6 | 3 | 8 |
| | | F | 44 | 2 | 2 | 7 | 6 | 3 | 4 | 5 | 1 | 3 | 3 | – | 8 |
| 79 | Convulsions (non-puerperal) (5 years and over) | T | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 80 | Infantile convulsions (under 5 years of age) | T | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | 1 | – | – | – | 2 | – | – | – | 2 | 2 | – | 1 |
| | | F | 13 | 1 | 2 | 3 | 2 | – | 1 | – | 1 | 1 | – | – | 2 |
| 81 | Chorea | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 82 | Neuralgia and neuritis | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| 83 | Softening of the brain | T | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 11 | 1 | – | – | – | 2 | 1 | 1 | – | 1 | 4 | – | 1 |
| | | F | 12 | 2 | – | 1 | 2 | 1 | 1 | – | 1 | 1 | – | 1 | 2 |
| 84 | Other diseases of the nervous system | T | 211 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 110 | 9 | 13 | 7 | 8 | 12 | 11 | 10 | 8 | 5 | 12 | 9 | 6 |
| | | F | 101 | 6 | 11 | 9 | 13 | 8 | 9 | 7 | 6 | 9 | 5 | 9 | 9 |
| 85 | Diseases of the eye and annexa | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | 2 | – | – | – | – | – | – | 1 | – | – | – | – |
| | | F | 3 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| 86 | Diseases of the ear and of the mastoid process | T | 147 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 96 | 9 | 6 | 12 | 15 | 13 | 11 | 4 | 4 | 3 | 11 | 4 | 4 |
| | | F | 51 | 4 | 4 | 12 | 8 | 7 | 4 | 2 | – | 3 | – | 1 | 6 |
| 86a | Diseases of the ear | T | 94 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 63 | 8 | 4 | 8 | 13 | 9 | 8 | 2 | 2 | – | 4 | 4 | 1 |
| | | F | 31 | 2 | 2 | 8 | 3 | 3 | 3 | 2 | – | 3 | – | 1 | 4 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| III. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 45 | 24 | 5 | 7 | 12 | 42 | 18 | 27 | 46 | 95 | 195 | 392 | 629 | 590 | 260 | 29 | – | – |
| | 40 | 17 | 9 | 5 | 9 | 21 | 20 | 15 | 30 | 69 | 139 | 370 | 696 | 814 | 469 | 70 | 2 | – |
| 70 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 1 | 1 | 1 | 1 | 2 | – | – | 2 | 1 | 1 | 2 | 2 | – | – | – | – | – |
| | 2 | 3 | – | – | – | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| 71 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10 | 8 | 1 | 1 | 5 | 9 | 4 | 3 | 6 | 6 | 7 | 5 | 2 | – | – | – | – | – |
| | 13 | 8 | 4 | 2 | 2 | 2 | 4 | 1 | 1 | 3 | 3 | 3 | 1 | – | – | – | – | – |
| 71a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8 | 7 | 1 | – | 1 | 7 | 2 | – | 3 | 3 | 5 | 4 | 1 | – | – | – | – | – |
| | 10 | 5 | 4 | – | 2 | 2 | 2 | 1 | 1 | 3 | – | 1 | 1 | – | – | – | – | – |
| 71b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 1 | – | 1 | 4 | 2 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| | 3 | 3 | – | 2 | – | – | 2 | – | – | – | 3 | 2 | – | – | – | – | – | – |
| 72 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | 1 | 4 | 7 | 14 | 4 | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | 6 | 2 | 2 | – | – | – | – |
| 73 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 3 | 1 | 3 | 10 | 11 | 11 | 3 | – | – | – | – |
| | – | – | – | – | – | 1 | – | 2 | 1 | 7 | 2 | 8 | 12 | 15 | 1 | – | – | – |
| 74 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 2 | – | – | 1 | 2 | 1 | 2 | 5 | 29 | 95 | 295 | 526 | 542 | 246 | 28 | – | – |
| | 1 | 1 | 1 | – | – | 1 | 4 | 2 | 8 | 28 | 101 | 315 | 633 | 731 | 436 | 68 | 2 | – |
| 74a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 2 | – | – | 1 | 2 | 1 | – | 2 | 22 | 91 | 278 | 503 | 522 | 236 | 26 | – | – |
| | 1 | – | 1 | – | – | – | 2 | 2 | 7 | 24 | 98 | 306 | 598 | 696 | 417 | 66 | 2 | – |
| 74b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | 2 | 3 | 7 | 4 | 17 | 23 | 20 | 10 | 2 | – | – |
| | – | 1 | – | – | – | 1 | 2 | – | 1 | 4 | 3 | 9 | 35 | 35 | 19 | 2 | – | – |
| 75 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | 3 | 9 | 14 | 6 | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | 1 | – | 7 | 11 | 26 | 15 | – | – | – |
| 75a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | 1 | – | – | – | – | – | – | 1 | 3 | 9 | 10 | 5 | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | 6 | 9 | 23 | 12 | – | – | – |
| 75b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | 4 | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 3 | 3 | – | – | – |
| 76 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 3 | 20 | 37 | 35 | 28 | 5 | 2 | – | – | – |
| | – | – | – | – | – | – | – | – | – | 5 | 8 | 6 | 13 | 4 | 2 | – | – | – |
| 77 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 2 | 3 | 3 | 1 | 4 | 3 | – | – | – | – |
| 78 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | 1 | – | 2 | 4 | 7 | 6 | 13 | 16 | 9 | 7 | 8 | 4 | 1 | 1 | – | – |
| | – | – | – | 1 | 2 | 2 | 5 | 4 | 10 | 6 | 4 | 2 | 3 | 5 | – | – | – | – |
| 79 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 80 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 81 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 82 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| 83 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 5 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | 5 | 3 | 3 | 1 | – | – |
| 84 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 3 | – | 2 | 1 | 2 | 1 | 5 | 4 | 15 | 21 | 18 | 22 | 14 | – | – | – | – |
| | 2 | – | 2 | – | 2 | 3 | 1 | 3 | 2 | 13 | 13 | 21 | 9 | 19 | 10 | 1 | – | – |
| 85 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| 86 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19 | 7 | 2 | 1 | 2 | 23 | 5 | 8 | 8 | 4 | 8 | 6 | 3 | – | – | – | – | – |
| | 10 | 4 | 2 | 1 | 3 | 11 | 5 | 1 | 4 | 2 | 4 | 1 | 2 | 1 | – | – | – | – |
| 86a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17 | 4 | 2 | 1 | 1 | 17 | 3 | 3 | 4 | 1 | 5 | 3 | 2 | – | – | – | – | – |
| | 10 | 3 | 1 | 1 | 1 | 5 | 2 | – | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Months. | | | | | | | | | | | |
| 86b | Diseases of the mastoid process | T | 53 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 33 | 1 | 2 | 4 | 2 | 4 | 3 | 2 | 2 | 3 | 7 | – | 3 |
| | | F | 20 | 2 | 2 | 4 | 5 | 4 | 1 | – | – | – | – | – | 2 |
| IV. | Diseases of the Circulatory System. | T | 13,610 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7,018 | 682 | 614 | 675 | 651 | 562 | 547 | 477 | 505 | 469 | 576 | 605 | 655 |
| | | F | 6,592 | 557 | 642 | 715 | 654 | 561 | 463 | 465 | 435 | 481 | 517 | 530 | 572 |
| 87 | Pericarditis | T | 32 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 19 | 3 | 1 | 2 | – | 3 | 1 | – | 4 | 1 | 2 | – | 2 |
| | | F | 13 | 1 | 1 | 1 | – | 4 | 1 | 1 | – | – | 3 | 1 | – |
| 88 | Endocarditis and myocarditis (acute) | T | 314 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 160 | 19 | 28 | 9 | 14 | 8 | 16 | 17 | 16 | 6 | 5 | 13 | 9 |
| | | F | 154 | 9 | 11 | 29 | 14 | 17 | 15 | 13 | 6 | 7 | 15 | 7 | 11 |
| 89 | Angina pectoris | T | 995 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 641 | 68 | 46 | 59 | 56 | 41 | 43 | 53 | 28 | 51 | 63 | 60 | 73 |
| | | F | 354 | 29 | 41 | 27 | 34 | 37 | 29 | 23 | 23 | 23 | 27 | 29 | 32 |
| 90 | Other diseases of the heart | T | 10,012 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5,017 | 488 | 433 | 491 | 461 | 416 | 376 | 326 | 380 | 335 | 413 | 433 | 465 |
| | | F | 4,995 | 431 | 498 | 553 | 487 | 406 | 346 | 347 | 327 | 371 | 385 | 409 | 435 |
| 91 | Diseases of the arteries | T | 1,699 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 854 | 70 | 78 | 93 | 78 | 65 | 85 | 60 | 53 | 56 | 72 | 70 | 74 |
| | | F | 845 | 69 | 69 | 85 | 87 | 72 | 60 | 65 | 66 | 61 | 68 | 68 | 75 |
| 91a | Aneurism | T | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 22 | 5 | 1 | 3 | – | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| | | F | 7 | – | – | – | – | 1 | – | 1 | – | 1 | – | 4 | – |
| 91b | Arteriosclerosis | T | 1,657 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 824 | 65 | 75 | 90 | 78 | 63 | 80 | 57 | 52 | 55 | 71 | 67 | 71 |
| | | F | 833 | 68 | 67 | 85 | 87 | 71 | 60 | 64 | 65 | 59 | 68 | 64 | 75 |
| 91c | Other diseases of the arteries | T | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | – | 2 | – | – | – | 4 | 2 | – | – | – | – | – |
| | | F | 5 | 1 | 2 | – | – | – | – | – | 1 | 1 | – | – | – |
| 92 | Embolism and thrombosis (not cerebral) | T | 498 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 298 | 30 | 24 | 21 | 35 | 24 | 25 | 20 | 23 | 18 | 19 | 28 | 31 |
| | | F | 200 | 16 | 19 | 18 | 25 | 23 | 7 | 14 | 11 | 19 | 18 | 15 | 15 |
| 93 | Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) | T | 42 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 17 | 3 | 2 | – | 5 | 3 | – | – | – | 1 | 1 | 1 | 1 |
| | | F | 25 | 1 | 2 | 1 | 5 | 2 | 4 | 2 | 2 | – | 1 | 1 | 4 |
| 94 | Diseases of the lymphatic system (lymphangitis, etc.) | T | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | – | 2 | – | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| | | F | 4 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| 95 | Hemorrhage without specified cause | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 96 | Other diseases of the circulatory system | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | | F | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| V. | Diseases of the Respiratory System. | T | 4,511 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,417 | 279 | 348 | 349 | 315 | 189 | 124 | 90 | 82 | 100 | 170 | 165 | 206 |
| | | F | 2,094 | 256 | 311 | 318 | 282 | 168 | 103 | 84 | 48 | 69 | 110 | 147 | 198 |
| 97 | Diseases of the nasal fossae and their annexa | T | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | – | 1 | 2 | – | 2 | 2 | 3 | 2 | 1 | – | 1 | 1 |
| | | F | 9 | 1 | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – | 1 |
| 97a | Diseases of the nasal fossae | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| | | F | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| 97b | Others under this title | T | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 12 | – | 1 | 2 | – | 2 | 1 | 3 | 2 | 1 | – | – | – |
| | | F | 7 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | 1 |
| 98 | Diseases of the larynx | T | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 9 | – | 1 | – | 3 | – | – | 2 | – | 1 | – | – | 2 |
| | | F | 10 | 1 | 3 | – | 3 | 1 | – | – | 1 | – | – | – | 1 |
| 99 | Bronchitis | T | 213 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 91 | 13 | 10 | 13 | 8 | 8 | 2 | 5 | 2 | 6 | 9 | 8 | 7 |
| | | F | 122 | 16 | 20 | 17 | 5 | 11 | 9 | 10 | 1 | 3 | 7 | 8 | 15 |
| 99a | Acute | T | 75 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 30 | 3 | 4 | 3 | 6 | 5 | 1 | 3 | – | 1 | 1 | 2 | 1 |
| | | F | 45 | 6 | 9 | 10 | 2 | 1 | 2 | 2 | – | 1 | 1 | 4 | 7 |
| 99b | Chronic | T | 76 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 36 | 6 | 1 | 4 | 1 | 2 | – | 2 | 2 | 4 | 5 | 5 | 4 |
| | | F | 40 | 4 | 4 | 2 | 2 | 6 | 6 | 4 | – | 2 | 2 | 3 | 5 |
| 99c | Not otherwise defined (under 5 years of age) | T | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | 2 | 2 | 1 | – | – | 1 | – | – | – | 1 | – | – |
| | | F | 12 | 2 | 2 | 3 | 1 | – | – | 1 | – | – | 2 | 1 | – |
| 99d | Not otherwise defined (5 years and over) | T | 43 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 18 | 2 | 3 | 5 | 1 | 1 | – | – | – | 1 | 2 | 1 | 2 |
| | | F | 25 | 4 | 5 | 2 | – | 4 | 1 | 3 | 1 | – | 2 | – | 3 |
| 100 | Bronchopneumonia (including capillary bronchitis) | T | 2,160 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,087 | 121 | 173 | 151 | 123 | 87 | 56 | 40 | 41 | 49 | 82 | 69 | 95 |
| | | F | 1,073 | 138 | 155 | 176 | 140 | 72 | 42 | 47 | 28 | 44 | 63 | 70 | 98 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 86b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 3 | – | – | 1 | 6 | 2 | 5 | 4 | 3 | 3 | 3 | 1 | – | – | – | – | – |
| | – | 1 | 1 | – | 2 | 6 | 3 | 1 | 2 | – | 3 | – | – | 1 | – | – | – | – |
| IV. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9 | 5 | 2 | 1 | 3 | 26 | 27 | 34 | 76 | 220 | 508 | 1,122 | 1,896 | 1,911 | 1,046 | 130 | 2 | – |
| | 7 | 3 | 3 | 4 | 1 | 30 | 33 | 55 | 92 | 184 | 377 | 701 | 1,439 | 1,917 | 1,440 | 289 | 16 | 1 |
| 87 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 1 | 3 | 3 | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | 1 | 2 | 2 | 2 | 3 | – | 1 | – | – | – |
| 88 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 1 | – | 1 | 1 | 7 | 6 | 4 | 14 | 32 | 22 | 17 | 21 | 23 | 9 | – | – | – |
| | – | 1 | 1 | 2 | – | 7 | 8 | 13 | 12 | 28 | 17 | 8 | 25 | 18 | 10 | 4 | – | – |
| 89 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 17 | 70 | 158 | 202 | 152 | 40 | 2 | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | 22 | 47 | 114 | 116 | 47 | 6 | – | – |
| 90 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 3 | – | – | 2 | 18 | 20 | 27 | 58 | 157 | 348 | 791 | 1,360 | 1,403 | 741 | 82 | 2 | – |
| | 5 | 2 | 2 | 2 | 1 | 22 | 24 | 41 | 78 | 149 | 305 | 573 | 1,125 | 1,438 | 1,035 | 180 | 13 | – |
| 91 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 3 | 28 | 78 | 195 | 274 | 232 | 44 | – | – |
| | – | – | – | – | – | – | – | – | – | – | 10 | 35 | 104 | 278 | 319 | 95 | 3 | 1 |
| 91a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 6 | 9 | 5 | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | – | 4 | 1 | 1 | – | – | – |
| 91b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | 18 | 67 | 189 | 272 | 232 | 44 | – | – |
| | – | – | – | – | – | – | – | – | – | – | 9 | 35 | 100 | 275 | 316 | 94 | 3 | 1 |
| 91c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 4 | 2 | 1 | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | – | – |
| 92 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | 1 | – | – | – | – | 1 | 1 | 7 | 31 | 70 | 112 | 53 | 19 | 2 | – | – |
| | 1 | – | – | – | – | – | – | – | – | 3 | 16 | 29 | 60 | 62 | 25 | 4 | – | – |
| 93 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | – | 2 | 3 | 3 | 4 | 2 | 2 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 4 | 7 | 8 | 4 | 2 | – | – | – |
| 94 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – |
| 95 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 96 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| V. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 444 | 119 | 50 | 27 | 13 | 43 | 27 | 31 | 91 | 176 | 261 | 312 | 327 | 317 | 153 | 26 | – | – |
| | 373 | 100 | 38 | 16 | 22 | 35 | 18 | 20 | 67 | 96 | 141 | 195 | 321 | 362 | 238 | 51 | 1 | – |
| 97 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | 1 | – | 1 | – | 1 | 3 | 3 | 2 | 1 | 1 | 1 | – | – | – | – |
| | 3 | – | – | – | – | – | – | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| 97a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 97b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | 1 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| 98 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 1 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | – | 1 | 5 | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| 99 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14 | 4 | 2 | 2 | – | – | 1 | 1 | 1 | 2 | 6 | 10 | 14 | 17 | 14 | 3 | – | – |
| | 19 | 2 | 1 | – | 1 | 1 | 1 | 2 | 1 | 3 | 4 | 11 | 15 | 26 | 29 | 6 | – | – |
| 99a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9 | 1 | 1 | 2 | – | – | 1 | – | – | 1 | 1 | 2 | 3 | 4 | 3 | 2 | – | – |
| | 10 | 2 | 1 | – | – | 1 | – | – | 1 | 1 | 1 | 1 | 2 | 9 | 14 | 2 | – | – |
| 99b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | 1 | – | – | – | – | – | 1 | – | 4 | 3 | 9 | 10 | 7 | – | – | – |
| | – | – | – | – | – | – | 1 | 2 | – | 1 | 3 | 8 | 7 | 11 | 6 | 1 | – | – |
| 99c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 9 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| 99d | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | 5 | 1 | 3 | 4 | 1 | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | 2 | 6 | 5 | 9 | 3 | – | – |
| 100 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 342 | 82 | 32 | 15 | 7 | 18 | 12 | 5 | 20 | 41 | 53 | 77 | 118 | 153 | 95 | 17 | – | – |
| | 291 | 69 | 20 | 8 | 12 | 18 | 5 | 3 | 12 | 26 | 38 | 71 | 136 | 188 | 142 | 33 | 1 | – |

**Table 14**

| Detailed Int. List No. | Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | Months. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 100a | Bronchopneumonia | T | 2,150 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,079 | 119 | 172 | 149 | 122 | 86 | 56 | 40 | 41 | 49 | 82 | 68 | 95 |
| | | F | 1,071 | 138 | 155 | 176 | 140 | 72 | 41 | 47 | 28 | 44 | 63 | 69 | 98 |
| 100b | Capillary bronchitis | T | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | 1 | – |
| | | F | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| 101 | Pneumonia | T | 1,883 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,088 | 133 | 150 | 168 | 173 | 85 | 49 | 28 | 30 | 32 | 70 | 80 | 90 |
| | | F | 795 | 94 | 120 | 107 | 122 | 76 | 47 | 23 | 15 | 15 | 36 | 63 | 77 |
| 101a | Lobar | T | 1,816 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,047 | 126 | 147 | 163 | 167 | 85 | 47 | 26 | 27 | 29 | 66 | 75 | 89 |
| | | F | 769 | 90 | 114 | 105 | 117 | 76 | 46 | 21 | 14 | 13 | 36 | 62 | 75 |
| 101b | Not otherwise defined | T | 67 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 41 | 7 | 3 | 5 | 6 | – | 2 | 2 | 3 | 3 | 4 | 5 | 1 |
| | | F | 26 | 4 | 6 | 2 | 5 | – | 1 | 2 | 1 | 2 | – | 1 | 2 |
| 102 | Pleurisy | T | 114 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 73 | 8 | 5 | 10 | 8 | 5 | 12 | 7 | 3 | 5 | 5 | 3 | 2 |
| | | F | 41 | 1 | 8 | 7 | 4 | 4 | 4 | 2 | 1 | 3 | – | 2 | 5 |
| 103 | Congestion and hemorrhagic infarct of the lung | T | 31 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 13 | 1 | 1 | 1 | – | – | 1 | – | 1 | 3 | 1 | 1 | 3 |
| | | F | 18 | – | 1 | 5 | 5 | – | 1 | – | 2 | 1 | – | 2 | 1 |
| 104 | Gangrene of the lung | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 105 | Asthma | T | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | 3 | 1 | – | – | – | 1 | 1 | – | 1 | 2 | 1 |
| | | F | 13 | 3 | 2 | – | 1 | 1 | – | – | – | 2 | 2 | 2 | – |
| 106 | Pulmonary emphysema | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107 | Other diseases of the respiratory system (tuberculosis excepted) | T | 41 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 29 | 2 | 3 | 3 | – | 2 | 2 | 4 | 2 | 3 | 2 | 1 | 5 |
| | | F | 12 | 2 | 1 | 3 | 1 | 2 | – | – | – | 1 | 2 | – | – |
| 107a | Chronic interstitial pneumonia, including occupational diseases of the lung | T | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107b | Diseases of the mediastinum | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107c | Others under this title | T | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 25 | 2 | 1 | 3 | – | 2 | 2 | 4 | 2 | 3 | 2 | – | 4 |
| | | F | 12 | 2 | 1 | 3 | 1 | 2 | – | – | – | 1 | 2 | – | – |
| VI. | Diseases of the Digestive System. | T | 3,053 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,634 | 141 | 103 | 162 | 137 | 131 | 129 | 137 | 121 | 162 | 156 | 134 | 121 |
| | | F | 1,419 | 119 | 118 | 124 | 121 | 126 | 126 | 105 | 134 | 121 | 112 | 104 | 109 |
| 108 | Diseases of the mouth and annexa | T | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 16 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | – | 3 |
| | | F | 13 | 3 | 1 | – | 3 | 2 | 3 | 1 | – | – | – | – | – |
| 109 | Diseases of the pharynx and tonsils (including adenoid vegetations) | T | 173 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 89 | 12 | 8 | 10 | 9 | 10 | 5 | 6 | 5 | 8 | 4 | 8 | 4 |
| | | F | 84 | 6 | 8 | 9 | 11 | 7 | 8 | 10 | 2 | 5 | 4 | 8 | 6 |
| 109a | Adenoid vegetations | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 109b | Others under this title | T | 172 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 88 | 12 | 8 | 9 | 9 | 10 | 5 | 6 | 5 | 8 | 4 | 8 | 4 |
| | | F | 84 | 6 | 8 | 9 | 11 | 7 | 8 | 10 | 2 | 5 | 4 | 8 | 6 |
| 110 | Diseases of the esophagus | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 6 | 2 | – | – | 1 | – | 1 | – | – | – | 1 | – | 1 |
| | | F | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| 111 | Ulcer of the stomach and duodenum | T | 320 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 253 | 22 | 12 | 22 | 27 | 18 | 24 | 24 | 18 | 19 | 21 | 23 | 23 |
| | | F | 67 | 2 | 5 | 9 | 6 | 5 | 7 | 4 | 3 | 2 | 11 | 6 | 7 |
| 111a | Ulcer of the stomach | T | 195 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 152 | 12 | 7 | 14 | 15 | 13 | 14 | 16 | 15 | 11 | 9 | 11 | 15 |
| | | F | 43 | 1 | 3 | 8 | 4 | 3 | 4 | 2 | 2 | 1 | 9 | 1 | 5 |
| 111b | Ulcer of the duodenum | T | 125 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 101 | 10 | 5 | 8 | 12 | 5 | 10 | 8 | 3 | 8 | 12 | 12 | 8 |
| | | F | 24 | 1 | 2 | 1 | 2 | 2 | 3 | 2 | 1 | 1 | 2 | 5 | 2 |
| 112 | Other diseases of the stomach (cancer excepted) | T | 97 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 42 | 1 | 2 | 4 | 5 | 2 | 6 | 2 | 5 | 5 | 2 | 6 | 2 |
| | | F | 55 | 4 | 6 | 4 | 6 | 4 | 7 | 2 | 5 | 3 | 5 | 4 | 5 |
| 113 | Diarrhea and enteritis (under 2 years of age) | T | 410 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 242 | 18 | 15 | 22 | 20 | 14 | 11 | 17 | 27 | 39 | 34 | 15 | 10 |
| | | F | 168 | 12 | 10 | 12 | 15 | 16 | 12 | 11 | 11 | 27 | 19 | 11 | 12 |
| 114 | Diarrhea and enteritis (2 years and over) | T | 162 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 71 | 3 | 7 | 2 | 2 | 4 | 8 | 13 | 7 | 5 | 13 | 1 | 6 |
| | | F | 91 | 7 | 1 | 9 | 5 | 9 | 9 | 3 | 13 | 12 | 8 | 7 | 8 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 100a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 336 | 81 | 32 | 15 | 7 | 18 | 12 | 5 | 20 | 41 | 52 | 77 | 118 | 153 | 95 | 17 | – | – |
| | 290 | 69 | 20 | 8 | 12 | 17 | 5 | 3 | 12 | 26 | 38 | 71 | 136 | 188 | 142 | 33 | 1 | – |
| 100b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 101 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 73 | 27 | 11 | 8 | 4 | 18 | 11 | 22 | 59 | 113 | 181 | 209 | 174 | 133 | 39 | 6 | – | – |
| | 55 | 23 | 9 | 8 | 8 | 13 | 8 | 12 | 41 | 61 | 93 | 105 | 158 | 138 | 54 | 9 | – | – |
| 101a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 67 | 24 | 8 | 7 | 4 | 15 | 11 | 21 | 57 | 110 | 174 | 205 | 172 | 128 | 38 | 6 | – | – |
| | 49 | 21 | 7 | 8 | 8 | 12 | 8 | 11 | 39 | 60 | 91 | 105 | 153 | 136 | 52 | 9 | – | – |
| 101b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6 | 3 | 3 | 1 | – | 3 | – | 1 | 2 | 3 | 7 | 4 | 2 | 5 | 1 | – | – | – |
| | 6 | 2 | 2 | – | – | 1 | – | 1 | 2 | 1 | 2 | – | 5 | 2 | 2 | – | – | – |
| 102 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 4 | 4 | 1 | 1 | 5 | 2 | 2 | 6 | 10 | 10 | 7 | 7 | 7 | 2 | – | – | – |
| | 2 | 3 | 2 | – | 1 | 1 | 3 | 1 | 8 | 3 | 2 | 4 | 4 | 5 | 2 | – | – | – |
| 103 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 | 3 | – | – | – |
| | 1 | – | – | – | – | – | – | – | 2 | – | 1 | – | 2 | 1 | 8 | 3 | – | – |
| 104 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 105 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 4 | 1 | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | – | 1 | 2 | 3 | 2 | 1 | 3 | – | – | – |
| 106 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | – | 1 | – | – | – | 1 | – | 2 | 4 | 5 | 3 | 6 | 2 | – | – | – | – |
| | 2 | 2 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 3 | 1 | – | – | – | – |
| 107a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 107c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | – | – | – | – | – | 1 | – | 2 | 4 | 5 | 2 | 4 | 2 | – | – | – | – |
| | 2 | 2 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 3 | 1 | – | – | – | – |
| VI. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 255 | 49 | 17 | 28 | 17 | 58 | 31 | 30 | 85 | 149 | 209 | 256 | 252 | 142 | 50 | 6 | – | – |
| | 190 | 25 | 23 | 16 | 17 | 48 | 24 | 27 | 67 | 113 | 136 | 227 | 245 | 167 | 82 | 12 | – | – |
| 108 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | 1 | – | 1 | 1 | – | 5 | 2 | 4 | 1 | – | – | – | – |
| | 2 | – | – | – | – | – | – | 2 | – | 1 | 2 | 1 | – | 3 | 2 | – | – | – |
| 109 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8 | 6 | 2 | 7 | 4 | 13 | 3 | 1 | 5 | 11 | 5 | 9 | 9 | 4 | 1 | 1 | – | – |
| | 5 | 6 | 4 | 2 | 3 | 7 | – | 4 | 13 | 6 | 5 | 14 | 10 | 3 | 2 | – | – | – |
| 109a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 109b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7 | 6 | 2 | 7 | 4 | 13 | 3 | 1 | 5 | 11 | 5 | 9 | 9 | 4 | 1 | 1 | – | – |
| | 5 | 6 | 4 | 2 | 3 | 7 | – | 4 | 13 | 6 | 5 | 14 | 10 | 3 | 2 | – | – | – |
| 110 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | 1 | – | – | – | – | – | – | 2 | 1 | – | 1 | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| 111 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | 13 | 39 | 59 | 63 | 51 | 20 | 6 | – | – | – |
| | 1 | – | – | – | – | – | 1 | – | – | 8 | 6 | 14 | 13 | 19 | 4 | 1 | – | – |
| 111a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | 7 | 21 | 38 | 37 | 29 | 13 | 5 | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | 2 | 3 | 7 | 10 | 16 | 4 | – | – | – |
| 111b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 6 | 18 | 21 | 26 | 22 | 7 | 1 | – | – | – |
| | – | – | – | – | – | – | 1 | – | – | 6 | 3 | 7 | 3 | 3 | – | 1 | – | – |
| 112 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18 | 1 | – | – | 1 | 1 | – | – | 1 | 1 | 4 | 6 | 3 | 4 | 1 | 1 | – | – |
| | 10 | – | – | 1 | – | 1 | 1 | – | 1 | – | 2 | 7 | 10 | 10 | 12 | – | – | – |
| 113 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 212 | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 153 | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 114 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 7 | 8 | 5 | 4 | 3 | – | 5 | 3 | 8 | 8 | 5 | 7 | 6 | 2 | – | – |
| | – | – | 6 | 7 | 7 | 6 | 1 | 1 | 6 | 11 | 7 | 10 | 10 | 7 | 7 | 5 | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | Months. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 115 | Ankylostomiasis | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116 | Diseases due to other intestinal parasites | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| 116a | Cestodes (hydatids of the liver excepted) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116b | Trematodes | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116c | Nematodes (other than ankylostoma) | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| 116d | Coccidia | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116e | Other parasites specified | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116f | Parasites not specified | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 117 | Appendicitis and typhlitis | T | 606 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 346 | 23 | 19 | 38 | 28 | 30 | 26 | 41 | 24 | 36 | 34 | 22 | 25 |
| | | F | 260 | 24 | 29 | 21 | 26 | 19 | 19 | 22 | 30 | 14 | 16 | 20 | 20 |
| 118 | Hernia, intestinal obstruction | T | 412 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 206 | 19 | 12 | 24 | 14 | 23 | 16 | 15 | 15 | 13 | 15 | 22 | 18 |
| | | F | 206 | 23 | 19 | 12 | 20 | 16 | 16 | 18 | 23 | 17 | 15 | 14 | 13 |
| 118a | Hernia | T | 226 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 120 | 8 | 9 | 15 | 7 | 13 | 10 | 9 | 8 | 9 | 8 | 16 | 8 |
| | | F | 106 | 12 | 9 | 4 | 10 | 11 | 3 | 13 | 11 | 11 | 9 | 6 | 7 |
| 118b | Intestinal obstruction | T | 186 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 86 | 11 | 3 | 9 | 7 | 10 | 6 | 6 | 7 | 4 | 7 | 6 | 10 |
| | | F | 100 | 11 | 10 | 8 | 10 | 5 | 13 | 5 | 12 | 6 | 6 | 8 | 6 |
| 119 | Other diseases of the intestines | T | 61 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 30 | – | 3 | 3 | 2 | 4 | 2 | 3 | 1 | 6 | 1 | 3 | 2 |
| | | F | 31 | 2 | 2 | 5 | 3 | 4 | 1 | 3 | 2 | – | 3 | 3 | 3 |
| 120 | Acute yellow atrophy of the liver | T | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | 1 | 1 | 1 | – | 2 | – | 1 | – | 1 | 1 | 1 | 1 |
| | | F | 19 | 1 | 3 | 1 | 3 | 2 | 2 | 1 | 2 | – | 1 | 2 | 1 |
| 121 | Hydatid tumor of the liver | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 122 | Cirrhosis of the liver | T | 282 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 169 | 24 | 17 | 20 | 19 | 10 | 13 | 8 | 6 | 14 | 16 | 13 | 9 |
| | | F | 113 | 9 | 8 | 12 | 2 | 14 | 14 | 11 | 13 | 7 | 9 | 6 | 8 |
| 122a | Specified as alcoholic | T | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 17 | 4 | 1 | 2 | – | 2 | 3 | 1 | – | 2 | – | – | 2 |
| | | F | 3 | – | – | 1 | – | – | – | – | – | 2 | – | – | – |
| 122b | Not specified as alcoholic | T | 262 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 152 | 20 | 16 | 18 | 19 | 8 | 10 | 7 | 6 | 12 | 16 | 13 | 7 |
| | | F | 110 | 9 | 8 | 11 | 2 | 14 | 14 | 11 | 13 | 5 | 9 | 6 | 8 |
| 123 | Biliary calculi | T | 206 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 52 | 6 | 1 | 5 | 2 | 6 | 6 | 2 | 4 | 5 | 7 | 3 | 5 |
| | | F | 154 | 12 | 14 | 13 | 11 | 15 | 18 | 9 | 14 | 13 | 9 | 13 | 13 |
| 124 | Other diseases of the liver | T | 194 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 75 | 5 | 3 | 6 | 6 | 5 | 6 | 3 | 6 | 7 | 4 | 13 | 11 |
| | | F | 119 | 10 | 10 | 12 | 6 | 9 | 9 | 9 | 9 | 18 | 11 | 7 | 9 |
| 125 | Diseases of the pancreas | T | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 12 | 2 | 1 | – | 1 | 1 | – | – | 1 | 3 | 1 | 2 | – |
| | | F | 12 | 1 | 1 | 2 | 2 | – | – | – | 2 | 2 | – | 1 | 1 |
| 126 | Peritonitis without specified cause | T | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | 1 | 1 | 4 | – | 1 | 3 | – | 1 | – | 1 | 2 | 1 |
| | | F | 23 | 2 | 1 | 2 | 2 | 4 | 1 | 1 | 4 | 1 | 1 | 2 | 2 |
| 127 | Other diseases of the digestive system (cancer and tuberculosis excepted) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. | Non-Venereal Diseases of the Genito-urinary System and Annexa. | T | 4,283 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,059 | 208 | 188 | 198 | 173 | 169 | 150 | 155 | 153 | 124 | 185 | 173 | 183 |
| | | F | 2,224 | 235 | 204 | 219 | 217 | 192 | 171 | 142 | 169 | 168 | 171 | 164 | 172 |
| 128 | Acute nephritis (including unspecified under 10 years of age) | T | 132 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 69 | 6 | 5 | 6 | 10 | 7 | 3 | 4 | 7 | 4 | 6 | 3 | 8 |
| | | F | 63 | 5 | 4 | 13 | 7 | 8 | 5 | 3 | 3 | 4 | 2 | 7 | 2 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 115 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 116a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 116d | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116e | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 116f | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 117 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 7 | 7 | 11 | 6 | 30 | 20 | 21 | 46 | 55 | 43 | 51 | 32 | 9 | 6 | – | – | – |
| | 1 | 2 | 9 | 3 | 6 | 26 | 19 | 15 | 22 | 32 | 31 | 43 | 32 | 17 | 2 | – | – | – |
| 118 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10 | 2 | 1 | – | 1 | 4 | 1 | 4 | 4 | 13 | 30 | 28 | 51 | 38 | 18 | 1 | – | – |
| | 12 | 1 | 1 | 2 | 1 | 3 | – | – | 4 | 16 | 22 | 38 | 46 | 35 | 22 | 3 | – | – |
| 118a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 1 | – | – | – | – | – | – | 2 | 4 | 18 | 14 | 38 | 26 | 13 | 1 | – | – |
| | – | 1 | – | – | – | – | – | – | – | 2 | 7 | 26 | 36 | 23 | 10 | 1 | – | – |
| 118b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7 | 1 | 1 | – | 1 | 4 | 1 | 4 | 2 | 9 | 12 | 14 | 13 | 12 | 5 | – | – | – |
| | 12 | – | 1 | 2 | 1 | 3 | – | – | 4 | 14 | 15 | 12 | 10 | 12 | 12 | 2 | – | – |
| 119 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | 1 | – | 2 | 1 | – | 1 | 5 | 3 | 6 | 7 | – | 2 | – | – | – |
| | – | – | – | – | – | 1 | – | 1 | 1 | 5 | 2 | 4 | 8 | 5 | 3 | 1 | – | – |
| 120 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | 1 | 3 | 3 | 1 | – | 1 | – | – | – |
| | – | – | – | – | – | – | – | 1 | 4 | 2 | 5 | 5 | 2 | – | – | – | – | – |
| 121 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 122 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 2 | 2 | 12 | 27 | 46 | 48 | 30 | 1 | 1 | – | – |
| | 1 | – | – | – | – | 1 | 1 | 1 | 1 | 8 | 17 | 23 | 33 | 16 | 11 | – | – | – |
| 122a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 3 | 4 | 5 | 2 | 3 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| 122b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 2 | 2 | 9 | 23 | 41 | 46 | 27 | 1 | 1 | – | – |
| | 1 | – | – | – | – | 1 | 1 | 1 | 1 | 7 | 16 | 22 | 33 | 16 | 11 | – | – | – |
| 123 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | 7 | 17 | 15 | 9 | 2 | – | – | – |
| | – | – | – | – | – | – | – | – | 3 | 12 | 22 | 39 | 49 | 21 | 8 | – | – | – |
| 124 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 6 | 5 | 9 | 12 | 21 | 17 | 5 | – | – | – |
| | 2 | – | – | – | – | – | – | – | 6 | 9 | 12 | 24 | 26 | 30 | 8 | 2 | – | – |
| 125 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 2 | 4 | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 4 | 3 | – | – | – | – | – |
| 126 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 2 | – | – | – | 2 | 2 | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| | 3 | 1 | 2 | 1 | – | 3 | 1 | 2 | 4 | 2 | – | 1 | 2 | 1 | – | – | – | – |
| 127 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9 | 1 | 4 | 1 | – | 8 | 4 | 12 | 50 | 88 | 173 | 322 | 524 | 572 | 264 | 26 | 1 | – |
| | 6 | 5 | 3 | 2 | 2 | 9 | 12 | 16 | 63 | 144 | 264 | 350 | 486 | 516 | 301 | 45 | – | – |
| 128 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | 1 | 1 | – | 4 | – | 4 | 6 | 10 | 9 | 12 | 8 | 7 | 5 | 1 | – | – |
| | 1 | 3 | 3 | 2 | 2 | 5 | 3 | 4 | 6 | 6 | 5 | 7 | 9 | 4 | 3 | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death | Sex | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total | January | February | March | April | May | June | July | August | September | October | November | December |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Months. | | | | | | | | | | | |
| 129 | Chronic nephritis (including unspecified 10 years and over) | T | 3,485 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,637 | 165 | 164 | 161 | 125 | 133 | 116 | 125 | 119 | 97 | 141 | 142 | 149 |
| | | F | 1,848 | 197 | 181 | 178 | 185 | 150 | 136 | 114 | 131 | 140 | 146 | 136 | 154 |
| 130 | Chyluria | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 131 | Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted) | T | 98 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 44 | 6 | 1 | 1 | 4 | 8 | 1 | 1 | 4 | 3 | 7 | 3 | 5 |
| | | F | 54 | 10 | 2 | 5 | 3 | 9 | 3 | 1 | 8 | 3 | 5 | 5 | – |
| 132 | Calculi of the urinary passages | T | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 23 | 4 | 2 | – | 3 | 2 | 3 | 2 | 3 | 2 | 1 | 1 | – |
| | | F | 12 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | – |
| 133 | Diseases of the bladder | T | 50 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 36 | 5 | 1 | 6 | 5 | 3 | 1 | 4 | – | 4 | 4 | 3 | – |
| | | F | 14 | 2 | – | 2 | – | 4 | 3 | 1 | – | 1 | – | 1 | – |
| 134 | Diseases of the urethra, urinary abscess, etc. | T | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | 2 | 2 | – | 1 | 2 | 2 | – | – | 2 | 3 | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 134*a* | Stricture of the urethra | T | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 11 | 2 | 2 | – | 1 | 2 | 1 | – | – | 2 | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 134*b* | Others under this title | T | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 135 | Diseases of the prostate | T | 225 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 225 | 19 | 13 | 23 | 23 | 14 | 23 | 17 | 19 | 11 | 22 | 21 | 20 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 136 | Non-venereal diseases of the male genital organs | T | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | 1 | – | 1 | 2 | – | 1 | 2 | 1 | 1 | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 137 | Cysts and other benign tumors of the ovary | T | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 35 | 1 | 4 | 2 | 4 | 1 | 1 | 6 | 4 | 3 | 2 | 5 | 2 |
| 138 | Salpingitis and pelvic abscess | T | 53 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 53 | 3 | 2 | 6 | 4 | 8 | 5 | 5 | 7 | 4 | 4 | 4 | 1 |
| 139 | Benign tumors of the uterus | T | 97 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 97 | 6 | 8 | 9 | 9 | 6 | 12 | 8 | 9 | 9 | 7 | 4 | 10 |
| 140 | Non-puerperal uterine hemorrhage | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| 141 | Other diseases of the female genital organs | T | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 44 | 8 | 2 | 2 | 4 | 5 | 3 | 1 | 6 | 3 | 5 | 2 | 3 |
| 142 | Non-puerperal diseases of the breast (cancer excepted) | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| VIII. | The Puerperal State. | T | 437 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 437 | 45 | 44 | 62 | 40 | 35 | 33 | 31 | 35 | 25 | 27 | 30 | 30 |
| 143 | Accidents of pregnancy | T | 42 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 42 | 5 | 3 | 8 | 2 | 3 | 1 | 4 | 3 | 3 | 2 | 4 | 4 |
| 143*a* | Abortion | T | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 17 | 4 | 2 | 5 | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – |
| 143*b* | Ectopic gestation | T | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 20 | 1 | 1 | 2 | 2 | 2 | – | 3 | 1 | 2 | – | 2 | 4 |
| 143*c* | Others under this title | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 5 | – | – | 1 | – | – | – | 1 | 1 | – | 1 | 1 | – |
| 144 | Puerperal hemorrhage | T | 61 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 61 | 6 | 8 | 4 | 4 | 2 | 5 | 5 | 8 | 4 | 5 | 7 | 3 |
| 145 | Other accidents of labor | T | 66 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 66 | 8 | 7 | 8 | 4 | 6 | 5 | 7 | 4 | 2 | 4 | 6 | 5 |
| 145*a* | Cæsarean section | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 25 | 2 | 2 | 4 | 1 | – | 1 | 4 | 4 | 1 | – | 4 | 2 |
| 145*b* | Other surgical operations and instrumental delivery | T | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 10 | 1 | 1 | 2 | – | 2 | 1 | – | – | 1 | 1 | – | 1 |
| 145*c* | Others under this title | T | 31 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 31 | 5 | 4 | 2 | 3 | 4 | 3 | 3 | – | – | 3 | 2 | 2 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 129 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | 2 | 3 | 7 | 42 | 69 | 150 | 275 | 423 | 445 | 204 | 15 | 1 | – |
| | – | – | – | – | – | 4 | 7 | 7 | 30 | 90 | 170 | 282 | 448 | 480 | 287 | 43 | – | – |
| 130 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 131 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | 1 | – | – | 2 | 1 | – | – | 3 | 7 | 7 | 7 | 10 | 2 | – | – | – |
| | 3 | 2 | – | – | – | – | 1 | 1 | 4 | 1 | 8 | 13 | 7 | 10 | 3 | 1 | – | – |
| 132 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 1 | 3 | 3 | 3 | 7 | 4 | 1 | – | – | – |
| 133 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 5 | 2 | 1 | – | 1 | – | – |
| | 1 | – | – | – | – | – | – | – | – | 2 | 1 | 1 | 6 | 13 | 11 | 1 | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 4 | 5 | – | – | – |
| 134 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | – | – | 2 | – | 8 | 3 | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 134a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | – | 8 | 1 | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 134b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 135 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | 1 | 22 | 63 | 89 | 40 | 9 | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 136 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 137 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 2 | 3 | 4 | 8 | 8 | 3 | 5 | 2 | – | – | – |
| 138 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | 14 | 13 | 14 | 7 | 1 | 2 | – | – | – | – |
| 139 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | 21 | 45 | 18 | 6 | 6 | – | – | – | – |
| 140 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| 141 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | 1 | 4 | 7 | 12 | 6 | 8 | 4 | 1 | – | – | – |
| 142 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| VIII. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 20 | 175 | 201 | 41 | – | – | – | – | – | – | – |
| 143 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 18 | 21 | 2 | – | – | – | – | – | – | – |
| 143a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 8 | 8 | 1 | – | – | – | – | – | – | – |
| 143b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 7 | 12 | 1 | – | – | – | – | – | – | – |
| 143c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| 144 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 15 | 36 | 9 | – | – | – | – | – | – | – |
| 145 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 3 | 29 | 28 | 6 | – | – | – | – | – | – | – |
| 145a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 12 | 11 | 2 | – | – | – | – | – | – | – |
| 145b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 7 | 1 | 1 | – | – | – | – | – | – | – |
| 145c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 2 | 10 | 16 | 3 | – | – | – | – | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 146 | Puerperal septicemia | T | 141 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 141 | 11 | 11 | 27 | 21 | 17 | 11 | 8 | 5 | 7 | 5 | 9 | 9 |
| 147 | Puerperal phlegmasia alba dolens, embolus, sudden death | T | 58 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 58 | 5 | 4 | 6 | 5 | 3 | 8 | 2 | 8 | 4 | 6 | 3 | 4 |
| 148 | Puerperal albuminuria and convulsions | T | 68 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 68 | 10 | 11 | 9 | 4 | 4 | 3 | 5 | 7 | 5 | 4 | 1 | 5 |
| 149 | Following childbirth (not otherwise defined) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 150 | Puerperal diseases of the breast | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| IX. | Diseases of the Skin and of the Cellular Tissue. | T | 97 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 53 | 4 | 9 | 4 | 8 | 4 | 4 | 2 | 4 | 2 | 3 | 5 | 4 |
| | | F | 44 | 6 | 4 | 6 | 11 | 2 | 2 | 2 | 6 | – | 1 | 2 | 2 |
| 151 | Gangrene | T | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | 1 | 2 | 2 | – | – | 1 | – | – | – | – | 1 | 1 |
| | | F | 5 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| 152 | Furuncle | T | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 24 | 1 | 3 | – | 3 | 3 | 1 | 1 | 3 | 1 | 1 | 4 | 3 |
| | | F | 6 | 1 | 1 | – | 1 | 1 | – | – | 2 | – | – | – | – |
| 153 | Acute abscess | T | 34 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 11 | 1 | 1 | 1 | 3 | 1 | – | 1 | 1 | 1 | 1 | – | – |
| | | F | 23 | 2 | 3 | 3 | 6 | 1 | 1 | 1 | 3 | – | 1 | 2 | – |
| 154 | Other diseases of the skin and annexa | T | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | 1 | 3 | 1 | 2 | – | 2 | – | – | – | 1 | – | – |
| | | F | 10 | 1 | – | 2 | 2 | – | 1 | 1 | 1 | – | – | – | 2 |
| X. | Diseases of the Bones and of the Organs of Locomotion. | T | 49 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 30 | 1 | 5 | 1 | 2 | 4 | 3 | 1 | 3 | 2 | 2 | 2 | 4 |
| | | F | 19 | – | 2 | 2 | – | 3 | 2 | – | 2 | 1 | 1 | 2 | 4 |
| 155 | Diseases of the bones (tuberculosis excepted) | T | 41 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 26 | 1 | 5 | – | 1 | 4 | 2 | 1 | 2 | 2 | 2 | 2 | 4 |
| | | F | 15 | – | 2 | 2 | – | 2 | 1 | – | 2 | 1 | 1 | 1 | 3 |
| 156 | Diseases of the joints (tuberculosis and rheumatism excepted) | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | | F | 4 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | 1 |
| 157 | Amputations | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 158 | Other diseases of the organs of locomotion | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. | Malformations. | T | 621 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 327 | 37 | 30 | 31 | 23 | 25 | 28 | 23 | 24 | 31 | 29 | 18 | 28 |
| | | F | 294 | 18 | 24 | 27 | 17 | 34 | 28 | 14 | 17 | 23 | 30 | 34 | 28 |
| 159 | Congenital malformations (stillbirths not included) | T | 621 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 327 | 37 | 30 | 31 | 23 | 25 | 28 | 23 | 24 | 31 | 29 | 18 | 28 |
| | | F | 294 | 18 | 24 | 27 | 17 | 34 | 28 | 14 | 17 | 23 | 30 | 34 | 28 |
| 159a | Hydrocephalus | T | 46 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 23 | 3 | 5 | 2 | 2 | 2 | – | 2 | 2 | 3 | – | 1 | 1 |
| | | F | 23 | 1 | 2 | 1 | – | 4 | 3 | 1 | 3 | 1 | 3 | 3 | 1 |
| 159b | Congenital malformations of the heart | T | 285 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 172 | 20 | 16 | 17 | 11 | 18 | 15 | 8 | 10 | 18 | 17 | 7 | 15 |
| | | F | 113 | 6 | 11 | 14 | 7 | 14 | 11 | 5 | 2 | 9 | 11 | 13 | 10 |
| 159c | Others under this title | T | 290 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 132 | 14 | 9 | 12 | 10 | 5 | 13 | 13 | 12 | 10 | 12 | 10 | 12 |
| | | F | 158 | 11 | 11 | 12 | 10 | 16 | 14 | 8 | 12 | 13 | 16 | 18 | 17 |
| XII. | Early Infancy. | T | 1,938 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,129 | 104 | 94 | 120 | 88 | 102 | 76 | 84 | 97 | 82 | 95 | 90 | 97 |
| | | F | 809 | 85 | 65 | 87 | 68 | 94 | 70 | 61 | 59 | 50 | 59 | 60 | 51 |
| 160 | Congenital debility, icterus and sclerema | T | 148 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 74 | 5 | 7 | 11 | 6 | 9 | 4 | 2 | 6 | 5 | 7 | 7 | 5 |
| | | F | 74 | 5 | 6 | 8 | 4 | 12 | 3 | 7 | 9 | 4 | 7 | 2 | 7 |
| 161 | Premature birth, injury at birth | T | 1,588 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 934 | 81 | 73 | 97 | 71 | 82 | 64 | 76 | 80 | 70 | 81 | 79 | 80 |
| | | F | 654 | 76 | 50 | 69 | 58 | 75 | 61 | 45 | 45 | 38 | 47 | 51 | 39 |
| 161a | Premature birth | T | 1,159 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 675 | 57 | 52 | 72 | 52 | 57 | 49 | 51 | 63 | 49 | 53 | 62 | 58 |
| | | F | 484 | 56 | 37 | 52 | 42 | 58 | 43 | 34 | 34 | 25 | 34 | 39 | 30 |
| 161b | Injury at birth | T | 429 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 259 | 24 | 21 | 25 | 19 | 25 | 15 | 25 | 17 | 21 | 28 | 17 | 22 |
| | | F | 170 | 20 | 13 | 17 | 16 | 17 | 18 | 11 | 11 | 13 | 13 | 12 | 9 |
| 162 | Other diseases peculiar to early infancy | T | 200 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 120 | 18 | 14 | 12 | 11 | 11 | 8 | 6 | 11 | 7 | 6 | 4 | 12 |
| | | F | 80 | 4 | 9 | 9 | 6 | 7 | 6 | 9 | 5 | 8 | 5 | 7 | 5 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 146 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 8 | 72 | 49 | 12 | – | – | – | – | – | – | – |
| 147 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 1 | 21 | 30 | 6 | – | – | – | – | – | – | – |
| 148 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 6 | 19 | 37 | 6 | – | – | – | – | – | – | – |
| 149 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 150 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| IX. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8 | – | – | – | – | – | – | 3 | 3 | 3 | 2 | 11 | 9 | 9 | 5 | – | – | – |
| | 5 | 2 | – | 1 | 1 | 1 | 2 | 3 | – | 3 | 2 | 5 | 6 | 8 | 3 | 2 | – | – |
| 151 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 1 | – | 3 | – | 1 | 3 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 | – | 1 | – | – |
| 152 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | 2 | 2 | – | 2 | 7 | 4 | 3 | 1 | – | – | – |
| | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – |
| 153 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | 2 | 3 | 1 | – | – | – |
| | 2 | 2 | – | 1 | 1 | 1 | 1 | – | – | 2 | – | 3 | 4 | 4 | 1 | 1 | – | – |
| 154 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | 3 | 2 | – | – | – | – |
| | 3 | – | – | – | – | – | 1 | 2 | – | – | 1 | – | 1 | 1 | 1 | – | – | – |
| X. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | 1 | – | 2 | 1 | 3 | 6 | 6 | 1 | 3 | 1 | 3 | 1 | – | – | – |
| | 2 | – | – | – | 1 | 4 | 1 | 1 | 1 | – | 2 | 2 | 2 | 1 | – | 2 | – | – |
| 155 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | 1 | – | 1 | – | 2 | 1 | 3 | 4 | 6 | – | 3 | 1 | 3 | – | – | – | – |
| | 2 | – | – | – | 1 | 3 | 1 | 1 | 1 | – | 2 | 1 | 1 | 1 | – | 1 | – | – |
| 156 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – |
| 157 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 158 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 296 | 16 | 5 | – | 2 | 2 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| | 276 | 6 | 4 | 2 | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 159 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 296 | 16 | 5 | – | 2 | 2 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| | 276 | 6 | 4 | 2 | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| 159a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15 | 4 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 159b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 159 | 6 | 3 | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | 102 | 2 | 2 | 2 | – | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 159c | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 122 | 6 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 151 | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1,126 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 808 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 160 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 74 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 74 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 161 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 931 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 653 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 161a | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 675 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 484 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 161b | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 256 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 169 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 162 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 120 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 80 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | Months. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 163 | Lack of care | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XIII. | Old Age. | T | 68 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 27 | 1 | 3 | 2 | 6 | 1 | 2 | 1 | 3 | 1 | 3 | 4 | – |
| | | F | 41 | 3 | 4 | 2 | 5 | 2 | 6 | 5 | 7 | – | 2 | 1 | 4 |
| 164 | Senility | T | 68 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 27 | 1 | 3 | 2 | 6 | 1 | 2 | 1 | 3 | 1 | 3 | 4 | – |
| | | F | 41 | 3 | 4 | 2 | 5 | 2 | 6 | 5 | 7 | – | 2 | 1 | 4 |
| XIV. | External Causes. | T | 3,499 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,364 | 198 | 155 | 166 | 205 | 170 | 214 | 225 | 206 | 208 | 213 | 206 | 198 |
| | | F | 1,135 | 98 | 95 | 100 | 106 | 89 | 116 | 78 | 101 | 78 | 92 | 94 | 88 |
| 165–174 | Suicide (total) | T | 547 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 410 | 37 | 28 | 27 | 49 | 43 | 33 | 45 | 30 | 31 | 38 | 26 | 23 |
| | | F | 137 | 12 | 6 | 17 | 15 | 8 | 16 | 6 | 17 | 11 | 11 | 12 | 6 |
| 165 | Suicide by solid or liquid poisons (corrosive substances excepted) | T | 27 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 17 | 1 | 4 | 1 | 2 | – | 4 | 3 | – | – | 2 | – | – |
| | | F | 10 | 2 | – | – | 2 | – | 2 | – | 3 | – | – | 1 | – |
| 166 | Suicide by corrosive substances | T | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – | 4 | 1 |
| | | F | 8 | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | 3 | – |
| 167 | Suicide by poisonous gas | T | 148 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 97 | 9 | 7 | 7 | 12 | 9 | 13 | 11 | 3 | 8 | 5 | 7 | 6 |
| | | F | 51 | – | 4 | 4 | 5 | 4 | 5 | 3 | 4 | 6 | 6 | 4 | 6 |
| 168 | Suicide by hanging or strangulation | T | 122 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 103 | 8 | 6 | 4 | 16 | 18 | 6 | 11 | 8 | 5 | 9 | 6 | 6 |
| | | F | 19 | 2 | – | 4 | 2 | 1 | 2 | 1 | 2 | 2 | 3 | – | – |
| 169 | Suicide by drowning | T | 55 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 33 | 1 | 1 | 2 | 2 | 5 | 2 | 6 | 6 | 4 | – | 3 | 1 |
| | | F | 22 | – | 1 | 4 | 5 | 2 | 3 | 1 | 2 | 1 | – | 3 | – |
| 170 | Suicide by firearms | T | 118 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 108 | 12 | 8 | 10 | 12 | 6 | 5 | 8 | 6 | 9 | 19 | 6 | 7 |
| | | F | 10 | 2 | – | – | – | 1 | 1 | – | 3 | 2 | 1 | – | – |
| 171 | Suicide by cutting or piercing instruments | T | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 26 | 2 | 2 | 1 | 5 | 3 | 1 | 5 | 3 | 2 | 1 | – | 1 |
| | | F | 4 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| 172 | Suicide by jumping from high places | T | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 12 | 3 | – | 2 | – | – | 1 | – | 2 | 1 | 2 | – | 1 |
| | | F | 11 | 3 | 1 | 2 | – | – | 2 | 1 | 1 | – | – | 1 | – |
| 173 | Suicide by crushing | T | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 3 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – |
| | | F | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 174 | Other suicides | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 175–196, 201–203 | Accidental or undefined (total) | T | 2,873 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,903 | 157 | 123 | 136 | 150 | 125 | 175 | 177 | 170 | 173 | 170 | 177 | 170 |
| | | F | 970 | 83 | 88 | 80 | 88 | 78 | 98 | 71 | 80 | 66 | 76 | 81 | 81 |
| 175 | Poisoning by food | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| | | F | 4 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – |
| 176 | Poisoning by venomous animals | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 177 | Other acute accidental poisonings (gas excepted) | T | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 40 | 1 | 2 | 4 | 4 | – | 3 | 4 | 1 | 5 | 4 | 1 | 11 |
| | | F | 19 | 1 | 3 | 1 | – | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 178 | Conflagration | T | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 36 | 5 | 8 | 4 | – | 2 | 2 | 2 | 1 | 1 | 3 | 1 | 7 |
| | | F | 23 | – | 10 | 2 | – | 2 | 1 | 1 | 1 | 2 | 1 | – | 3 |
| 179 | Accidental burns (conflagration excepted) | T | 189 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 78 | 5 | 5 | 7 | 10 | 2 | 6 | 5 | 6 | 17 | 5 | 6 | 4 |
| | | F | 111 | 9 | 9 | 10 | 14 | 5 | 7 | 10 | 13 | 8 | 6 | 8 | 12 |
| 180 | Accidental mechanical suffocation | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 16 | 4 | 2 | 1 | 2 | 1 | – | – | – | 1 | 2 | 1 | 2 |
| | | F | 9 | 1 | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – | – |
| 181 | Accidental absorption of irrespirable or poisonous gas | T | 123 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 88 | 9 | 7 | 10 | 8 | 5 | 5 | 1 | 10 | 7 | 6 | 7 | 13 |
| | | F | 35 | 6 | 1 | 1 | 3 | 2 | 6 | 3 | 3 | – | 4 | 3 | 3 |
| 182 | Accidental drowning | T | 238 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 207 | 6 | 10 | 3 | 13 | 20 | 51 | 36 | 33 | 13 | 11 | 2 | 9 |
| | | F | 31 | 1 | 1 | 3 | 2 | – | 7 | 7 | 4 | 1 | 1 | 2 | 2 |
| 183 | Accidental traumatism by firearms (wounds of war excepted) | T | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 24 | 2 | 2 | 1 | – | 1 | – | – | 2 | 1 | 4 | 6 | 5 |
| | | F | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 184 | Accidental traumatism by cutting or piercing instruments | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 18 | 4 | 2 | 2 | – | 1 | 1 | 2 | 1 | 1 | 1 | 3 | – |
| | | F | 7 | – | 2 | – | – | – | – | 3 | – | – | – | 1 | 1 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 163 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XIII. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | 3 | 7 | 9 | 8 | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 6 | 22 | 12 | - | - |
| 164 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | 3 | 7 | 9 | 8 | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 6 | 22 | 12 | - | - |
| XIV. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 29 | 26 | 36 | 20 | 21 | 106 | 111 | 129 | 262 | 301 | 315 | 393 | 323 | 192 | 91 | 9 | - | - |
| | 16 | 15 | 13 | 18 | 20 | 67 | 19 | 23 | 79 | 84 | 102 | 121 | 141 | 203 | 174 | 38 | 2 | - |
| 165–174 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 4 | 7 | 40 | 59 | 81 | 93 | 78 | 40 | 8 | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 18 | 27 | 34 | 31 | 16 | 9 | - | - | - | - |
| 165 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 2 | - | 2 | 5 | 7 | - | 1 | - | - | - |
| | - | - | - | - | - | - | - | - | 4 | 2 | 4 | - | - | - | - | - | - | - |
| 166 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | 3 | 4 | 2 | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 3 | 3 | 2 | - | - | - | - | - | - | - |
| 167 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | 1 | 10 | 15 | 9 | 30 | 20 | 10 | 2 | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 6 | 10 | 11 | 11 | 5 | 6 | - | - | - | - |
| 168 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 3 | 3 | 9 | 10 | 23 | 26 | 14 | 12 | 3 | - | - | - |
| | - | - | - | - | - | - | - | - | 3 | 1 | 6 | 7 | 2 | - | - | - | - | - |
| 169 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 3 | 4 | 7 | 6 | 10 | 3 | - | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | 7 | 5 | 5 | 2 | 2 | - | - | - | - |
| 170 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 3 | 12 | 22 | 26 | 16 | 17 | 10 | 1 | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | 2 | 4 | 2 | 1 | - | - | - | - | - |
| 171 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | 2 | 7 | 5 | 7 | 3 | 1 | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| 172 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 2 | 2 | 1 | 3 | 2 | 2 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | 2 | 1 | 3 | 4 | 1 | - | - | - | - |
| 173 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 174 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 175–196, 201–203 | 23 | 26 | 35 | 20 | 21 | 105 | 106 | 122 | 214 | 227 | 227 | 293 | 240 | 152 | 83 | 9 | - | - |
| | 16 | 15 | 13 | 18 | 20 | 67 | 17 | 21 | 52 | 48 | 63 | 88 | 124 | 194 | 174 | 38 | 2 | - |
| 175 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| | - | - | - | 2 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 176 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 177 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 3 | 2 | - | - | - | 1 | - | 3 | 8 | 9 | 9 | 4 | 1 | - | - | - | - |
| | - | 3 | - | - | - | - | - | 1 | 2 | 3 | 6 | 3 | 1 | - | - | - | - | - |
| 178 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | 1 | 3 | 1 | 1 | - | - | - | 3 | 3 | 8 | 8 | 2 | 3 | 2 | - | - | - |
| | 1 | 2 | - | 2 | - | 2 | - | 1 | 2 | 2 | 1 | 1 | 4 | 3 | 2 | - | - | - |
| 179 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 15 | 7 | 5 | 2 | 4 | 4 | 3 | 5 | 9 | 5 | 5 | 6 | 5 | 2 | 1 | - | - |
| | 2 | 2 | 10 | 6 | 10 | 19 | 4 | 1 | 7 | 5 | 7 | 7 | 15 | 12 | 3 | 1 | - | - |
| 180 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 9 | - | - | - | - | - | 1 | 1 | - | - | 3 | 1 | 1 | - | - | - | - | - |
| | 5 | - | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| 181 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 3 | 12 | 20 | 25 | 13 | 11 | 2 | - | - | - |
| | - | 1 | - | - | - | - | 1 | 1 | 3 | 6 | 5 | 4 | 3 | 6 | 5 | - | - | - |
| 182 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 2 | 3 | 1 | 25 | 34 | 27 | 26 | 25 | 18 | 25 | 17 | 3 | 1 | - | - | - |
| | 1 | 1 | 2 | 1 | - | 6 | 6 | 3 | 3 | 2 | 2 | 2 | 2 | - | - | - | - | - |
| 183 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | 2 | 5 | 6 | 3 | 6 | - | 1 | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| 184 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | - | - | - | 1 | 2 | 1 | 4 | 3 | - | 1 | 3 | 2 | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 2 | 2 | 1 | 1 | 1 | - | - | - |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | Months. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 185 | Accidental traumatism by fall | T | 817 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 399 | 45 | 32 | 41 | 31 | 32 | 30 | 37 | 22 | 31 | 35 | 33 | 30 |
| | | F | 418 | 38 | 39 | 38 | 41 | 38 | 35 | 25 | 25 | 29 | 38 | 33 | 39 |
| 186 | Accidental traumatism in mines and quarries | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 186*a* | Mines | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 186*b* | Quarries | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 187 | Accidental traumatism by machines | T | 63 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 61 | 4 | 4 | 1 | 4 | 10 | 4 | 6 | 4 | 7 | 6 | 4 | 7 |
| | | F | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| 188 | Accidental traumatism by other crushing (vehicles, railways, landslides, etc.) | T | 972 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 743 | 54 | 39 | 44 | 59 | 41 | 57 | 69 | 74 | 67 | 80 | 92 | 67 |
| | | F | 229 | 19 | 13 | 17 | 19 | 17 | 25 | 13 | 25 | 17 | 21 | 26 | 17 |
| 188*a* | Railroad accidents | T | 79 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 71 | 3 | 4 | 5 | 5 | 6 | 8 | 9 | 4 | 7 | 6 | 9 | 5 |
| | | F | 8 | – | 1 | – | – | 3 | 1 | – | 2 | – | – | 1 | – |
| 188*b* | Street car accidents | T | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 28 | 3 | 1 | – | 3 | 1 | 1 | 1 | 3 | 2 | 5 | 7 | 1 |
| | | F | 7 | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | 1 | 1 |
| 188*c* | Automobile accidents | T | 799 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 588 | 46 | 31 | 38 | 47 | 31 | 40 | 49 | 59 | 52 | 65 | 73 | 57 |
| | | F | 211 | 18 | 11 | 16 | 19 | 13 | 24 | 13 | 20 | 17 | 20 | 24 | 16 |
| 188*d* | Aeroplane and balloon accidents | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 6 | – | – | – | – | – | 2 | 2 | – | – | 2 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 188*e* | Motorcycle accidents | T | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | – | 1 | 1 | – | 3 | 3 | 1 | 1 | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 188*f* | Injuries by other vehicles | T | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 29 | 2 | 3 | – | 3 | 1 | 3 | 4 | 3 | 5 | 1 | – | 4 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 188*g* | Landslide, other crushing | T | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 11 | – | – | – | – | 2 | – | 1 | 4 | – | 1 | 3 | – |
| | | F | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| 189 | Injuries by animals (not poisoning) | T | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 8 | 2 | – | – | 2 | – | 1 | – | – | – | 1 | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 190 | Wounds of war | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 191 | Execution of civilians by belligerent armies | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 192 | Starvation (deprivation of food or water) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 193 | Excessive cold | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | 4 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 194 | Excessive heat | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | – | – | – | – | 2 | 4 | 1 | 7 | 1 | – | – | – |
| | | F | 10 | – | – | – | – | – | 4 | 1 | 3 | 2 | – | – | – |
| 195 | Lightning | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | – | – | – | – | 1 | – | 2 | 2 | – | – | – | – |
| | | F | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 196 | Other accidental electric shocks | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 24 | – | 1 | – | 3 | 2 | 3 | 6 | 3 | 3 | 2 | 1 | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 201 | Fracture (cause not specified) | T | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 13 | 2 | – | 1 | 1 | – | 1 | – | 1 | 3 | 1 | 3 | – |
| | | F | 5 | 1 | – | – | – | 1 | – | 2 | – | 1 | – | – | – |
| 202 | Other external violence (cause specified) | T | 179 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 116 | 10 | 7 | 17 | 12 | 5 | 6 | 6 | 1 | 14 | 9 | 16 | 13 |
| | | F | 63 | 6 | 7 | 5 | 6 | 8 | 11 | 4 | 3 | 4 | 3 | 5 | 1 |
| 203 | Other external violence (cause not specified) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 197–200 | Homicide (total) | T | 79 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 51 | 4 | 4 | 3 | 6 | 2 | 6 | 3 | 6 | 4 | 5 | 3 | 5 |
| | | F | 28 | 3 | 1 | 3 | 3 | 3 | 2 | 1 | 4 | 1 | 5 | 1 | 1 |
| 197 | Homicide by firearms | T | 34 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 22 | 2 | 2 | 2 | 2 | – | 3 | 1 | 3 | 2 | 1 | 2 | 2 |
| | | F | 12 | 1 | – | 2 | 1 | 1 | 1 | – | 3 | – | 2 | – | 1 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 185 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 2 | 3 | 6 | 1 | 3 | 7 | 6 | 7 | 22 | 34 | 38 | 68 | 76 | 64 | 55 | 7 | - | - |
| | 1 | 1 | 1 | - | 3 | 2 | - | 2 | 3 | 5 | 4 | 20 | 54 | 133 | 151 | 36 | 2 | - |
| 186 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 186a | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 186b | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 187 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | 2 | 2 | 6 | 13 | 7 | 11 | 12 | 6 | 2 | - | - | - | - |
| | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 188 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | 1 | 13 | 9 | 11 | 59 | 43 | 53 | 121 | 88 | 87 | 100 | 91 | 50 | 16 | - | - | - |
| | - | 3 | - | 6 | 5 | 33 | 5 | 9 | 18 | 13 | 22 | 43 | 36 | 27 | 9 | - | - | - |
| 188a | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 2 | - | - | - | 1 | 2 | 12 | 13 | 18 | 13 | 7 | 2 | 1 | - | - | - |
| | - | - | - | - | - | 1 | - | - | - | - | 2 | 3 | 1 | - | 1 | - | - | - |
| 188b | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | - | - | 2 | 2 | - | 7 | 4 | 4 | 2 | 3 | 3 | - | - | - | - |
| | - | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - |
| 188c | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | 1 | 10 | 9 | 10 | 52 | 34 | 47 | 91 | 67 | 58 | 78 | 73 | 43 | 14 | - | - | - |
| | - | 3 | - | 5 | 5 | 31 | 5 | 8 | 17 | 12 | 18 | 39 | 33 | 27 | 8 | - | - | - |
| 188d | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 3 | 1 | 2 | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 188e | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | 2 | 5 | 1 | - | 1 | - | 1 | - | - | - | - |
| | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 188f | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | 4 | 5 | 1 | 1 | 1 | 4 | 5 | 6 | 1 | 1 | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 188g | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | - | - | - | - | - |
| | - | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 189 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 | - | - | 1 | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 190 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 191 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 192 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 193 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 1 | 4 | - | 2 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 194 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 1 | - | - | - | - | 1 | - | - | - | 1 | 1 | 5 | 2 | 3 | 1 | - | - | - |
| | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 4 | - | - | - | - |
| 195 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - | - |
| | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| 196 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 7 | 8 | 5 | 1 | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 201 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | 1 | 1 | 4 | 2 | 3 | 1 | 1 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | 2 | - | 2 | - | 1 | - | - | - |
| 202 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 9 | 3 | 1 | 1 | 2 | 5 | 5 | 13 | 5 | 15 | 14 | 23 | 14 | 4 | 2 | - | - | - |
| | 4 | 2 | - | 1 | 2 | 2 | 1 | 1 | 11 | 11 | 8 | 5 | 4 | 8 | 2 | 1 | - | - |
| 203 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 197–200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 6 | - | 1 | - | - | 1 | 1 | - | 8 | 15 | 7 | 7 | 5 | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 9 | 9 | 5 | 2 | 1 | - | - | - | - | - |
| 197 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 2 | 10 | 4 | 4 | 2 | - | - | - | - | - |
| | - | - | - | - | - | - | 1 | 1 | 4 | 2 | 4 | - | - | - | - | - | - | - |

| Detailed Int. List No. | Table 14 — Cause of Death. | Sex. | Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Months. | | | | | | | | | | | |
| 198 | Homicide by cutting or piercing instruments . | T | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 9 | 2 | – | – | 1 | – | 1 | 2 | – | – | 3 | – | – |
| | | F | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| 199 | Homicide by other means | T | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 19 | – | 2 | 1 | 3 | 1 | 2 | – | 3 | 2 | 1 | 1 | 3 |
| | | F | 14 | 2 | 1 | 1 | 2 | 2 | – | 1 | 1 | 1 | 2 | 1 | – |
| 200 | Infanticide (murder of infants less than one year of age) . . . | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XV. | Ill-Defined Diseases . | T | 70 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 33 | 1 | 4 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 5 | 5 | – |
| | | F | 37 | 2 | 4 | 5 | 1 | 3 | 2 | 2 | 8 | 2 | 4 | 2 | 2 |
| 204 | Sudden death . . | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 205 | Cause of death not specified or ill-defined . | T | 69 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 33 | 1 | 4 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 5 | 5 | – |
| | | F | 36 | 2 | 4 | 5 | 1 | 2 | 2 | 2 | 8 | 2 | 4 | 2 | 2 |
| 205*a* | Ill-defined . . | T | 40 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 19 | 1 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | – |
| | | F | 21 | 2 | 4 | 2 | 1 | 1 | 1 | 2 | 4 | – | 3 | – | 1 |
| 205*b* | Not specified or unknown . . . | T | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 14 | – | 1 | 1 | – | 1 | – | – | 2 | 2 | 3 | 4 | – |
| | | F | 15 | – | – | 3 | – | 1 | 1 | – | 4 | 2 | 1 | 2 | 1 |

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1930.

| Detailed Int. List No. | AGE OF DECEDENTS (YEARS). | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1. | 1. | 2. | 3. | 4. | 5 to 9. | 10 to 14. | 15 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
| 198 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | 1 | 1 | – | 2 | 3 | 1 | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 199 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | – | – | – | – | – | – | – | 4 | 2 | 2 | 3 | 3 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 5 | 5 | 1 | 2 | 1 | – | – | – | – | – |
| 200 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XV. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9 | 1 | – | – | – | – | – | 1 | – | 2 | 5 | 3 | 6 | 4 | – | 2 | – | – |
| | 14 | – | 2 | – | – | – | – | 1 | 3 | 2 | 1 | 1 | 4 | 6 | 1 | 2 | – | – |
| 204 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 205 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9 | 1 | – | – | – | – | – | 1 | – | 2 | 5 | 3 | 6 | 4 | – | 2 | – | – |
| | 14 | – | 2 | – | – | – | – | 1 | 3 | 2 | 1 | 1 | 3 | 6 | 1 | 2 | – | – |
| 205*a* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 1 | – | – | – | – | – | 1 | – | – | 2 | 2 | 3 | 3 | – | 2 | – | – |
| | 6 | – | 2 | – | – | – | – | 1 | 3 | 1 | – | 1 | 1 | 3 | 1 | 2 | – | – |
| 205*b* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 | – | – | – | – | – | – | – | – | 2 | 3 | 1 | 3 | 1 | – | – | – | – |
| | 8 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | 3 | – | – | – | – |

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from — The State. | Abington. | Acton. | Acushnet. | Adams. | Agawam. | Alford. | Amesbury. | Amherst. | Andover. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **49,503** | **58** | **32** | **52** | **143** | **51** | **1** | **145** | **43** | **99** |
| 1 | Typhoid fever (1) | 38 | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | 3 | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | 137 | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | 98 | – | – | – | – | – | – | 2 | – | – |
| 7 | Whooping cough (9) | 182 | – | – | – | – | – | – | – | – | – |
| 8 | Diphtheria and croup (10) | 182 | – | – | – | 1 | – | – | 2 | – | – |
| 9 | Influenza (11) | 270 | – | – | – | 1 | – | – | 2 | – | 1 |
| (12) | Erysipelas (21) | 127 | – | – | – | – | – | – | – | – | – |
| (12) | Poliomyelitis (22) | 35 | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | 74 | – | – | – | – | – | – | 1 | – | – |
| 17 | Meningitis (24, 71) | 173 | – | – | – | 1 | – | – | – | 1 | – |
| 13 | Tuberculosis of the lungs (31) | 2,423 | – | 1 | 2 | 4 | 1 | – | 4 | 1 | 3 |
| 14 | Tuberculous meningitis (32) | 108 | – | 1 | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | 203 | – | 1 | 1 | – | – | – | – | – | – |
| 16 | Cancer (43–49) | 5,813 | 5 | 4 | 3 | 22 | 6 | – | 19 | 3 | 15 |
| (37) | Rheumatism (51, 52) | 130 | – | – | – | – | – | – | – | – | – |
| (37) | Diabetes (57) | 1,021 | – | 1 | 1 | 3 | – | – | 2 | 1 | 1 |
| (37) | Alcoholism (66) | 214 | – | – | – | – | – | – | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 4,131 | 6 | 2 | 9 | 8 | 5 | 1 | 17 | 5 | 12 |
| (37) | Acute endocarditis (88) | 314 | – | – | – | – | 1 | – | – | – | – |
| (37) | Angina pectoris (89) | 995 | 1 | 1 | – | 2 | 3 | – | 4 | 2 | 9 |
| 19 | Other diseases of the heart (90) | 10,012 | 22 | 11 | 8 | 32 | 8 | – | 18 | 14 | 21 |
| (37) | Diseases of the arteries (91) | 1,699 | 1 | 1 | 5 | 4 | 1 | – | 3 | – | 4 |
| 20, 21 | Bronchitis (99) | 213 | – | – | – | 1 | 1 | – | – | – | – |
| (23) | Bronchopneumonia (100) | 2,160 | 1 | 1 | 3 | 7 | 2 | – | 7 | 2 | 2 |
| 22 | Pneumonia (101) | 1,883 | 1 | – | – | 4 | 2 | – | 6 | 2 | 2 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | 333 | – | – | 1 | – | – | – | 1 | – | – |
| 24 | Diseases of the stomach (111, 112) | 417 | – | – | – | 3 | – | – | 1 | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | 410 | – | – | 1 | 1 | 1 | – | – | – | – |
| 26 | Appendicitis (117) | 606 | – | – | 2 | 2 | – | – | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | 412 | – | – | 1 | 2 | – | – | 2 | – | – |
| 28 | Cirrhosis of the liver (122) | 282 | – | – | – | 1 | 1 | – | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 3,617 | 15 | 1 | 2 | 9 | 6 | – | 16 | 2 | 10 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | 231 | – | – | – | – | – | – | 1 | – | – |
| 31 | Puerperal fever (146) | 141 | – | – | 1 | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | 296 | – | – | 1 | 2 | – | – | 2 | – | – |
| 33 | Congenital debility and malformations (159–161a) | 1,928 | – | 1 | – | 6 | 2 | – | 9 | 2 | 5 |
| 34 | Senility (164) | 68 | – | – | – | – | – | – | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 2,873 | 1 | 3 | 6 | 8 | 6 | – | 12 | 5 | 7 |
| (35) | *Burns (conflagration excepted) (179)* | 189 | – | – | – | – | – | – | 1 | 1 | – |
| (35) | *Accidental drowning (182)* | 238 | – | – | – | 1 | – | – | 2 | – | 1 |
| (35) | *Traumatism by fall (185)* | 817 | 1 | – | 1 | 3 | 1 | – | 5 | 3 | 3 |
| (35) | *Railroad accidents and injuries (188a)* | 79 | – | 3 | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | 799 | – | – | 1 | 3 | 1 | – | 3 | 1 | 1 |
| (35) | *All others* | 751 | – | – | 4 | 1 | 4 | – | 1 | – | 2 |
| 36 | Suicide (165–174) | 547 | 3 | – | 1 | 1 | 1 | – | 3 | – | 2 |
| (35) | Homicide (197–200) | 79 | – | – | 1 | – | 1 | – | 1 | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 4,555 | 2 | 3 | 3 | 17 | 3 | – | 10 | 3 | 5 |
| 38 | Ill-defined or unknown causes (204, 205) | 70 | – | – | – | 1 | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Arlington. | Ashburnham. | Ashby. | Ashfield. | Ashland. | Athol. | Attleboro. | Auburn. | Avon. | Ayer. | Barnstable. | Barre. | Becket. | Bedford. | Belchertown. | Bellingham. | Belmont. | Berkley. | Berlin. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 336 | 12 | 10 | 14 | 15 | 114 | 225 | 35 | 22 | 43 | 131 | 37 | 10 | 19 | 26 | 18 | 153 | 10 | 6 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 6 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| 7 | 1 | – | – | – | – | 2 | 4 | – | – | 1 | 1 | – | – | – | – | – | 2 | 1 | – |
| 8 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 9 | 3 | – | – | – | – | 3 | 1 | – | – | – | 2 | 1 | – | – | – | – | 2 | – | – |
| (12) | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| 17 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 13 | 15 | – | 3 | 1 | – | 2 | 30 | 1 | 2 | – | – | 1 | – | 2 | 2 | 1 | 7 | 1 | – |
| 14 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| 16 | 53 | 3 | – | 1 | 1 | 13 | 21 | 2 | 3 | 3 | 13 | 6 | – | 1 | 2 | – | 29 | 1 | 1 |
| (37) | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (37) | 5 | – | – | – | – | 2 | 6 | – | – | 1 | 1 | 1 | – | 2 | – | – | 5 | – | – |
| (37) | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 18 | 26 | 1 | – | 2 | – | 9 | 21 | 5 | 2 | 5 | 15 | 5 | 2 | 1 | 5 | – | 24 | 2 | 1 |
| (37) | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (37) | 8 | 1 | – | – | – | 3 | 1 | 1 | – | – | 8 | – | – | 1 | – | – | 2 | – | – |
| 19 | 80 | 1 | 2 | 3 | 8 | 30 | 35 | 11 | 9 | 4 | 12 | 5 | 3 | 6 | 8 | 6 | 26 | 3 | 2 |
| (37) | 6 | 2 | 3 | – | – | 4 | 6 | 1 | – | 6 | 4 | – | 1 | – | – | – | 5 | 1 | – |
| 20, 21 | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 4 | – | – |
| (23) | 14 | – | – | 2 | – | 4 | 3 | 1 | 1 | – | 3 | 2 | 1 | – | 1 | 1 | 9 | – | – |
| 22 | 10 | – | – | 1 | – | 1 | 7 | – | 3 | 2 | 5 | 3 | – | – | 2 | 1 | 9 | – | 1 |
| (23) | 1 | – | 1 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| 24 | 2 | – | – | – | – | 1 | 1 | – | – | – | 4 | 1 | – | – | – | 1 | 1 | – | – |
| 25 | 1 | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 26 | 3 | – | – | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | 1 | – | – |
| 27 | 1 | – | – | – | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| 28 | 3 | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| 29 | 25 | 1 | – | 1 | 3 | 5 | 20 | 4 | 1 | 3 | 8 | – | 1 | 1 | 3 | 1 | 8 | – | – |
| 30 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| 31 | 2 | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 32 | 2 | – | – | – | – | – | 4 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – |
| 33 | 15 | – | – | 1 | 1 | 2 | 13 | 1 | – | 4 | 11 | 1 | – | – | – | 1 | 1 | – | – |
| 34 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (35) | 23 | 1 | – | – | – | 7 | 9 | 2 | – | 5 | 15 | 2 | 2 | 1 | 1 | 2 | 2 | – | – |
| (35) | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | 3 | – | – | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – |
| (35) | 7 | – | – | – | – | 2 | – | – | – | 1 | 3 | 2 | – | 1 | – | 1 | 2 | – | – |
| (35) | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| (35) | 8 | 1 | – | – | – | 1 | 6 | 1 | – | 3 | 7 | – | – | – | 1 | 1 | – | – | – |
| (35) | 3 | – | – | – | – | 3 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 36 | 3 | – | – | – | 1 | 2 | 1 | 2 | – | – | 2 | 1 | – | – | – | – | 1 | – | – |
| (35) | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| (37) | 25 | 1 | 1 | 2 | – | 10 | 26 | – | 1 | 6 | 18 | 3 | – | 4 | – | 2 | 10 | 1 | 1 |
| 38 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |

[2]Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Bernardston. | Beverly. | Billerica. | Blackstone. | Blandford. | Bolton. | Boston. | Bourne. | Boxborough. | Boxford. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.[2]** | **9** | **270** | **48** | **31** | **5** | **5** | **11,015** | **51** | **1** | **7** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | 7 | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | 2 | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | 62 | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | 40 | – | – | – |
| 7 | Whooping cough (9) | – | – | 1 | – | – | – | 32 | – | – | – |
| 8 | Diphtheria and croup (10) | – | 2 | – | – | – | – | 23 | – | – | – |
| 9 | Influenza (11) | 1 | 1 | – | – | – | – | 13 | 1 | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | 44 | – | – | – |
| (12) | Poliomyelitis (22) | – | 2 | – | – | – | – | 21 | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | 1 | – | – | – | – | 11 | – | – | – |
| 17 | Meningitis (24, 71) | – | 1 | – | – | – | – | 63 | – | – | – |
| 13 | Tuberculosis of the lungs (31) | 2 | 4 | 2 | 1 | – | – | 527 | 6 | – | – |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | – | 33 | 1 | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | 1 | 1 | – | – | – | 51 | 1 | – | – |
| 16 | Cancer (43–49) | 1 | 43 | 3 | 5 | 1 | – | 1,357 | 7 | – | – |
| (37) | Rheumatism (51, 52) | – | 2 | – | – | – | – | 19 | – | – | – |
| (37) | Diabetes (57) | – | 9 | – | – | – | – | 236 | – | – | – |
| (37) | Alcoholism (66) | – | – | – | – | – | – | 114 | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | – | 23 | 9 | 4 | – | 1 | 682 | 7 | – | 1 |
| (37) | Acute endocarditis (88) | – | – | – | – | – | – | 55 | – | – | – |
| (37) | Angina pectoris (89) | – | 4 | 2 | – | – | – | 148 | 2 | – | – |
| 19 | Other diseases of the heart (90) | 5 | 56 | 10 | 5 | 4 | 2 | 2,025 | 10 | – | 2 |
| (37) | Diseases of the arteries (91) | – | 3 | 5 | 1 | – | – | 208 | 3 | – | 1 |
| 20, 21 | Bronchitis (99) | – | 3 | – | 1 | – | – | 30 | – | – | – |
| (23) | Bronchopneumonia (100) | – | 4 | 1 | 2 | – | – | 708 | 4 | – | – |
| 22 | Pneumonia (101) | – | 7 | 1 | 1 | – | – | 489 | 1 | – | – |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | 5 | – | – | – | – | 115 | 1 | – | – |
| 24 | Diseases of the stomach (111, 112) | – | 3 | – | – | – | 1 | 116 | – | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | 1 | 1 | – | – | – | 141 | – | – | – |
| 26 | Appendicitis (117) | – | 3 | – | – | – | – | 164 | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | 3 | – | – | – | – | 102 | – | – | – |
| 28 | Cirrhosis of the liver (122) | – | 4 | – | – | – | – | 79 | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | – | 25 | 2 | 2 | – | – | 665 | 2 | 1 | 1 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | 3 | – | – | – | – | 61 | – | – | – |
| 31 | Puerperal fever (146) | – | 1 | – | – | – | – | 46 | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | 2 | – | – | – | – | 80 | – | – | – |
| 33 | Congenital debility and malformations (159–161a) | – | 10 | 2 | 2 | – | – | 494 | 1 | – | – |
| 34 | Senility (164) | – | – | – | – | – | – | 2 | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 8 | 3 | 3 | – | – | 582 | 2 | – | 1 |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | 50 | 1 | – | – |
| (35) | *Accidental drowning (182)* | – | – | 2 | 2 | – | – | 42 | – | – | – |
| (35) | *Traumatism by fall (185)* | – | 3 | – | – | – | – | 187 | – | – | – |
| (35) | *Railroad accidents and injuries (188a)* | – | 1 | – | – | – | – | 15 | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | 3 | – | – | – | – | 127 | – | – | – |
| (35) | *All others* | – | 1 | 1 | 1 | – | – | 161 | 1 | – | 1 |
| 36 | Suicide (165–174) | – | 2 | – | 2 | – | – | 117 | – | – | 1 |
| (35) | Homicide (197–200) | – | – | – | – | – | – | 18 | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | – | 34 | 4 | 2 | – | – | 1,212 | 2 | – | – |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | 1 | – | – | 1 | 21 | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Boylston. | Braintree. | Brewster. | Bridgewater. | Brimfield. | Brockton. | Brookfield. | Brookline. | Buckland. | Burlington. | Cambridge. | Canton. | Carlisle. | Carver. | Charlemont. | Charlton. | Chatham. | Chelmsford. | Chelsea. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10 | 163 | 11 | 133 | 12 | 818 | 11 | 498 | 20 | 6 | 1,350 | 63 | 3 | 14 | 14 | 30 | 18 | 41 | 549 |
| 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | 2 | – | – | – | 1 | – | – | 7 | – | – | – | – | – | – | – | – |
| 6 | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 |
| 7 | – | – | – | 1 | – | 2 | – | 1 | – | – | 4 | – | – | – | – | 1 | – | 2 | 2 |
| 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 9 | – | 4 | 1 | 1 | – | 5 | 2 | 3 | – | – | 3 | – | – | – | – | – | 1 | 1 | 6 |
| (12) | – | – | – | – | – | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| (12) | – | – | – | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| 17 | – | – | – | – | – | 2 | – | 1 | – | – | 6 | – | – | – | – | 1 | – | – | 1 |
| 13 | 1 | 48 | – | 13 | – | 16 | – | 18 | 2 | 1 | 70 | 2 | – | – | – | – | – | 2 | 23 |
| 14 | – | – | – | – | – | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 15 | – | – | – | – | – | 4 | – | 1 | – | – | 4 | 1 | – | – | – | – | – | – | 4 |
| 16 | – | 11 | 2 | 10 | 2 | 98 | 1 | 95 | – | – | 179 | 7 | 1 | 2 | 1 | 2 | 1 | 8 | 66 |
| (37) | – | – | 1 | – | – | 1 | – | 2 | – | – | 8 | 1 | – | – | – | – | – | – | 1 |
| (37) | – | 1 | – | 1 | – | 12 | – | 10 | 1 | – | 27 | 1 | – | – | – | 1 | – | 2 | 5 |
| (37) | – | – | – | 2 | – | – | – | – | – | – | 8 | 1 | – | 1 | – | 1 | – | – | 5 |
| 18 | 1 | 17 | 1 | 6 | 4 | 72 | – | 46 | – | 2 | 125 | 8 | – | 2 | 2 | 2 | 4 | – | 32 |
| (37) | – | 4 | – | 3 | – | 4 | – | 6 | – | – | 11 | – | – | – | – | – | – | – | 6 |
| (37) | – | 1 | 2 | 2 | – | 11 | 2 | 18 | – | – | 19 | 2 | – | – | – | 2 | 1 | – | 11 |
| 19 | 1 | 33 | 2 | 41 | 1 | 192 | 3 | 114 | 11 | 2 | 263 | 10 | 1 | 4 | 4 | 7 | 6 | 5 | 123 |
| (37) | – | 7 | 1 | 13 | – | 11 | 1 | 18 | – | – | 52 | 2 | – | 1 | – | – | – | 4 | 7 |
| 20, 21 | – | 1 | – | – | – | 1 | – | 4 | – | – | 5 | – | – | – | – | – | 1 | 1 | 2 |
| (23) | 1 | 2 | – | – | 1 | 18 | – | 10 | 4 | – | 52 | 3 | – | – | – | – | – | 3 | 20 |
| 22 | – | 4 | 1 | 2 | 2 | 19 | – | 12 | – | – | 66 | 2 | – | – | 2 | 1 | – | – | 38 |
| (23) | – | – | – | – | – | 5 | – | 1 | – | – | 7 | – | – | – | – | – | – | – | 3 |
| 24 | – | – | – | 2 | – | 6 | – | 1 | – | – | 7 | 1 | – | – | – | – | – | – | 7 |
| 25 | 1 | 1 | – | 1 | – | 3 | – | – | – | – | 8 | 1 | – | – | – | – | – | – | 3 |
| 26 | – | 1 | – | – | – | 28 | – | 1 | – | – | 19 | – | – | – | – | – | – | – | 7 |
| 27 | – | – | – | 2 | – | 13 | – | 7 | – | – | 14 | – | – | – | – | – | – | – | 10 |
| 28 | – | – | – | 2 | – | 6 | – | 7 | – | – | 6 | 1 | – | – | – | – | – | – | 5 |
| 29 | 1 | 7 | – | 6 | – | 61 | – | 37 | 1 | 1 | 94 | 2 | – | 4 | 2 | 3 | 1 | 2 | 44 |
| 30 | – | – | – | 1 | – | 5 | – | 11 | – | – | 5 | – | – | – | – | – | – | – | 2 |
| 31 | – | 2 | – | – | – | 2 | – | – | – | – | 6 | – | – | – | – | – | – | – | 2 |
| 32 | – | 1 | – | – | – | 9 | – | – | – | – | 7 | – | – | – | – | 1 | – | – | 8 |
| 33 | 2 | 4 | – | – | – | 36 | – | 4 | 1 | – | 56 | 2 | – | – | – | 2 | 1 | 5 | 15 |
| 34 | – | – | – | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| (35) | – | 5 | – | 5 | 1 | 73 | – | 14 | – | – | 82 | 5 | – | – | 2 | 1 | 1 | 2 | 25 |
| (35) | – | – | – | – | – | 5 | – | – | – | – | 6 | – | – | – | – | – | – | – | 3 |
| (35) | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – |
| (35) | – | 3 | – | 1 | – | 19 | – | 6 | – | – | 21 | 1 | – | – | – | 1 | – | – | 6 |
| (35) | – | – | – | 1 | – | 2 | – | – | – | – | 2 | 3 | – | – | – | – | – | – | – |
| (35) | – | – | – | 1 | – | 28 | – | 3 | – | – | 29 | 1 | – | – | 2 | – | – | 1 | 10 |
| (35) | – | – | – | 2 | 1 | 19 | – | 5 | – | – | 23 | – | – | – | – | – | – | – | 6 |
| 36 | – | 1 | – | 2 | – | 5 | – | 6 | – | – | 13 | – | – | – | 1 | 1 | – | 1 | 4 |
| (35) | – | – | – | – | – | 2 | – | – | – | – | 3 | – | – | – | – | – | – | – | 4 |
| (37) | 2 | 7 | – | 15 | 1 | 82 | 2 | 45 | – | – | 107 | 11 | 1 | – | – | 4 | 1 | 2 | 53 |
| 38 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Cheshire. | Chester. | Chesterfield. | Chicopee. | Chilmark. | Clarksburg. | Clinton. | Cohasset. | Colrain. | Concord. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | 28 | 9 | 6 | 250 | 5 | 6 | 142 | 58 | 10 | 91 |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough (9) | – | – | – | 1 | – | – | – | 1 | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza (11) | 1 | – | – | 6 | – | – | 2 | – | – | – |
| (12) | Erysipelas (21) | – | – | – | 1 | – | – | – | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | 3 | – | 1 | – |
| 17 | Meningitis (24, 71) | 1 | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the lungs (31) | 1 | – | – | 35 | – | – | 1 | – | – | 1 |
| 14 | Tuberculous meningitis (32) | – | – | – | 1 | – | – | 1 | 1 | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | 2 | – | – | 1 | – | – | – |
| 16 | Cancer (43–49) | 2 | 2 | – | 27 | – | – | 13 | 5 | 1 | 8 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | 3 | – | – | – |
| (37) | Diabetes (57) | – | 1 | – | 4 | 1 | – | 3 | 5 | – | 1 |
| (37) | Alcoholism (66) | – | 1 | – | 1 | – | – | 1 | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 4 | 1 | 2 | 20 | – | – | 17 | 6 | 2 | 9 |
| (37) | Acute endocarditis (88) | – | – | – | 1 | – | – | 2 | – | – | – |
| (37) | Angina pectoris (89) | – | – | 1 | 3 | – | – | 4 | – | – | 1 |
| 19 | Other diseases of the heart (90) | 12 | – | 2 | 56 | 1 | 4 | 35 | 11 | 2 | 26 |
| (37) | Diseases of the arteries (91) | – | – | – | 5 | – | – | 7 | – | – | 1 |
| 20, 21 | Bronchitis (99) | – | – | – | – | – | – | – | – | – | – |
| (23) | Bronchopneumonia (100) | – | – | 1 | 11 | – | 1 | 2 | 1 | 2 | 2 |
| 22 | Pneumonia (101) | 1 | – | – | 13 | – | – | 9 | 3 | – | 4 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | – | – | 2 | – | – | – | 1 | – | 3 |
| 24 | Diseases of the stomach (111, 112) | – | – | – | 1 | – | – | 1 | – | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | – | – | 3 | – | – | – | – | – | – |
| 26 | Appendicitis (117) | – | – | – | – | – | – | 1 | 1 | – | 3 |
| 27 | Hernia, intestinal obstruction (118) | 1 | – | – | 2 | – | – | 1 | 2 | – | – |
| 28 | Cirrhosis of the liver (122) | 1 | – | – | – | – | – | – | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 1 | 1 | – | 19 | 2 | – | 3 | 11 | 1 | 6 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | – | 1 | – | – | – | – | – | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | 1 | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | 2 | – | – | – | 1 | – | – |
| 33 | Congenital debility and malformations (159–161a) | 1 | – | – | 8 | 1 | – | 7 | 2 | – | 3 |
| 34 | Senility (164) | – | – | – | 1 | – | – | – | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 2 | – | 6 | – | – | 5 | 2 | – | 15 |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | – | – | – | 2 |
| (35) | *Accidental drowning (182)* | – | – | – | 2 | – | – | – | – | – | 2 |
| (35) | *Traumatism by fall (185)* | – | – | – | 2 | – | – | – | 1 | – | 3 |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | – | – | 2 |
| (35) | *Automobile accidents and injuries (188c)* | – | 1 | – | – | – | – | 4 | 1 | – | 5 |
| (35) | *All others* | – | 1 | – | 2 | – | – | 1 | – | – | 1 |
| 36 | Suicide (165–174) | – | – | – | 4 | – | – | 3 | – | – | – |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 2 | 1 | – | 14 | – | – | 16 | 5 | 1 | 8 |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | 1 | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Conway. | Cummington. | Dalton. | Dana. | Danvers. | Dartmouth. | Dedham. | Deerfield. | Dennis. | Dighton. | Douglas. | Dover. | Dracut. | Dudley. | Dunstable. | Duxbury. | East Bridgewater. | East Brookfield. | East Longmeadow. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 33 | 5 | 376 | 84 | 100 | 33 | 35 | 23 | 18 | 3 | 57 | 28 | 1 | 28 | 30 | 10 | 20 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| 8 | – | – | – | – | 3 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 9 | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| (12) | – | – | – | – | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 17 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 13 | 2 | – | – | 1 | 18 | 5 | 2 | – | 3 | – | – | – | 1 | 4 | – | – | – | 1 | – |
| 14 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 15 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 16 | – | – | 4 | – | 24 | 11 | 10 | 4 | 3 | 5 | 2 | 1 | 7 | 5 | – | 2 | 5 | 1 | 3 |
| (37) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| (37) | – | – | – | – | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (37) | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| 18 | – | 2 | 8 | 1 | 33 | 8 | 15 | 2 | 10 | – | 1 | – | 3 | 1 | – | 4 | 4 | 1 | 2 |
| (37) | – | – | – | – | 3 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| (37) | – | – | – | – | 6 | – | 4 | – | 1 | – | – | – | – | 4 | – | – | 1 | – | – |
| 19 | – | 2 | 12 | 2 | 93 | 15 | 17 | 6 | 5 | 5 | 9 | – | 12 | 5 | 1 | 7 | 7 | 2 | 5 |
| (37) | 1 | – | – | – | 44 | – | 6 | 1 | 1 | – | 1 | 1 | 5 | – | – | 1 | – | – | 1 |
| 20, 21 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| (23) | – | – | – | – | 32 | 3 | 6 | – | – | 2 | – | – | 5 | – | – | 2 | – | 1 | 1 |
| 22 | – | – | 2 | – | 10 | 1 | 5 | 2 | 1 | 1 | 1 | – | 1 | 2 | – | 2 | – | – | 1 |
| (23) | – | – | – | – | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 24 | – | – | – | – | 1 | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| 25 | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | 3 | – | – | – | – | – | – |
| 26 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 27 | – | – | – | – | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| 28 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| 29 | 2 | – | 2 | – | 11 | 9 | 5 | 7 | 3 | – | 1 | – | – | 6 | – | 1 | 2 | – | 1 |
| 30 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 31 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 32 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | – | 1 | 1 | – | 1 | 3 | 7 | 1 | 1 | – | – | – | 7 | – | – | 1 | 2 | – | 2 |
| 34 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | – | – | 2 | – | 19 | 7 | 8 | 5 | – | 1 | – | – | 3 | 1 | – | 5 | 3 | 2 | 1 |
| (35) | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | – | – | – | – | – | 2 | 1 | 3 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| (35) | – | – | – | – | 8 | – | 3 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| (35) | – | – | – | – | 4 | 2 | 3 | – | – | – | – | – | 2 | – | – | – | 1 | – | 1 |
| (35) | – | – | 2 | – | 7 | 2 | – | 2 | – | – | – | – | – | 1 | – | 4 | – | – | – |
| 36 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 |
| (35) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (37) | 1 | 1 | 1 | – | 53 | 8 | 6 | 2 | 3 | 4 | – | – | – | – | – | 2 | 3 | – | 1 |
| 38 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Eastham. | Easthampton. | Easton. | Edgartown. | Egremont. | Enfield. | Erving. | Essex. | Everett. | Fairhaven. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **4** | **73** | **57** | **10** | **3** | **8** | **10** | **19** | **366** | **76** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | 1 | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | – | – | 1 | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | – | 2 | – |
| 7 | Whooping cough (9) | – | 1 | – | – | – | – | – | – | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza (11) | – | 1 | 1 | – | 1 | – | 1 | – | 3 | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | – | 1 | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | – | – | 2 | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | – | – | – | 1 | – |
| 13 | Tuberculosis of the lungs (31) | – | 2 | 2 | – | 1 | – | – | 1 | 13 | 1 |
| 14 | Tuberculous meningitis (32) | – | 1 | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | – | – | – | – | – | – | – |
| 16 | Cancer (43–49) | – | 9 | 5 | – | 1 | 4 | 3 | 3 | 45 | 12 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | – | – | 1 | – |
| (37) | Diabetes (57) | 1 | 1 | 1 | – | – | – | – | – | 12 | – |
| (37) | Alcoholism (66) | – | – | – | – | – | – | – | 2 | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | – | 4 | 8 | 1 | – | 2 | – | 1 | 24 | 10 |
| (37) | Acute endocarditis (88) | – | 1 | – | – | – | – | – | – | 1 | 1 |
| (37) | Angina pectoris (89) | – | 3 | 2 | 2 | – | – | 1 | – | 12 | 5 |
| 19 | Other diseases of the heart (90) | 2 | 18 | 13 | 2 | – | 2 | 3 | 6 | 97 | 20 |
| (37) | Diseases of the arteries (91) | – | 2 | 9 | 1 | – | – | – | 1 | 19 | 4 |
| 20, 21 | Bronchitis (99) | – | – | – | – | – | – | – | – | 2 | – |
| (23) | Bronchopneumonia (100) | – | 4 | 2 | – | – | – | – | – | 16 | 4 |
| 22 | Pneumonia (101) | – | 4 | 2 | – | – | – | 1 | – | 17 | 3 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | 2 | 1 | 1 | – | – | – | – | 1 | – |
| 24 | Diseases of the stomach (111, 112) | – | – | – | – | – | – | – | – | 1 | 1 |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | 3 | – | – | – | – | – | – | 1 | – |
| 26 | Appendicitis (117) | – | 1 | – | – | – | – | – | – | 4 | – |
| 27 | Hernia, intestinal obstruction (118) | – | – | – | – | – | – | – | – | 6 | – |
| 28 | Cirrhosis of the liver (122) | – | – | – | – | – | – | – | – | 3 | – |
| 29 | Nephritis and Bright's disease (128, 129) | – | 4 | 8 | – | – | – | 1 | – | 26 | 4 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | – | – | – | – | – | – | 1 | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | – | – | – | – | – | – | – |
| 33 | Congenital debility and malformations (159–161a) | 1 | 3 | – | – | – | – | – | – | 12 | 2 |
| 34 | Senility (164) | – | – | – | – | – | – | – | 1 | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 3 | 2 | 2 | – | – | – | 2 | 18 | 1 |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Accidental drowning (182)* | – | – | 1 | – | – | – | – | – | 1 | – |
| (35) | *Traumatism by fall (185)* | – | 2 | – | 1 | – | – | – | 1 | 5 | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | 1 | – | – | – | – | – | 1 | – |
| (35) | *Automobile accidents and injuries (188c)* | – | 1 | – | 1 | – | – | – | – | 5 | – |
| (35) | *All others* | – | – | – | – | – | – | – | 1 | 6 | 1 |
| 36 | Suicide (165–174) | – | 1 | – | – | – | – | – | 1 | 1 | 1 |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | – | 2 | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | – | 5 | 1 | 1 | – | – | – | 1 | 20 | 7 |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Fall River. | Falmouth. | Fitchburg. | Florida. | Foxborough. | Framingham. | Franklin. | Freetown. | Gardner. | Gay Head. | Georgetown. | Gill. | Gloucester. | Goshen. | Gosnold. | Grafton. | Granby. | Granville. | Great Barrington. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **1,322** | **44** | **453** | **2** | **115** | **296** | **68** | **12** | **245** | – | **31** | **12** | **283** | **4** | – | **103** | **6** | **6** | **98** |
| 1 | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 6 | – | – | – | – | – | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 7 | 7 | – | 5 | – | – | 1 | 1 | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – |
| 8 | 4 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 9 | 11 | – | – | – | – | 1 | 1 | – | 4 | – | – | – | – | – | – | – | – | – | 2 |
| (12) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | 4 | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 13 | 94 | 3 | 26 | – | 3 | 9 | 4 | 1 | 10 | – | – | – | 7 | – | – | 19 | – | – | 1 |
| 14 | 5 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | 1 |
| 15 | 11 | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| 16 | 132 | 3 | 61 | – | 10 | 37 | 8 | 1 | 27 | – | 4 | 1 | 34 | – | – | 11 | – | 1 | 12 |
| (37) | 4 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| (37) | 43 | – | 15 | – | 2 | 5 | 1 | – | 3 | – | 2 | – | 4 | – | – | – | 1 | – | 2 |
| (37) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 18 | 99 | 7 | 34 | – | 16 | 18 | 6 | 3 | 18 | – | 2 | – | 35 | – | – | 4 | – | – | 10 |
| (37) | 9 | 1 | 3 | – | 4 | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| (37) | 21 | 2 | 9 | – | 1 | 19 | 3 | – | 2 | – | 2 | – | 11 | – | – | 1 | – | – | 3 |
| 19 | 248 | 10 | 83 | – | 33 | 62 | 27 | 1 | 49 | – | 3 | 4 | 51 | 1 | – | 27 | 1 | 3 | 27 |
| (37) | 21 | – | 14 | – | 2 | 11 | – | – | 7 | – | 7 | 1 | 14 | – | – | 5 | – | – | – |
| 20, 21 | 9 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| (23) | 55 | 3 | 10 | – | 10 | 13 | 1 | 3 | 12 | – | 3 | – | 10 | 1 | – | 4 | – | – | 1 |
| 22 | 35 | 2 | 29 | – | 3 | 10 | 1 | – | 16 | – | – | – | 9 | – | – | 5 | – | – | 2 |
| (23) | 9 | – | – | – | – | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 24 | 7 | 1 | 5 | – | – | 1 | – | 1 | 2 | – | – | – | 2 | – | – | 1 | – | – | 2 |
| 25 | 22 | 1 | 3 | – | – | 1 | – | – | 1 | – | – | – | 2 | – | – | 1 | – | – | 1 |
| 26 | 17 | – | 9 | – | – | 3 | – | 1 | 1 | – | – | – | 6 | – | – | – | – | – | – |
| 27 | 10 | – | 1 | – | – | 5 | – | – | 2 | – | – | – | 2 | – | – | – | – | – | 3 |
| 28 | 11 | – | 4 | – | 1 | 2 | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 |
| 29 | 124 | – | 43 | 1 | 3 | 13 | 4 | 1 | 22 | – | 5 | 2 | 25 | – | – | 9 | 2 | 1 | 12 |
| 30 | 4 | – | 3 | – | – | 3 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| 31 | 7 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 32 | 11 | – | 2 | – | – | 2 | – | – | 3 | – | – | – | 1 | – | – | – | – | – | 1 |
| 33 | 54 | 1 | 19 | – | 3 | 10 | 3 | – | 11 | – | – | – | 14 | – | – | 1 | – | – | – |
| 34 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| (35) | 67 | 4 | 25 | – | 7 | 25 | 1 | – | 16 | – | – | 2 | 25 | – | – | 4 | – | – | 10 |
| (35) | 9 | – | – | – | 1 | 3 | – | – | – | – | – | – | 4 | – | – | – | – | – | 1 |
| (35) | 8 | 1 | – | – | 1 | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | 1 |
| (35) | 24 | – | 13 | – | 3 | 3 | 1 | – | 3 | – | – | 1 | 7 | – | – | 3 | – | – | 1 |
| (35) | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| (35) | 17 | 3 | 4 | – | 1 | 9 | – | – | 7 | – | – | – | 5 | – | – | – | – | – | 5 |
| (35) | 9 | – | 6 | 1 | 1 | 7 | – | – | 4 | – | – | – | 8 | – | – | 1 | – | – | 1 |
| 36 | 9 | – | 4 | – | – | 4 | – | – | 6 | – | 1 | – | 3 | – | – | – | 1 | – | – |
| (35) | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| (37) | 148 | 2 | 34 | – | 12 | 27 | 3 | – | 19 | – | 1 | 2 | 20 | – | – | 6 | 1 | 1 | 7 |
| 38 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Greenfield. | Greenwich. | Groton. | Groveland. | Hadley. | Halifax. | Hamilton. | Hampden. | Hancock. | Hanover. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **194** | **4** | **29** | **25** | **21** | **5** | **12** | **8** | **6** | **31** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | 1 | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | 1 | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough (9) | 1 | – | – | – | – | – | – | – | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza (11) | 4 | – | – | – | – | – | – | – | – | – |
| (12) | Erysipelas (21) | 2 | – | – | – | – | – | – | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | 1 | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | 2 | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the lungs (31) | 1 | – | 2 | – | 1 | – | – | 1 | – | 1 |
| 14 | Tuberculous meningitis (32) | 1 | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | – | – | – | – | – | – | – |
| 16 | Cancer (43–49) | 26 | – | 3 | 4 | 3 | – | 2 | – | – | 4 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | – | – | – | – |
| (37) | Diabetes (57) | 5 | – | 1 | – | – | – | 1 | – | – | 2 |
| (37) | Alcoholism (66) | – | – | – | – | – | – | – | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 23 | – | 2 | 5 | 2 | – | 1 | – | – | 4 |
| (37) | Acute endocarditis (88) | – | – | – | – | – | – | – | – | – | – |
| (37) | Angina pectoris (89) | 7 | – | – | – | – | – | 1 | – | – | – |
| 19 | Other diseases of the heart (90) | 29 | 3 | 7 | 5 | 4 | – | 4 | 2 | 4 | 10 |
| (37) | Diseases of the arteries (91) | 3 | – | 5 | 5 | – | – | – | 1 | – | 1 |
| 20, 21 | Bronchitis (99) | 2 | – | 1 | – | – | – | – | – | – | – |
| (23) | Bronchopneumonia (100) | 5 | – | – | – | 1 | – | – | 1 | – | – |
| 22 | Pneumonia (101) | 11 | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | 3 | – | – | – | 1 | – | – | – | – | – |
| 24 | Diseases of the stomach (111, 112) | 2 | – | – | – | 1 | 1 | – | – | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | 3 | – | – | – | – | – | – | – | – | – |
| 26 | Appendicitis (117) | 1 | – | – | – | – | – | – | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | 3 | – | – | – | – | – | – | – | – | – |
| 28 | Cirrhosis of the liver (122) | – | – | – | – | – | – | – | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 19 | – | 1 | 1 | 2 | 1 | 2 | – | 1 | 2 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | – | – | – | – | – | – | – | 1 |
| 31 | Puerperal fever (146) | 1 | – | – | – | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | – | – | – | – | – | – | – |
| 33 | Congenital debility and malformations (159–161a) | 10 | – | 1 | – | 2 | – | – | – | – | – |
| 34 | Senility (164) | 1 | – | – | – | – | – | – | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 10 | 1 | 3 | – | 4 | 1 | – | – | – | 4 |
| (35) | *Burns (conflagration excepted) (179)* | 1 | – | – | – | – | – | – | – | – | – |
| (35) | *Accidental drowning (182)* | – | 1 | – | – | 1 | – | – | – | – | – |
| (35) | *Traumatism by fall (185)* | 1 | – | – | – | – | – | – | – | – | 1 |
| (35) | *Railroad accidents and injuries (188a)* | 1 | – | – | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | 3 | – | 3 | – | 1 | – | – | – | – | 3 |
| (35) | *All others* | 4 | – | – | – | 2 | 1 | – | – | – | – |
| 36 | Suicide (165–174) | – | – | 1 | – | – | – | – | – | – | 1 |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 17 | – | – | 4 | – | 1 | – | 2 | 1 | – |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Hanson. | Hardwick. | Harvard. | Harwich. | Hatfield. | HAVERHILL. | Hawley. | Heath. | Hingham. | Hinsdale. | Holbrook. | Holden. | Holland. | Holliston. | HOLYOKE. | Hopedale. | Hopkinton. | Hubbardston. | Hudson. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 59 | 19 | 10 | 37 | 15 | 546 | 3 | 1 | 63 | 12 | 38 | 38 | 2 | 25 | 740 | 35 | 22 | 11 | 75 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| 8 | – | – | – | – | – | 6 | – | – | – | – | – | – | – | – | 3 | – | – | – | – |
| 9 | – | 1 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 |
| (12) | – | – | – | – | – | 2 | – | – | – | – | 1 | 1 | – | – | 3 | – | – | – | – |
| (12) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 17 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 3 | – | – | – | – |
| 13 | 33 | – | – | 1 | 1 | 12 | – | – | – | – | – | 6 | – | – | 28 | – | 2 | – | 4 |
| 14 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – | – | – |
| 15 | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | 3 | – | – | – | 2 |
| 16 | 10 | 4 | – | 4 | 2 | 64 | – | – | 7 | 1 | 6 | 2 | – | 2 | 111 | 1 | 2 | 1 | 7 |
| (37) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 5 | – | – | – | – |
| (37) | 1 | 1 | – | – | – | 5 | – | – | 3 | – | 1 | – | – | – | 24 | 1 | 2 | – | 3 |
| (37) | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| 18 | – | 1 | – | 8 | 2 | 48 | – | – | 8 | 2 | 3 | – | – | 3 | 39 | 7 | 2 | 4 | 9 |
| (37) | – | – | – | – | – | 6 | – | – | 1 | – | – | – | – | – | 9 | 1 | – | – | – |
| (37) | 1 | – | – | 3 | 1 | 9 | – | – | 2 | 1 | – | – | – | 1 | 7 | 4 | 1 | – | 3 |
| 19 | 4 | 2 | 4 | 5 | 2 | 113 | 1 | 1 | 15 | 5 | 11 | 6 | 1 | 9 | 147 | 8 | 6 | 1 | 18 |
| (37) | – | 1 | – | 3 | – | 20 | – | – | 4 | – | 2 | – | – | 1 | 5 | 2 | 2 | 2 | – |
| 20, 21 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | 2 |
| (23) | 2 | 1 | – | 1 | 1 | 22 | – | – | 1 | – | – | 1 | – | 2 | 23 | – | 1 | – | 5 |
| 22 | – | 1 | 1 | 1 | 1 | 23 | – | – | 3 | – | 2 | 2 | – | 1 | 39 | – | – | – | 1 |
| (23) | – | – | – | – | – | 2 | – | – | – | 1 | – | 1 | – | – | 2 | – | – | – | 1 |
| 24 | – | – | – | – | – | 10 | 1 | – | – | – | – | – | – | – | 10 | 1 | – | – | 4 |
| 25 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 8 | – | – | – | – |
| 26 | – | – | – | – | – | 12 | – | – | – | – | – | – | – | – | 16 | – | – | – | – |
| 27 | – | – | – | – | – | 6 | – | – | – | – | 1 | – | – | – | 7 | – | – | – | 1 |
| 28 | 1 | – | – | 1 | – | 3 | – | – | – | – | – | 1 | – | – | 5 | – | – | – | 1 |
| 29 | 1 | 3 | 3 | 3 | 3 | 34 | – | – | 9 | 2 | 3 | 2 | – | 3 | 75 | 4 | 2 | – | 5 |
| 30 | – | – | – | – | – | 4 | – | – | – | – | 1 | – | – | – | 5 | 1 | – | – | – |
| 31 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| 32 | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | 3 | – | – | 1 | 1 |
| 33 | – | 1 | – | 1 | – | 20 | – | – | – | – | – | 2 | – | – | 29 | 2 | – | – | 2 |
| 34 | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – |
| (35) | 1 | 2 | – | 5 | – | 37 | – | – | 2 | – | 1 | 4 | 1 | 2 | 46 | 1 | – | 1 | 1 |
| (35) | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 6 | – | – | – | – |
| (35) | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 3 | 1 | – | – | – |
| (35) | – | – | – | 2 | – | 12 | – | – | 2 | – | – | – | – | – | 10 | – | – | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| (35) | 1 | 1 | – | 1 | – | 9 | – | – | – | – | – | 2 | – | 1 | 16 | – | – | 1 | – |
| (35) | – | 1 | – | 1 | – | 13 | – | – | – | – | 1 | 2 | – | 1 | 10 | – | – | – | 1 |
| 36 | 2 | – | 1 | – | – | 12 | – | – | 4 | – | – | – | – | – | 12 | – | – | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (37) | 3 | 1 | 1 | 1 | – | 53 | 1 | – | 3 | – | 4 | 8 | – | 1 | 58 | – | 1 | 1 | 3 |
| 38 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

? Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Hull. | Huntington. | Ipswich. | Kingston. | Lakeville. | Lancaster. | Lanesborough. | Lawrence. | Lee. | Leicester. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.[2]** | **34** | **10** | **67** | **23** | **37** | **29** | **8** | **905** | **34** | **26** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | 1 | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough (9) | – | – | – | – | – | – | – | 1 | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | 8 | – | – |
| 9 | Influenza (11) | – | – | – | – | – | – | – | 7 | – | – |
| (12) | Erysipelas (21) | – | 1 | – | – | – | 1 | – | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | – | – | 8 | – | – |
| 13 | Tuberculosis of the lungs (31) | 2 | 1 | 2 | – | 6 | 1 | – | 19 | 2 | 1 |
| 14 | Tuberculous meningitis (32) | – | – | 1 | – | – | – | – | 2 | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | – | 13 | – | – | 4 | – | – |
| 16 | Cancer (43–49) | 2 | 1 | 5 | 5 | 2 | 2 | 1 | 82 | 5 | 4 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | – | 5 | – | – |
| (37) | Diabetes (57) | – | – | 1 | – | – | 1 | – | 23 | 2 | – |
| (37) | Alcoholism (66) | – | – | – | – | – | – | – | 8 | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 6 | – | 8 | 4 | 1 | 7 | – | 97 | 7 | 2 |
| (37) | Acute endocarditis (88) | – | 1 | – | – | – | – | – | 11 | – | – |
| (37) | Angina pectoris (89) | 1 | – | – | 1 | 1 | – | – | 50 | 1 | – |
| 19 | Other diseases of the heart (90) | 9 | 4 | 20 | 7 | 6 | 5 | 2 | 138 | 7 | 10 |
| (37) | Diseases of the arteries (91) | 2 | – | – | 2 | 2 | 1 | 1 | 24 | – | – |
| 20, 21 | Bronchitis (99) | – | – | – | – | – | – | – | 5 | – | – |
| (23) | Bronchopneumonia (100) | – | – | 1 | – | 1 | 3 | – | 47 | – | – |
| 22 | Pneumonia (101) | – | – | 3 | – | – | 1 | – | 36 | – | 2 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | – | – | – | – | – | – | 7 | – | – |
| 24 | Diseases of the stomach (111, 112) | – | – | – | 1 | – | – | – | 12 | 1 | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | – | – | – | – | – | – | 6 | – | 1 |
| 26 | Appendicitis (117) | – | – | – | – | – | – | – | 15 | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | – | – | – | – | – | – | 7 | – | – |
| 28 | Cirrhosis of the liver (122) | – | 1 | – | – | – | – | – | 8 | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 2 | – | 2 | 1 | – | – | 1 | 72 | 4 | 2 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | 1 | – | – | – | – | 7 | – | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | – | – | 2 | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | – | – | – | – | 6 | – | – |
| 33 | Congenital debility and malformations (159–161a) | – | – | 4 | – | 1 | – | 2 | 50 | – | 1 |
| 34 | Senility (164) | – | – | – | 1 | – | – | – | 2 | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 6 | – | 14 | – | 2 | 2 | – | 52 | 2 | 1 |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | – | 6 | – | – |
| (35) | *Accidental drowning (182)* | 3 | – | 3 | – | – | 1 | – | 5 | – | – |
| (35) | *Traumatism by fall (185)* | – | – | 3 | – | 1 | – | – | 12 | 1 | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | 1 | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | – | 4 | – | – | – | – | 18 | 1 | 1 |
| (35) | *All others* | 3 | – | 4 | – | 1 | – | – | 11 | – | – |
| 36 | Suicide (165–174) | 1 | – | – | 1 | – | – | – | 7 | – | – |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | 1 | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 3 | 1 | 4 | – | 2 | 5 | 1 | 76 | 3 | 2 |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Lenox. | Leominster. | Leverett. | Lexington. | Leyden. | Lincoln. | Littleton. | Longmeadow. | Lowell. | Ludlow. | Lunenburg. | Lynn. | Lynnfield. | Malden. | Manchester. | Mansfield. | Marblehead. | Marion. | Marlborough. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 14 | 228 | 6 | 81 | 2 | 13 | 17 | 28 | 1,331 | 52 | 23 | 1,086 | 21 | 480 | 19 | 63 | 95 | 9 | 176 |
| 1 | – | – | – | 1 | – | – | – | – | 5 | – | – | 1 | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – | 1 |
| 6 | – | – | – | – | – | – | – | – | 5 | – | – | 1 | – | 1 | – | – | – | – | – |
| 7 | – | 1 | – | 2 | – | – | – | – | 7 | – | – | 11 | – | 2 | – | – | – | – | – |
| 8 | – | – | – | 1 | – | – | – | – | 4 | – | – | 11 | – | 3 | – | – | – | – | – |
| 9 | – | 3 | – | – | – | – | 1 | – | 1 | – | – | 6 | – | 2 | – | – | – | – | 5 |
| (12) | – | 4 | – | – | – | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 17 | – | 3 | – | – | – | – | – | – | 3 | – | – | 3 | – | – | – | – | – | – | – |
| 13 | 2 | 2 | – | 3 | – | 1 | – | – | 50 | 1 | 1 | 17 | 1 | 20 | – | 2 | 2 | – | 5 |
| 14 | – | 2 | – | 1 | – | – | – | – | 3 | – | – | – | – | 1 | – | – | – | – | – |
| 15 | – | – | – | – | – | – | – | 1 | 3 | – | – | 1 | – | 2 | – | – | – | – | – |
| 16 | 1 | 26 | 1 | 7 | – | – | 3 | 3 | 124 | 5 | 1 | 105 | 4 | 42 | – | 7 | 14 | 1 | 17 |
| (37) | – | – | – | – | – | – | – | – | 3 | – | – | 4 | – | 1 | – | – | – | – | 1 |
| (37) | – | 5 | – | 1 | – | – | – | – | 27 | 1 | – | 19 | – | 12 | – | 4 | 3 | – | 1 |
| (37) | – | – | – | – | – | – | – | – | 3 | – | – | 2 | – | – | – | 1 | – | – | 1 |
| 18 | 1 | 23 | – | 9 | – | 2 | 3 | 3 | 117 | 6 | 3 | 99 | 4 | 46 | 2 | 7 | 11 | 1 | 22 |
| (37) | – | 3 | – | 1 | – | – | – | – | 10 | – | – | 15 | – | 7 | – | 1 | – | – | 1 |
| (37) | – | 5 | – | 4 | 1 | – | 1 | 1 | 12 | – | – | 25 | 2 | 7 | 1 | 3 | 4 | – | 5 |
| 19 | 6 | 48 | 2 | 18 | – | 6 | 3 | 4 | 299 | 5 | 6 | 233 | 3 | 96 | 7 | 18 | 31 | – | 39 |
| (37) | 1 | 6 | 2 | 6 | – | – | 1 | 2 | 124 | 1 | – | 38 | 2 | 37 | 1 | – | 9 | 1 | 8 |
| 20, 21 | – | 1 | – | – | – | – | – | – | 17 | – | – | 4 | – | 3 | – | 1 | 1 | – | 1 |
| (23) | – | 9 | – | 2 | 1 | 1 | – | 1 | 55 | 7 | 1 | 30 | 1 | 17 | – | 3 | 6 | – | 8 |
| 22 | 1 | 9 | – | 1 | – | – | – | – | 20 | 1 | 1 | 45 | – | 14 | – | 1 | – | 2 | 11 |
| (23) | – | 1 | – | – | – | – | – | – | 7 | – | – | 5 | – | 2 | – | 1 | – | – | – |
| 24 | – | – | – | – | – | – | – | – | 8 | – | 1 | 12 | – | 5 | – | – | – | 1 | – |
| 25 | – | 3 | – | – | – | – | – | – | 21 | – | – | 7 | – | 2 | – | – | – | – | – |
| 26 | – | 4 | – | – | – | – | – | – | 12 | 1 | – | 14 | – | 7 | – | – | 1 | – | – |
| 27 | – | 1 | – | – | – | – | – | 1 | 13 | – | – | 15 | – | 4 | – | – | – | 1 | 2 |
| 28 | – | – | – | – | – | – | – | – | 7 | – | – | 4 | 1 | 1 | – | 1 | – | – | 1 |
| 29 | 1 | 17 | 1 | 8 | – | – | 1 | 8 | 61 | 3 | 3 | 89 | 2 | 21 | 5 | 8 | 3 | 1 | 8 |
| 30 | – | – | – | – | – | – | – | – | 4 | – | – | 6 | – | 4 | – | – | 1 | – | – |
| 31 | – | 1 | – | 1 | – | – | – | – | 5 | – | – | 5 | – | 1 | – | – | – | – | – |
| 32 | – | – | – | – | – | – | – | – | 12 | – | – | 13 | – | 2 | – | – | – | – | – |
| 33 | – | 18 | – | 2 | – | 1 | – | – | 76 | 4 | 2 | 52 | – | 22 | 1 | – | 4 | – | 9 |
| 34 | – | – | – | 1 | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | 1 |
| (35) | – | 9 | – | 3 | – | 1 | 1 | 1 | 62 | 8 | 3 | 74 | 1 | 39 | 2 | 3 | 2 | – | 11 |
| (35) | – | 2 | – | – | – | – | – | – | 3 | 1 | – | 4 | – | 2 | – | 1 | – | – | – |
| (35) | – | – | – | 1 | – | – | – | – | 1 | 1 | 2 | 6 | – | 1 | 1 | 1 | 1 | – | 1 |
| (35) | – | 3 | – | – | – | – | – | – | 20 | 1 | – | 22 | 1 | 10 | 1 | 1 | 1 | – | 4 |
| (35) | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| (35) | – | 3 | – | – | – | 1 | 1 | – | 22 | 3 | 1 | 20 | – | 14 | – | – | – | – | 6 |
| (35) | – | – | – | 2 | – | – | – | – | 15 | 2 | – | 21 | – | 11 | – | – | – | – | – |
| 36 | 1 | 1 | – | 1 | – | – | 1 | – | 10 | – | – | 24 | – | 3 | – | 1 | – | – | 2 |
| (35) | – | – | – | – | – | – | – | – | 5 | – | – | – | – | 2 | – | – | – | – | – |
| (37) | – | 20 | – | 6 | – | 1 | 2 | 2 | 126 | 9 | – | 95 | – | 48 | – | 1 | 3 | 1 | 16 |
| 38 | – | 1 | – | 1 | – | – | – | – | 6 | – | – | – | – | – | – | – | – | – | – |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Marshfield. | Mashpee. | Mattapoisett. | Maynard. | Medfield. | Medford. | Medway. | Melrose. | Mendon. | Merrimac. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **23** | **1** | **17** | **44** | **108** | **465** | **23** | **311** | **13** | **19** |
| 1 | Typhoid fever (1) | 1 | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | 1 | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | 1 | – | – | – | 1 |
| 7 | Whooping cough (9) | – | – | – | – | – | 2 | – | – | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza (11) | – | – | – | – | – | 1 | – | 2 | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | 1 | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | 1 | – | 1 | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | 1 | – | 3 | – | – |
| 13 | Tuberculosis of the lungs (31) | – | – | 1 | 1 | 19 | 16 | – | 6 | 1 | – |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | 1 | – | 2 | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | – | 1 | 1 | – | – | – | – |
| 16 | Cancer (43–49) | 2 | – | 2 | 7 | 3 | 52 | 4 | 36 | – | 3 |
| (37) | Rheumatism (51, 52) | – | – | 1 | – | – | 3 | – | – | 1 | – |
| (37) | Diabetes (57) | – | – | – | 2 | 1 | 9 | 1 | 4 | – | – |
| (37) | Alcoholism (66) | – | 1 | 1 | 2 | – | – | – | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 1 | – | 2 | 9 | 12 | 41 | 4 | 31 | 1 | 4 |
| (37) | Acute endocarditis (88) | – | – | – | – | – | 3 | – | 3 | 1 | – |
| (37) | Angina pectoris (89) | 2 | – | – | 1 | – | 14 | – | 3 | – | – |
| 19 | Other diseases of the heart (90) | 7 | – | 3 | 7 | 33 | 93 | 3 | 68 | 3 | 3 |
| (37) | Diseases of the arteries (91) | 1 | – | 1 | 1 | 7 | 37 | 1 | 9 | 1 | 2 |
| 20, 21 | Bronchitis (99) | – | – | – | – | – | 2 | – | 1 | – | – |
| (23) | Bronchopneumonia (100) | 2 | – | – | – | 2 | 11 | – | 6 | 3 | – |
| 22 | Pneumonia (101) | 2 | – | 1 | – | 5 | 13 | – | 5 | – | – |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | – | – | – | 1 | 2 | – | – | – | – |
| 24 | Diseases of the stomach (111, 112) | – | – | – | – | – | 2 | – | 6 | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | 1 | – | – | – | – | 3 | – | 2 | – | – |
| 26 | Appendicitis (117) | – | – | – | 1 | – | 6 | – | 9 | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | – | – | 1 | 2 | 5 | – | 1 | – | – |
| 28 | Cirrhosis of the liver (122) | – | – | – | 1 | 1 | 2 | – | 4 | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | – | – | 2 | 4 | 3 | 48 | 5 | 30 | 2 | 4 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | – | – | – | 2 | – | 5 | – | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | 3 | – | 1 | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | 1 | – | 5 | – | 2 | – | – |
| 33 | Congenital debility and malformations (159–161a) | – | – | – | 2 | – | 24 | – | 13 | – | 1 |
| 34 | Senility (164) | – | – | – | – | – | – | – | 4 | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 1 | – | 2 | – | 4 | 22 | – | 19 | – | – |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | 1 | – | 1 | – | – |
| (35) | *Accidental drowning (182)* | 1 | – | – | – | 1 | 6 | – | – | – | – |
| (35) | *Traumatism by fall (185)* | – | – | 1 | – | 1 | 5 | – | 12 | – | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | – | – | – | – | 4 | – | 3 | – | – |
| (35) | *All others* | – | – | 1 | – | 2 | 6 | – | 3 | – | – |
| 36 | Suicide (165–174) | 1 | – | – | 3 | 3 | 7 | – | 1 | – | – |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 1 | – | – | 1 | 11 | 33 | 3 | 34 | – | 1 |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | 1 | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Methuen. | Middleborough. | Middlefield. | Middleton. | Milford. | Millbury. | Millis. | Millville. | Milton. | Monroe. | Monson. | Montague. | Monterey. | Montgomery. | Mount Washington. | Nahant. | Nantucket. | Natick. | Needham. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 178 | 114 | 3 | 94 | 196 | 45 | 13 | 14 | 106 | – | 128 | 125 | 6 | 3 | – | 24 | 56 | 158 | 93 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 6 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | – | 2 | 1 | – | – | – | – | – | 2 | – | 1 | 4 | – | – | – | – | – | 2 | 2 |
| (12) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| 17 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | 3 | – | – | 83 | 8 | 2 | – | 1 | 5 | – | 7 | – | – | – | – | – | 1 | 4 | 6 |
| 14 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 15 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 16 | 29 | 8 | – | 2 | 20 | 3 | 2 | 1 | 9 | – | 12 | 10 | 1 | 1 | – | 1 | 7 | 20 | 9 |
| (37) | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| (37) | 7 | 2 | – | – | 3 | 2 | – | – | 2 | – | 1 | 1 | – | – | – | 2 | 1 | 1 | – |
| (37) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| 18 | 26 | 11 | – | – | 25 | 2 | 1 | 1 | 5 | – | 6 | 11 | 1 | – | – | 3 | 9 | 20 | 8 |
| (37) | 5 | 2 | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| (37) | 9 | 7 | – | – | 5 | 1 | – | – | 1 | – | 1 | 2 | – | – | – | 3 | 3 | 3 | 2 |
| 19 | 34 | 21 | – | 1 | 38 | 18 | 3 | 1 | 37 | – | 17 | 14 | 2 | 1 | – | 9 | 5 | 36 | 26 |
| (37) | 4 | 16 | – | – | 2 | – | – | – | 2 | – | 2 | 2 | – | – | – | 1 | 4 | 3 | 5 |
| 20, 21 | 2 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | 2 | – |
| (23) | 10 | 3 | – | 2 | 16 | 1 | – | 1 | 4 | – | 2 | 10 | 2 | – | – | – | – | 8 | 1 |
| 22 | 3 | 3 | – | 1 | 5 | 2 | – | 3 | 2 | – | 1 | 9 | – | – | – | – | 3 | 5 | 4 |
| (23) | 1 | 1 | – | – | 3 | – | – | – | 2 | – | 3 | 1 | – | – | – | – | – | 2 | – |
| 24 | – | 2 | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | 1 | – |
| 25 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| 26 | 2 | – | – | – | 3 | – | – | – | – | – | 1 | 3 | – | – | – | – | 1 | 3 | 3 |
| 27 | – | 1 | – | – | 2 | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| 28 | 2 | – | – | 1 | 4 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 |
| 29 | 9 | 10 | 1 | 1 | 24 | 6 | 1 | 2 | 8 | – | 7 | 21 | – | – | – | – | 2 | 14 | – |
| 30 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 |
| 31 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 32 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 |
| 33 | 10 | 6 | – | – | 3 | 1 | – | – | 1 | – | 1 | 7 | – | – | – | – | 4 | 8 | 5 |
| 34 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| (35) | 8 | 9 | – | – | 12 | – | – | 1 | 7 | – | – | 9 | – | – | – | 1 | 2 | 9 | 7 |
| (35) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| (35) | 4 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | 1 | 3 | – |
| (35) | 1 | 1 | – | – | 2 | – | – | – | 1 | – | – | 3 | – | – | – | – | 1 | 1 | 4 |
| (35) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | 3 | 5 | – | – | 5 | – | – | – | 5 | – | – | 1 | – | – | – | – | – | 1 | 2 |
| (35) | – | 1 | – | – | 4 | – | – | – | – | – | – | 5 | – | – | – | – | – | 4 | – |
| 36 | 2 | 1 | – | – | 2 | – | 1 | 2 | 2 | – | – | 2 | – | – | – | 1 | 4 | 1 | 1 |
| (35) | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 2 | – |
| (37) | 7 | 4 | – | 2 | 11 | 4 | 2 | – | 11 | – | 63 | 8 | – | – | – | – | 8 | 9 | 7 |
| 38 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15<br>Cause of Death.[1] | Deaths from<br>New Ashford. | New Bedford. | New Braintree. | New Marlborough. | New Salem. | Newbury. | Newburyport. | Newton. | Norfolk. | North Adams. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | – | **1,243** | **1** | **12** | **7** | **23** | **205** | **546** | **249** | **295** |
| 1 | Typhoid fever (1) | – | 2 | – | – | – | – | – | 1 | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | – | 1 | – | 1 |
| 6 | Scarlet fever (8) | – | 2 | – | – | – | – | – | – | – | – |
| 7 | Whooping cough (9) | – | 2 | – | – | – | – | 1 | 2 | – | – |
| 8 | Diphtheria and croup (10) | – | 9 | – | – | – | – | 3 | – | – | 1 |
| 9 | Influenza (11) | – | 9 | – | – | – | – | – | 8 | – | 4 |
| (12) | Erysipelas (21) | – | 1 | – | – | – | – | – | 2 | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | 1 | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | 1 | 1 | – | 1 |
| 17 | Meningitis (24, 71) | – | 5 | – | – | – | – | – | – | – | 2 |
| 13 | Tuberculosis of the lungs (31) | – | 77 | – | – | – | – | 4 | 7 | – | 3 |
| 14 | Tuberculous meningitis (32) | – | 10 | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | 5 | – | – | – | – | 2 | 2 | – | – |
| 16 | Cancer (43–49) | – | 120 | – | 3 | – | 2 | 21 | 72 | 232 | 46 |
| (37) | Rheumatism (51, 52) | – | 2 | – | – | – | – | – | 5 | – | – |
| (37) | Diabetes (57) | – | 30 | – | 2 | – | 2 | 2 | 11 | 2 | 5 |
| (37) | Alcoholism (66) | – | – | – | – | – | – | 1 | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | – | 134 | – | 1 | 2 | 1 | 28 | 64 | 1 | 25 |
| (37) | Acute endocarditis (88) | – | 10 | – | – | – | – | 1 | 2 | – | 1 |
| (37) | Angina pectoris (89) | – | 7 | – | 1 | – | 1 | 7 | 10 | – | 8 |
| 19 | Other diseases of the heart (90) | – | 258 | – | 1 | 3 | 5 | 42 | 103 | 3 | 53 |
| (37) | Diseases of the arteries (91) | – | 32 | – | – | 1 | – | 1 | 20 | – | 3 |
| 20, 21 | Bronchitis (99) | – | 5 | – | – | – | – | 2 | 3 | – | – |
| (23) | Bronchopneumonia (100) | – | 51 | – | 1 | – | 2 | 8 | 18 | 1 | 12 |
| 22 | Pneumonia (101) | – | 28 | – | – | – | – | 4 | 25 | – | 5 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | 8 | – | – | – | 1 | – | 1 | 1 | 2 |
| 24 | Diseases of the stomach (111, 112) | – | 12 | – | – | – | – | 3 | 4 | 1 | 4 |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | 10 | – | – | – | – | – | 1 | – | 12 |
| 26 | Appendicitis (117) | – | 18 | – | – | – | – | 1 | 6 | 1 | 5 |
| 27 | Hernia, intestinal obstruction (118) | – | 12 | 1 | – | – | – | 4 | 5 | – | 2 |
| 28 | Cirrhosis of the liver (122) | – | 7 | – | – | – | – | 1 | 3 | 1 | 4 |
| 29 | Nephritis and Bright's disease (128, 129) | – | 81 | – | – | – | 3 | 27 | 39 | – | 26 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | 6 | – | – | – | – | 2 | 3 | – | 1 |
| 31 | Puerperal fever (146) | – | 3 | – | – | – | – | – | – | – | 1 |
| 32 | Other puerperal affections (143–145, 147–150) | – | 12 | – | – | – | – | 2 | 3 | – | 4 |
| 33 | Congenital debility and malformations (159–161a) | – | 37 | – | – | – | – | 5 | 18 | – | 19 |
| 34 | Senility (164) | – | 2 | – | – | – | – | – | 3 | – | 2 |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 72 | – | 2 | 1 | 5 | 12 | 30 | 4 | 18 |
| (35) | *Burns (conflagration excepted) (179)* | – | 5 | – | – | – | – | 1 | 1 | – | 1 |
| (35) | *Accidental drowning (182)* | – | 8 | – | 2 | – | 1 | 1 | 1 | – | 1 |
| (35) | *Traumatism by fall (185)* | – | 13 | – | – | – | – | 3 | 11 | 1 | 6 |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | 2 | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | 18 | – | – | 1 | 1 | 5 | 10 | 3 | 5 |
| (35) | *All others* | – | 28 | – | – | – | 1 | 2 | 7 | – | 5 |
| 36 | Suicide (165–174) | – | 18 | – | – | – | 1 | 1 | 8 | – | 2 |
| (35) | Homicide (197–200) | – | 6 | – | – | – | – | 1 | 1 | – | 1 |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | – | 131 | – | 1 | – | – | 18 | 63 | 2 | 22 |
| 38 | Ill-defined or unknown causes (204, 205) | – | 9 | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | North Andover. | North Attleborough. | North Brookfield. | North Reading. | NORTHAMPTON. | Northborough. | Northbridge. | Northfield. | Norton. | Norwell. | Norwood. | Oak Bluffs. | Oakham. | Orange. | Orleans. | Otis. | Oxford. | Palmer. | Paxton. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 65 | 99 | 30 | 51 | 515 | 22 | 82 | 27 | 19 | 20 | 142 | 53 | 4 | 69 | 21 | 9 | 39 | 104 | 5 |
| 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| 8 | – | – | – | – | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 9 | – | 1 | – | – | 4 | – | 1 | 1 | 1 | – | – | 2 | – | – | 1 | – | 3 | 1 | – |
| (12) | – | – | – | – | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 17 | – | – | – | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 2 | – |
| 13 | – | 6 | 1 | 23 | 56 | – | 3 | 1 | – | – | 3 | 1 | 1 | – | – | – | – | 4 | 1 |
| 14 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 15 | 1 | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | 2 | – | – | – | 2 | – |
| 16 | 4 | 9 | 3 | 1 | 39 | 2 | 6 | 8 | 2 | 2 | 15 | 7 | – | 13 | 1 | 1 | 3 | 13 | – |
| (37) | – | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| (37) | 1 | 2 | – | 1 | 7 | – | 4 | – | – | – | 3 | 2 | – | 2 | – | – | 1 | 3 | – |
| (37) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 18 | 8 | 13 | 5 | 3 | 31 | 1 | 4 | 2 | 2 | 1 | 5 | 10 | – | 8 | 2 | 1 | 3 | 8 | – |
| (37) | – | 1 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (37) | 2 | 1 | – | – | 10 | – | 2 | – | – | – | 3 | – | – | 1 | 4 | – | 3 | – | – |
| 19 | 19 | 30 | 7 | 9 | 118 | 13 | 21 | 5 | 6 | 4 | 26 | 9 | – | 17 | 12 | – | 10 | 23 | 2 |
| (37) | 1 | – | 3 | – | 17 | – | – | – | – | – | 3 | 5 | – | – | 1 | – | 2 | 1 | – |
| 20, 21 | 1 | 2 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| (23) | 3 | – | 2 | 1 | 8 | – | 3 | 1 | 1 | – | 10 | 2 | – | 4 | – | – | 2 | 2 | 1 |
| 22 | 1 | 2 | 1 | – | 13 | 1 | 3 | 1 | – | 1 | 8 | – | – | 4 | – | – | 2 | 4 | – |
| (23) | – | – | 1 | – | 4 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| 24 | – | 1 | – | – | 7 | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | 1 | – |
| 25 | – | – | – | – | – | – | – | – | – | 1 | 3 | – | – | 2 | – | – | – | – | – |
| 26 | 1 | – | – | – | 7 | – | – | 1 | – | – | 3 | 1 | – | – | – | – | – | – | – |
| 27 | – | – | – | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| 28 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| 29 | 4 | 9 | 2 | 4 | 49 | 2 | 6 | 3 | 2 | 5 | 11 | 3 | 2 | 2 | – | 1 | 4 | 10 | – |
| 30 | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 31 | – | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 32 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 33 | 3 | 1 | – | 1 | 12 | 1 | 6 | – | 2 | – | 7 | – | – | 3 | – | – | 2 | 7 | – |
| 34 | – | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | 6 | 7 | – | 2 | 25 | – | 11 | 1 | 1 | – | 16 | 3 | – | 4 | – | 4 | – | 11 | 1 |
| (35) | – | – | – | 1 | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| (35) | 1 | 2 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| (35) | 1 | – | – | – | 9 | – | 3 | – | – | – | 3 | – | – | 3 | – | – | – | 2 | – |
| (35) | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – |
| (35) | 3 | 3 | – | – | 10 | – | 5 | – | – | – | 7 | 1 | – | – | – | – | – | 4 | 1 |
| (35) | 1 | 2 | – | 1 | 5 | – | – | – | 1 | – | 2 | 1 | – | 1 | – | 4 | – | 3 | – |
| 36 | 1 | 4 | 1 | – | 8 | – | 1 | – | – | 1 | 1 | 2 | 1 | – | – | – | – | 1 | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (37) | 7 | 7 | 3 | 3 | 60 | 2 | 6 | 1 | – | 1 | 19 | 3 | – | 5 | – | 1 | 1 | 8 | – |
| 38 | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

[2] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Peabody. | Pelham. | Pembroke. | Pepperell. | Peru. | Petersham. | Phillipston. | Pittsfield. | Plainfield. | Plainville. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **197** | **8** | **15** | **47** | **2** | **7** | **3** | **618** | **5** | **15** |
| 1 | Typhoid fever (1) | 1 | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough (9) | – | – | – | – | – | – | – | – | – | – |
| 8 | Diphtheria and croup (10) | 2 | – | – | – | – | – | – | 2 | – | – |
| 9 | Influenza (11) | – | – | – | 1 | – | – | – | 1 | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | 2 | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | – | – | 2 | – | – |
| 13 | Tuberculosis of the lungs (31) | 3 | – | – | 1 | – | – | 1 | 19 | – | 1 |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | – | – | 1 | – | – |
| 15 | Other forms of tuberculosis (33–37) | 1 | – | – | – | – | – | – | 1 | – | – |
| 16 | Cancer (43–49) | 22 | 2 | 1 | 3 | – | 1 | – | 78 | 1 | 3 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | – | – | – | – |
| (37) | Diabetes (57) | 5 | – | – | – | – | – | – | 16 | 1 | – |
| (37) | Alcoholism (66) | – | – | – | – | – | – | – | 2 | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 15 | – | 3 | 8 | 1 | 1 | – | 47 | – | 2 |
| (37) | Acute endocarditis (88) | 3 | – | – | – | – | – | – | 3 | – | 1 |
| (37) | Angina pectoris (89) | 8 | – | – | 2 | – | 3 | – | 11 | – | – |
| 19 | Other diseases of the heart (90) | 50 | 2 | 6 | 12 | 1 | 1 | 1 | 112 | – | 5 |
| (37) | Diseases of the arteries (91) | 6 | – | – | 2 | – | – | – | 13 | – | 1 |
| 20, 21 | Bronchitis (99) | – | – | – | – | – | – | – | – | – | – |
| (23) | Bronchopneumonia (100) | 4 | – | – | 1 | – | – | – | 14 | 1 | – |
| 22 | Pneumonia (101) | 8 | – | 1 | 2 | – | 1 | – | 33 | – | 1 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | 4 | – | – | 1 | – | – | – | 2 | – | – |
| 24 | Diseases of the stomach (111, 112) | 2 | – | – | 1 | – | – | – | 5 | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | – | – | 1 | – | – | – | 2 | – | – |
| 26 | Appendicitis (117) | 4 | – | – | – | – | – | – | 19 | – | – |
| 27 | Hernia, intestinal obstruction (118) | 2 | – | – | – | – | – | – | 8 | – | – |
| 28 | Cirrhosis of the liver (122) | 1 | – | – | – | – | – | – | 4 | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 17 | 1 | 1 | 2 | – | – | – | 60 | 1 | 1 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | – | – | – | – | – | 6 | – | – |
| 31 | Puerperal fever (146) | – | 1 | – | – | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | 2 | – | – | – | – | – | – | 5 | – | – |
| 33 | Congenital debility and malformations (159–161a) | 9 | – | 1 | 1 | – | – | – | 23 | – | – |
| 34 | Senility (164) | – | 1 | – | – | – | – | – | 1 | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 13 | – | 1 | 3 | – | – | – | 50 | – | – |
| (35) | *Burns (conflagration excepted) (179)* | 2 | – | – | – | – | – | – | 6 | – | – |
| (35) | *Accidental drowning (182)* | – | – | – | – | – | – | – | 1 | – | – |
| (35) | *Traumatism by fall (185)* | 3 | – | – | 2 | – | – | – | 10 | – | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | 5 | – | – | – | – | – | – | 10 | – | – |
| (35) | *All others* | 3 | – | 1 | 1 | – | – | – | 23 | – | – |
| 36 | Suicide (165–174) | 2 | – | – | 2 | – | – | – | 3 | 1 | – |
| (35) | Homicide (197–200) | – | – | – | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 13 | 1 | 1 | 4 | – | – | 1 | 73 | – | – |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Plymouth. | Plympton. | Prescott. | Princeton. | Provincetown. | QUINCY. | Randolph. | Raynham. | Reading. | Rehoboth. | REVERE. | Richmond. | Rochester. | Rockland. | Rockport. | Rowe. | Rowley. | Royalston. | Russell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **158** | **6** | – | **3** | **47** | **601** | **68** | **19** | **98** | **18** | **178** | **8** | **11** | **80** | **47** | **5** | **14** | **8** | **6** |
| 1 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | 3 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| 6 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | 2 | – | – | – | – | 3 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | 3 | – | – | – | – | 7 | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| (12) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | – | – | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| 13 | 6 | 1 | – | 2 | 4 | 20 | 4 | 1 | 5 | – | 3 | – | – | – | 3 | – | – | 1 | – |
| 14 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 16 | 27 | 1 | – | – | 6 | 72 | 8 | 2 | 17 | 5 | 16 | – | – | 9 | 10 | 2 | – | 1 | – |
| (37) | 1 | – | – | – | – | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| (37) | 6 | – | – | – | 3 | 10 | 2 | – | 2 | – | 7 | – | – | 5 | – | – | – | – | – |
| (37) | – | – | – | – | – | 3 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 18 | 9 | – | – | 1 | 3 | 50 | 8 | 4 | 13 | 1 | 14 | – | 3 | 8 | 2 | – | – | – | – |
| (37) | – | – | – | – | – | 1 | – | – | – | – | 3 | – | – | 2 | – | – | – | – | – |
| (37) | 7 | – | – | – | 1 | 13 | – | 1 | 6 | 1 | 4 | – | – | – | – | – | – | – | – |
| 19 | 24 | 2 | – | – | 15 | 118 | 24 | 4 | 28 | 4 | 44 | 2 | 6 | 24 | 12 | 2 | 5 | 2 | 1 |
| (37) | 2 | 1 | – | – | 1 | 11 | 4 | 2 | 1 | – | 3 | – | 1 | 12 | 2 | – | 3 | – | – |
| 20, 21 | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – |
| (23) | 4 | – | – | – | – | 29 | – | – | 1 | – | 15 | – | – | 3 | 2 | – | 1 | – | – |
| 22 | 5 | – | – | – | 1 | 38 | 2 | – | 1 | 2 | 13 | 3 | – | 2 | 2 | – | – | 1 | – |
| (23) | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 24 | 1 | – | – | – | – | 3 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| 25 | 1 | 1 | – | – | – | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 26 | 4 | – | – | – | – | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 27 | 4 | – | – | – | – | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 28 | – | – | – | – | – | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| 29 | 9 | – | – | – | 3 | 55 | 4 | 2 | 4 | 2 | 13 | – | – | 4 | 7 | 1 | 2 | 1 | 1 |
| 30 | 1 | – | – | – | – | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 31 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 32 | – | – | – | – | – | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 33 | 11 | – | – | – | 3 | 21 | 2 | 1 | – | 1 | 3 | – | – | 2 | – | – | 1 | – | – |
| 34 | – | – | – | – | – | 3 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| (35) | 14 | – | – | – | 4 | 38 | 2 | 1 | 8 | 1 | 12 | – | 1 | – | 3 | – | 1 | – | 1 |
| (35) | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | 1 | – | – | – | – | 5 | – | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – |
| (35) | 4 | – | – | – | 1 | 14 | 2 | – | 3 | – | 1 | – | 1 | – | 1 | – | – | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| (35) | 5 | – | – | – | 1 | 9 | – | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| (35) | 4 | – | – | – | 2 | 8 | – | – | 3 | – | 6 | – | – | – | – | – | – | – | 1 |
| 36 | – | – | – | – | – | 6 | 1 | – | 1 | – | 4 | 1 | – | – | 2 | – | – | – | 1 |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| (37) | 14 | – | – | – | 2 | 46 | 3 | 1 | 7 | – | 8 | 1 | – | 1 | – | – | 1 | 2 | 1 |
| 38 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

[2] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Rutland. | Salem. | Salisbury. | Sandisfield. | Sandwich. | Saugus. | Savoy. | Scituate. | Seekonk. | Sharon. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.[2]** | **202** | **558** | **23** | **1** | **16** | **101** | **2** | **57** | **56** | **34** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | 8 | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | 3 | – | – | – | – | – | – | 1 | – |
| 7 | Whooping cough (9) | – | 2 | – | – | – | 1 | – | – | 1 | – |
| 8 | Diphtheria and croup (10) | – | 13 | 1 | – | – | – | – | 1 | 1 | – |
| 9 | Influenza (11) | – | 1 | – | – | – | 1 | – | 1 | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | 2 | – | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | – | 5 | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the lungs (31) | 186 | 7 | 1 | – | 1 | 1 | – | 1 | 2 | 7 |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | 2 | 3 | – | – | – | – | – | – | – | – |
| 16 | Cancer (43–49) | 3 | 55 | 1 | – | 2 | 15 | – | 4 | 3 | 3 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | 1 | – | – | – | – |
| (37) | Diabetes (57) | – | 12 | 1 | – | – | 1 | – | 3 | 1 | – |
| (37) | Alcoholism (66) | – | 3 | – | – | – | – | – | – | 1 | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 2 | 45 | 1 | – | 8 | 7 | – | 10 | 8 | 2 |
| (37) | Acute endocarditis (88) | 1 | 5 | 1 | – | – | 2 | – | – | – | 1 |
| (37) | Angina pectoris (89) | – | 1 | 1 | – | – | 8 | – | 2 | – | 1 |
| 19 | Other diseases of the heart (90) | – | 106 | 7 | – | 3 | 25 | 1 | 11 | 9 | 5 |
| (37) | Diseases of the arteries (91) | – | 35 | – | – | – | 4 | – | 1 | 1 | 1 |
| 0, 21 | Bronchitis (99) | – | 5 | – | – | – | – | – | – | – | 1 |
| (23) | Bronchopneumonia (100) | 1 | 17 | 2 | – | – | 2 | – | 1 | 3 | – |
| 22 | Pneumonia (101) | 1 | 24 | 1 | – | – | 3 | – | 4 | 2 | 1 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | 6 | – | – | – | – | – | – | 1 | – |
| 24 | Diseases of the stomach (111, 112) | – | 6 | – | – | – | – | – | – | 1 | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | 14 | – | – | – | – | – | – | 2 | – |
| 26 | Appendicitis (117) | – | 7 | – | – | – | – | – | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | 5 | – | – | – | 1 | – | – | – | – |
| 28 | Cirrhosis of the liver (122) | – | – | – | – | – | 1 | – | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 3 | 23 | 4 | – | – | 9 | 1 | 5 | 6 | 4 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | 5 | – | – | – | – | – | – | – | – |
| 31 | Puerperal fever (146) | – | 1 | – | – | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | 1 | – | – | – | – | – | – | 2 | – |
| 33 | Congenital debility and malformations (159–161a) | – | 31 | – | – | – | 3 | – | 2 | 1 | 1 |
| 34 | Senility (164) | – | – | – | – | – | – | – | – | 1 | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 33 | 2 | – | – | 11 | – | 5 | 4 | 3 |
| (35) | *Burns (conflagration excepted) (179)* | – | 5 | – | – | – | – | – | – | – | – |
| (35) | *Accidental drowning (182)* | – | 2 | 1 | – | – | 2 | – | – | 1 | 3 |
| (35) | *Traumatism by fall (185)* | – | 9 | – | – | – | – | – | 4 | 1 | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | 5 | – | – | – | 4 | – | – | 1 | – |
| (35) | *All others* | – | 12 | 1 | – | – | 5 | – | 1 | 1 | – |
| 36 | Suicide (165–174) | 1 | 10 | – | 1 | – | – | – | 2 | – | – |
| (35) | Homicide (197–200) | – | – | – | – | – | 1 | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 2 | 62 | – | – | 2 | 4 | – | 4 | 5 | 4 |
| 38 | Ill-defined or unknown causes (204, 205) | – | 2 | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | Sheffield. | Shelburne. | Sherborn. | Shirley. | Shrewsbury. | Shutesbury. | Somerset. | SOMERVILLE. | South Hadley. | Southampton. | Southborough. | Southbridge. | Southwick. | Spencer. | SPRINGFIELD. | Sterling. | Stockbridge. | Stoneham. | Stoughton. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 21 | 10 | 7 | 11 | 64 | 1 | 48 | 1,009 | 51 | 10 | 16 | 107 | 7 | 60 | 1,783 | 18 | 17 | 118 | 77 |
| 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | 1 | – | – | – | – | – | 4 | – | – | – | 2 | – | – | – | 1 | – | – | – |
| 6 | – | – | – | – | – | – | – | 6 | – | – | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | – | – | – | 3 | – | – | – | 1 | – | – | 7 | – | – | 2 | – |
| 8 | – | – | – | – | – | – | 1 | 28 | – | – | – | – | – | – | 9 | – | – | – | – |
| 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 17 | – | – | – | 1 |
| (12) | – | – | – | – | – | – | – | 5 | – | – | – | – | – | – | 9 | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | 1 | 3 | – | – | – | – | – | 1 | 4 | – | – | – | – |
| 17 | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | 6 | – | – | – | – |
| 13 | – | – | – | – | 2 | – | 4 | 25 | 2 | – | – | 6 | 1 | – | 56 | 2 | 1 | 1 | 3 |
| 14 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 3 | 1 | – | – | – |
| 15 | – | – | – | – | – | – | – | 4 | 1 | – | – | – | – | – | 5 | – | – | – | – |
| 16 | – | – | 1 | 2 | 6 | – | 5 | 99 | 6 | – | 2 | 13 | – | 12 | 203 | – | 2 | 16 | 6 |
| (37) | 1 | – | – | – | – | – | – | 4 | 1 | – | – | – | – | – | 6 | – | – | 1 | – |
| (37) | – | – | – | – | – | – | 2 | 11 | 1 | – | – | 3 | – | 1 | 47 | – | – | 4 | 3 |
| (37) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 | – | 1 | – | – |
| 18 | 2 | 1 | 1 | – | 13 | – | – | 97 | 4 | – | 2 | 4 | 1 | 8 | 131 | 1 | 1 | 11 | 10 |
| (37) | – | 1 | – | – | – | – | – | 9 | – | – | – | 1 | – | 1 | 10 | – | – | 1 | – |
| (37) | 1 | – | – | – | 5 | – | 1 | 30 | 2 | – | – | 2 | – | 2 | 78 | – | – | – | 1 |
| 19 | 4 | 3 | 2 | 4 | 13 | – | 9 | 222 | 10 | 4 | 4 | 33 | 1 | 20 | 274 | 5 | 5 | 23 | 20 |
| (37) | 1 | – | – | 1 | 5 | – | 2 | 83 | 2 | 1 | 2 | 5 | – | 1 | 22 | 1 | – | 6 | 2 |
| 20, 21 | – | – | – | – | – | – | – | 8 | 1 | – | – | 1 | – | – | 4 | – | – | 2 | 3 |
| (23) | 1 | – | – | 1 | 3 | – | 4 | 58 | 5 | 2 | 1 | 2 | – | 2 | 72 | 1 | 1 | 2 | 2 |
| 22 | 1 | 1 | 1 | – | 3 | – | 1 | 37 | 3 | – | – | 6 | – | – | 81 | 1 | – | 4 | 9 |
| (23) | – | – | – | – | – | – | 1 | 4 | 1 | – | – | 1 | – | – | 15 | – | – | 2 | – |
| 24 | – | – | – | – | – | – | 1 | 7 | – | – | – | – | – | – | 14 | – | – | – | – |
| 25 | 1 | – | – | – | – | – | – | 4 | 1 | – | – | 1 | 1 | – | 12 | – | – | – | 1 |
| 26 | – | – | – | – | – | – | – | 12 | – | – | 1 | 1 | – | – | 32 | – | – | 3 | – |
| 27 | – | – | – | – | – | – | – | 5 | – | – | – | – | – | 1 | 17 | – | – | – | – |
| 28 | – | – | – | – | – | – | – | 5 | – | – | – | – | – | – | 12 | – | – | 1 | – |
| 29 | 5 | 3 | 1 | 2 | 4 | 1 | 5 | 63 | 3 | – | 1 | 6 | 2 | 1 | 165 | 2 | 4 | 10 | 7 |
| 30 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 12 | – | – | 1 | – |
| 31 | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | 10 | – | – | 1 | – |
| 32 | – | – | – | – | – | – | – | 7 | – | – | – | – | – | – | 8 | – | – | 2 | 1 |
| 33 | – | – | – | 1 | 3 | – | 2 | 48 | 2 | – | 1 | 4 | – | 2 | 67 | – | – | 14 | 3 |
| 34 | – | – | – | – | – | – | – | 5 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| (35) | 2 | – | – | – | 5 | – | 5 | 27 | 3 | 3 | 2 | 7 | 1 | 4 | 146 | 2 | – | 2 | 2 |
| (35) | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | 4 | – | – | 1 | – |
| (35) | – | – | – | – | 2 | – | 3 | 1 | – | – | 1 | 2 | – | – | 3 | – | – | – | – |
| (35) | – | – | – | – | 1 | – | – | 7 | 1 | 2 | – | – | 1 | 1 | 50 | 1 | – | – | 2 |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – | – | – |
| (35) | 1 | – | – | – | – | – | 2 | 9 | – | – | – | 3 | – | 3 | 46 | – | – | – | – |
| (35) | 1 | – | – | – | 2 | – | – | 8 | 2 | 1 | 1 | 1 | – | – | 39 | 1 | – | 1 | – |
| 36 | – | – | 1 | – | – | – | 1 | 6 | 1 | – | – | 2 | – | – | 20 | – | – | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – |
| (37) | 1 | – | – | – | 2 | – | 3 | 67 | 2 | – | – | 6 | – | 3 | 200 | 1 | 2 | 8 | 3 |
| 38 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

[1] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15<br>Cause of Death.[1] | Deaths from<br>Stow. | Sturbridge. | Sudbury. | Sunderland. | Sutton. | Swampscott. | Swansea. | Taunton. | Templeton. | Tewksbury. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **12** | **25** | **13** | **6** | **17** | **78** | **33** | **597** | **37** | **25** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | 2 | – | – |
| 7 | Whooping cough (9) | – | – | – | – | 1 | – | – | 5 | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | – | – | – | 2 | – | – |
| 9 | Influenza (11) | – | – | – | – | – | – | – | 2 | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | 2 | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | – | – | – | – | – | 1 | – | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | 1 | – | 3 | – | – |
| 13 | Tuberculosis of the lungs (31) | – | – | – | – | 1 | 4 | – | 25 | 1 | – |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | – | – | 4 | – | – |
| 15 | Other forms of tuberculosis (33–37) | – | – | – | – | – | – | – | 3 | – | 1 |
| 16 | Cancer (43–49) | 2 | 1 | 1 | – | 3 | 11 | 5 | 47 | 4 | 2 |
| (37) | Rheumatism (51, 52) | – | – | – | – | – | – | – | 1 | – | – |
| (37) | Diabetes (57) | – | 1 | – | – | – | – | 1 | 12 | – | – |
| (37) | Alcoholism (66) | – | 1 | – | – | – | – | – | 4 | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | – | 2 | 2 | 1 | 1 | 6 | 4 | 51 | 5 | 3 |
| (37) | Acute endocarditis (88) | – | – | – | – | – | – | – | 1 | – | – |
| (37) | Angina pectoris (89) | – | – | – | 1 | – | 2 | 3 | 5 | – | – |
| 19 | Other diseases of the heart (90) | 4 | 7 | 2 | 1 | 1 | 22 | 4 | 156 | 5 | 9 |
| (37) | Diseases of the arteries (91) | 1 | – | – | – | – | 4 | 1 | 20 | 6 | 1 |
| 20, 21 | Bronchitis (99) | – | – | – | 1 | – | – | 1 | 4 | 2 | – |
| (23) | Bronchopneumonia (100) | 1 | 1 | – | 1 | 1 | 4 | – | 33 | 1 | 1 |
| 22 | Pneumonia (101) | – | 2 | 1 | – | 1 | 5 | 4 | 21 | 4 | 1 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | – | – | – | – | – | – | 1 | – | – |
| 24 | Diseases of the stomach (111, 112) | – | – | – | – | – | 2 | – | 7 | 1 | 2 |
| 25 | Diarrhea and enteritis (under 2 years) (113) | – | – | – | – | – | – | – | 8 | 1 | 2 |
| 26 | Appendicitis (117) | – | – | – | – | – | 1 | – | 4 | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | – | – | – | – | 1 | – | 6 | – | – |
| 28 | Cirrhosis of the liver (122) | – | 1 | – | – | 1 | 1 | – | 8 | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 1 | 3 | 4 | 1 | – | 5 | 1 | 40 | 2 | 2 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | 1 | – | – | – | – | – | 1 | – | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | – | – | 1 | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | – | – | – | – | 1 | – | 2 | 1 | – |
| 33 | Congenital debility and malformations (159–161a) | 1 | 3 | 1 | – | 1 | 1 | 1 | 15 | 1 | – |
| 34 | Senility (164) | – | – | – | – | – | – | – | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | – | 2 | – | – | 1 | 1 | 3 | 31 | 1 | – |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | 1 | 1 | – | – |
| (35) | *Accidental drowning (182)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Traumatism by fall (185)* | – | – | – | – | – | 1 | – | 7 | – | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | 6 | – | – |
| (35) | *Automobile accidents and injuries (188c)* | – | 2 | – | – | – | – | – | 8 | – | – |
| (35) | *All others* | – | – | – | – | 1 | – | 2 | 9 | 1 | – |
| 36 | Suicide (165–174) | – | – | – | – | 1 | 3 | – | 5 | – | – |
| (35) | Homicide (197–200) | 2 | – | – | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | – | – | 1 | – | 4 | 3 | 5 | 64 | 2 | 1 |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | 1 | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | State Infirmary. | Tisbury. | Tolland. | Topsfield. | Townsend. | Truro. | Tyngsborough. | Tyringham. | Upton. | Uxbridge. | Wakefield. | Wales. | Walpole. | WALTHAM. | Ware. | Wareham. | Warren. | Warwick. | Washington. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 565 | 15 | 1 | 16 | 25 | 9 | 16 | 4 | 18 | 50 | 134 | 6 | 48 | 407 | 95 | 65 | 38 | 5 | 5 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 4 | – | 1 | – | – | – |
| 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| 7 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 8 | – | – | – | – | – |
| 8 | – | – | – | – | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| 9 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 7 | 1 | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 13 | 121 | 3 | – | – | – | – | – | – | 1 | – | – | – | 2 | 19 | 3 | 1 | – | – | – |
| 14 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| 15 | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| 16 | 51 | 1 | – | 4 | – | – | 2 | – | 1 | 3 | 18 | 1 | 6 | 55 | 11 | 6 | 2 | – | 1 |
| (37) | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 3 | 1 | – | – | – | – |
| (37) | 8 | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | 5 | 2 | 3 | 1 | – | – |
| (37) | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – |
| 18 | 21 | 2 | – | 1 | 1 | 3 | 2 | – | 3 | 10 | 20 | – | 8 | 39 | 10 | 9 | 3 | – | 1 |
| (37) | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 2 | – | – | – | – | – |
| (37) | 2 | – | – | 2 | 2 | 1 | – | – | – | 1 | 4 | – | 2 | 7 | 1 | 1 | – | – | – |
| 19 | 92 | 3 | 1 | 2 | 11 | 1 | 2 | 2 | 1 | 8 | 24 | 1 | 13 | 77 | 17 | 15 | 14 | 1 | 1 |
| (37) | 128 | – | – | – | 2 | 1 | 1 | – | 2 | 2 | 16 | – | 1 | 10 | – | 4 | 1 | – | 1 |
| 20, 21 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| (23) | 15 | 1 | – | 1 | 2 | – | – | – | 1 | 1 | 6 | – | – | 12 | 2 | 2 | – | 1 | – |
| 22 | 17 | – | – | – | – | – | 1 | – | 1 | – | 4 | – | – | 21 | 2 | 1 | 1 | 2 | – |
| (23) | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | 2 | – | – |
| 24 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | 7 | – | – | – | – | – |
| 25 | 14 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 3 | 1 | 1 | – | – | – |
| 26 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 11 | 2 | – | – | – | – |
| 27 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – | – | – | – |
| 28 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 29 | 4 | 2 | – | 3 | – | – | 3 | 1 | 1 | 7 | 9 | 2 | 2 | 13 | 6 | 3 | 3 | 1 | 1 |
| 30 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – |
| 31 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 32 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 6 | 1 | – | – | – | – |
| 33 | 10 | – | – | – | 1 | – | – | – | – | 1 | 5 | – | 2 | 22 | 8 | 1 | 3 | – | – |
| 34 | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – |
| (35) | 7 | – | – | 1 | 1 | 1 | 1 | – | 1 | 4 | 5 | 1 | 5 | 22 | 14 | 6 | 2 | – | – |
| (35) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – |
| (35) | 1 | – | – | – | – | – | 1 | – | – | 2 | 2 | – | 1 | 1 | 1 | 3 | – | – | – |
| (35) | 2 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | 12 | 1 | 2 | – | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (35) | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | 7 | 3 | 1 | 1 | – | – |
| (35) | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | 2 | 7 | – | 1 | – | – |
| 36 | 2 | 1 | – | – | 1 | – | – | 1 | – | 4 | 1 | – | – | 5 | – | 1 | 1 | – | – |
| (35) | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| (37) | 53 | – | – | 1 | 1 | 2 | 2 | – | 3 | 1 | 6 | – | 2 | 36 | 9 | 8 | 4 | – | – |
| 38 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |

[a] Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Watertown. | Wayland. | Webster. | Wellesley. | Wellfleet. | Wendell. | Wenham. | West Boylston. | West Bridgewater. | West Brookfield. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **189** | **35** | **128** | **65** | **23** | – | **13** | **21** | **29** | **13** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | 1 | – | – | – | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | – | – | – | – | – | – | 1 |
| 7 | Whooping cough (9) | 3 | – | – | – | – | – | – | – | – | – |
| 8 | Diphtheria and croup (10) | 1 | – | – | – | – | – | – | – | – | – |
| 9 | Influenza (11) | 2 | – | 1 | 1 | – | – | – | – | – | – |
| (12) | Erysipelas (21) | – | – | – | – | – | – | – | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | 1 | – | – | – | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | – | – | 1 | – | – | – | – | – | – | – |
| 17 | Meningitis (24, 71) | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the lungs (31) | 9 | – | 4 | 1 | – | – | 1 | – | 1 | – |
| 14 | Tuberculous meningitis (32) | – | – | – | – | – | – | – | – | 1 | – |
| 15 | Other forms of tuberculosis (33–37) | 1 | – | – | – | – | – | – | 1 | – | – |
| 16 | Cancer (43–49) | 24 | 5 | 26 | 8 | 5 | – | 4 | 3 | 3 | 1 |
| (37) | Rheumatism (51, 52) | – | – | 2 | – | – | – | – | – | 1 | – |
| (37) | Diabetes (57) | 8 | 2 | 5 | 2 | 1 | – | 2 | – | – | – |
| (37) | Alcoholism (66) | 1 | – | 2 | – | – | – | – | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 18 | 7 | 16 | 7 | 5 | – | 2 | 3 | 1 | 4 |
| (37) | Acute endocarditis (88) | 1 | – | 1 | – | – | – | – | – | – | – |
| (37) | Angina pectoris (89) | 2 | 1 | 7 | 4 | – | – | – | – | – | 1 |
| 19 | Other diseases of the heart (90) | 48 | 6 | 15 | 14 | 1 | – | 2 | 9 | 10 | 3 |
| (37) | Diseases of the arteries (91) | 5 | 1 | 1 | 1 | 2 | – | – | – | 1 | 1 |
| 20, 21 | Bronchitis (99) | 1 | – | – | 2 | – | – | – | – | – | – |
| (23) | Bronchopneumonia (100) | 9 | – | 4 | 3 | 1 | – | – | – | 1 | – |
| 22 | Pneumonia (101) | 9 | – | 3 | 1 | – | – | 1 | 1 | 1 | – |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | – | – | 1 | – | – | – | – | – | 1 | – |
| 24 | Diseases of the stomach (111, 112) | 1 | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | 1 | – | 2 | – | – | – | – | – | – | – |
| 26 | Appendicitis (117) | – | – | 2 | – | 1 | – | – | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | – | – | – | – | – | – | – | – | – |
| 28 | Cirrhosis of the liver (122) | 2 | – | 1 | – | – | – | – | – | 1 | – |
| 29 | Nephritis and Bright's disease (128, 129) | 16 | – | 12 | 3 | 5 | – | – | – | 3 | 1 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | – | 1 | – | – | – | – | – | – | – |
| 31 | Puerperal fever (146) | – | – | – | – | – | – | – | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | 1 | – | – | – | – | – | – | – | – | – |
| 33 | Congenital debility and malformations (159–161a) | 7 | 5 | 3 | 1 | – | – | – | 2 | – | – |
| 34 | Senility (164) | 1 | – | 2 | – | – | – | – | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 7 | 5 | 5 | 6 | – | – | – | 1 | 2 | – |
| (35) | *Burns (conflagration excepted) (179)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Accidental drowning (182)* | 1 | 3 | 1 | – | – | – | – | – | 1 | – |
| (35) | *Traumatism by fall (185)* | 2 | – | – | 2 | – | – | – | 1 | 1 | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | – | – | – | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | 3 | 2 | 3 | 1 | – | – | – | – | – | – |
| (35) | *All others* | 1 | – | 1 | 3 | – | – | – | – | – | – |
| 36 | Suicide (165–174) | 2 | 1 | 2 | – | – | – | 1 | – | – | 1 |
| (35) | Homicide (197–200) | – | – | 1 | – | – | – | – | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 9 | 2 | 8 | 9 | 2 | – | – | 1 | 2 | – |
| 38 | Ill-defined or unknown causes (204, 205) | – | – | – | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1930.

| Abridged Int. List No. | West Newbury. | West Springfield. | West Stockbridge. | West Tisbury. | Westborough. | WESTFIELD. | Westford. | Westhampton. | Westminster. | Weston. | Westport. | Westwood. | Weymouth. | Whately. | Whitman. | Wilbraham. | Williamsburg. | Williamstown. | Wilmington. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 15 | 99 | 11 | 3 | 190 | 247 | 22 | 3 | 17 | 13 | 36 | 12 | 220 | 7 | 59 | 16 | 21 | 42 | 32 |
| 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 9 | – | 2 | – | – | – | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| (12) | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (12) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | – | 2 | – | – | 7 | 14 | 1 | – | – | – | 1 | – | 10 | – | 3 | 1 | – | – | 2 |
| 14 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| 16 | 2 | 7 | 2 | – | 13 | 24 | – | – | 1 | 1 | 5 | – | 27 | – | 8 | – | 5 | 4 | 7 |
| (37) | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| (37) | – | 2 | – | – | 4 | 2 | 3 | – | 1 | 1 | – | – | 4 | – | – | 1 | – | 1 | 1 |
| (37) | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| 18 | – | 12 | – | – | 13 | 21 | – | 1 | 3 | 2 | 3 | 4 | 22 | – | 12 | 3 | 3 | 4 | 4 |
| (37) | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – |
| (37) | – | 6 | – | – | – | 4 | 1 | – | 1 | 1 | 2 | – | 5 | – | 2 | 1 | – | 1 | 1 |
| 19 | 7 | 15 | 5 | 2 | 61 | 37 | 5 | 1 | 2 | 3 | 9 | 3 | 55 | 5 | 16 | 4 | 4 | 11 | 8 |
| (37) | 1 | 3 | 2 | – | 28 | 2 | 1 | 1 | 1 | – | – | – | 2 | – | 2 | – | 1 | 2 | – |
| 20, 21 | – | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| (23) | – | 7 | – | – | 6 | 4 | 1 | – | 1 | 1 | 2 | – | 3 | – | – | 1 | 1 | 1 | 1 |
| 22 | 1 | 9 | – | – | 6 | 16 | – | – | – | – | 2 | – | 8 | 1 | 2 | – | – | 1 | – |
| (23) | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| 24 | – | – | – | – | – | 3 | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – |
| 25 | – | – | – | – | – | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 26 | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 27 | – | – | – | 1 | 1 | 2 | – | – | 1 | – | 1 | – | 6 | – | – | – | – | 1 | 1 |
| 28 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 29 | 4 | 9 | 1 | – | 11 | 40 | 1 | – | 2 | 2 | 1 | – | 22 | 1 | 5 | 1 | 2 | 3 | 1 |
| 30 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| 31 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 32 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 33 | – | 5 | – | – | 2 | 8 | 2 | – | – | – | 1 | – | 10 | – | 1 | – | – | – | – |
| 34 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| (35) | – | 7 | – | – | 12 | 19 | – | – | 1 | – | 1 | 1 | 16 | – | 1 | 1 | 2 | 5 | 3 |
| (35) | – | – | – | – | – | 2 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| (35) | – | 3 | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | 1 |
| (35) | – | 1 | – | – | 7 | 5 | – | – | – | – | – | – | 2 | – | 1 | – | – | 2 | – |
| (35) | – | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| (35) | – | – | – | – | – | 3 | – | – | 1 | – | – | 1 | 5 | – | – | – | 1 | 1 | 1 |
| (35) | – | 1 | – | – | 4 | 8 | – | – | – | – | – | – | 4 | – | – | – | 1 | 2 | 1 |
| 36 | – | 3 | – | – | 5 | 2 | – | – | 2 | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 2 | – |
| (35) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| (37) | – | 8 | 1 | – | 17 | 23 | 5 | – | – | 1 | 5 | 2 | 16 | – | 3 | 1 | – | 2 | 1 |
| 38 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* Exclusive of stillbirths.

| Abridged Int. List No. | Table 15 — Cause of Death.[1] | Deaths from Important Causes in Each Municipality: 1930. Winchendon. | Winchester. | Windsor. | Winthrop. | Woburn. | Worcester. | Worthington. | Wrentham. | Yarmouth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.**[2] | **94** | **137** | **4** | **154** | **172** | **2,501** | **1** | **55** | **28** |
| 1 | Typhoid fever (1) | – | – | – | – | – | – | – | – | – |
| 3 | Malaria (5) | – | – | – | – | – | – | – | – | – |
| 4 | Smallpox (6) | – | – | – | – | – | – | – | – | – |
| 5 | Measles (7) | – | – | – | – | 1 | 8 | – | – | – |
| 6 | Scarlet fever (8) | – | – | – | 1 | – | 9 | – | – | – |
| 7 | Whooping cough (9) | 1 | – | – | – | 2 | 5 | – | – | – |
| 8 | Diphtheria and croup (10) | – | – | – | – | 1 | 9 | – | 3 | – |
| 9 | Influenza (11) | – | 1 | – | 1 | 5 | 10 | – | – | 1 |
| (12) | Erysipelas (21) | – | – | – | – | – | 11 | – | – | – |
| (12) | Poliomyelitis (22) | – | – | – | – | 1 | 1 | – | – | – |
| (12) | Other epidemic diseases (2–4, 12–20, 23, 25, 42) | 1 | 1 | – | – | – | 12 | – | 1 | – |
| 17 | Meningitis (24, 71) | 1 | – | – | – | – | 13 | – | – | – |
| 13 | Tuberculosis of the lungs (31) | – | 4 | – | 2 | 6 | 99 | – | 7 | – |
| 14 | Tuberculous meningitis (32) | 2 | 1 | – | – | – | 5 | – | – | – |
| 15 | Other forms of tuberculosis (33–37) | 1 | – | – | 1 | – | 14 | – | – | – |
| 16 | Cancer (43–49) | 10 | 16 | 1 | 17 | 12 | 272 | 1 | 5 | 3 |
| (37) | Rheumatism (51, 52) | – | – | – | – | 1 | 3 | – | – | – |
| (37) | Diabetes (57) | 4 | 3 | – | 1 | 7 | 58 | – | 2 | – |
| (37) | Alcoholism (66) | 1 | – | – | – | – | 4 | – | – | – |
| 18 | Cerebral hemorrhage and softening (74, 83) | 10 | 14 | 2 | 11 | 12 | 169 | – | 4 | 7 |
| (37) | Acute endocarditis (88) | – | – | – | 1 | 2 | 14 | – | – | 2 |
| (37) | Angina pectoris (89) | 1 | 5 | – | 9 | 7 | 25 | – | 1 | – |
| 19 | Other diseases of the heart (90) | 5 | 24 | 1 | 35 | 27 | 500 | – | 6 | 8 |
| (37) | Diseases of the arteries (91) | 3 | 2 | – | 3 | 7 | 72 | – | 3 | – |
| 20, 21 | Bronchitis (99) | – | – | – | 3 | 1 | 11 | – | 1 | – |
| (23) | Bronchopneumonia (100) | 9 | 3 | – | 3 | 5 | 143 | – | 3 | – |
| 22 | Pneumonia (101) | 3 | 4 | – | 6 | 6 | 87 | – | 7 | 1 |
| (23) | Other respiratory diseases (60, 61, 97, 98, 102–107) | 1 | 2 | – | 2 | 3 | 19 | – | – | – |
| 24 | Diseases of the stomach (111, 112) | 3 | 1 | – | 1 | – | 25 | – | – | – |
| 25 | Diarrhea and enteritis (under 2 years) (113) | 1 | – | – | – | 1 | 13 | – | – | – |
| 26 | Appendicitis (117) | 3 | 2 | – | 4 | 3 | 33 | – | – | – |
| 27 | Hernia, intestinal obstruction (118) | – | 3 | – | 1 | 1 | 22 | – | – | – |
| 28 | Cirrhosis of the liver (122) | – | – | – | – | – | 10 | – | – | – |
| 29 | Nephritis and Bright's disease (128, 129) | 10 | 9 | – | 23 | 17 | 239 | – | 2 | 2 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | – | 1 | – | – | 1 | 16 | – | – | – |
| 31 | Puerperal fever (146) | – | – | – | 1 | – | 11 | – | – | – |
| 32 | Other puerperal affections (143–145, 147–150) | – | 1 | – | – | 1 | 19 | – | – | – |
| 33 | Congenital debility and malformations (159–161a) | 3 | 8 | – | 10 | 9 | 82 | – | 2 | 1 |
| 34 | Senility (164) | – | – | – | – | – | 1 | – | – | – |
| (35) | Violent deaths (excluding suicide and homicide) (175–196, 201–203) | 9 | 15 | – | 4 | 12 | 189 | – | 3 | 2 |
| (35) | *Burns (conflagration excepted) (179)* | 3 | 1 | – | – | 1 | 13 | – | – | – |
| (35) | *Accidental drowning (182)* | – | 2 | – | – | – | 5 | – | 2 | 1 |
| (35) | *Traumatism by fall (185)* | 3 | – | – | 1 | 4 | 64 | – | – | – |
| (35) | *Railroad accidents and injuries (188a)* | – | – | – | – | 1 | 6 | – | – | – |
| (35) | *Automobile accidents and injuries (188c)* | 3 | 9 | – | 1 | 1 | 56 | – | – | – |
| (35) | *All others* | – | 3 | – | 2 | 5 | 45 | – | 1 | 1 |
| 36 | Suicide (165–174) | 1 | – | – | 1 | 4 | 25 | – | – | – |
| (35) | Homicide (197–200) | – | 1 | – | – | – | 6 | – | – | – |
| (37) | All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163) | 11 | 15 | – | 13 | 17 | 237 | – | 5 | 1 |
| 38 | Ill-defined or unknown causes (204, 205) | – | 1 | – | – | – | – | – | – | – |

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 16

| Years. | Deaths from Important Causes: 1906 to 1930. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Typhoid fever.* 1 | Smallpox.* 6 | Measles.* 7 | Scarlet fever.* 8 | Diphtheria.* 10 | Tuberculosis of the respiratory system.* 31 | Cancer. 43-49 | Alcoholism. 66 | Nephritis, Bright's disease, etc. 128,129, 131 |
| 1906 . . | 50,624 | 477 | – | 208 | 135 | 743 | 4,608 | 2,603 | 161 | 2,593 |
| 1907 . . | 54,234 | 389 | 6 | 163 | 285 | 752 | 4,771 | 2,744 | 218 | 2,833 |
| 1908 . . | 51,788 | 517 | 3 | 331 | 369 | 747 | 4,445 | 2,814 | 114 | 2,631 |
| 1909 . . | 51,236 | 390 | 1 | 157 | 259 | 594 | 4,393 | 2,871 | 174 | 2,905 |
| 1910 . . | 54,407 | 411 | – | 240 | 254 | 679 | 4,503 | 3,028 | 224 | 3,061 |
| 1911 . . | 53,062 | 302 | 2 | 158 | 184 | 563 | 4,418 | 3,199 | 210 | 3,567 |
| 1912 . . | 52,400 | 269 | 1 | 286 | 118 | 473 | 4,212 | 3,282 | 197 | 2,980 |
| 1913 . . | 53,402 | 280 | – | 315 | 293 | 628 | 4,180 | 3,526 | 336 | 3,356 |
| 1914 . . | 52,978 | 268 | – | 149 | 246 | 652 | 4,171 | 3,586 | 299 | 3,420 |
| 1915 . . | 53,131 | 246 | 9 | 149 | 182 | 720 | 4,194 | 3,708 | 186 | 3,530 |
| 1916 . . | 56,366 | 172 | – | 392 | 127 | 629 | 4,467 | 3,990 | 212 | 3,593 |
| 1917 . . | 56,628 | 178 | 10 | 371 | 120 | 838 | 4,559 | 4,057 | 210 | 3,591 |
| 1918 . . | 78,842 | 160 | – | 532 | 78 | 608 | 5,078 | 4,098 | 111 | 4,008 |
| 1919 . . | 52,345 | 107 | 2 | 183 | 122 | 593 | 4,145 | 4,112 | 68 | 3,743 |
| 1920 . . | 53,632 | 95 | 2 | 352 | 214 | 591 | 3,645 | 4,494 | 59 | 3,644 |
| 1921 . . | 47,780 | 119 | – | 179 | 191 | 607 | 3,272 | 4,645 | 97 | 3,250 |
| 1922 . . | 51,115 | 86 | – | 218 | 149 | 606 | 3,167 | 4,650 | 238 | 3,268 |
| 1923 . . | 52,380 | 70 | – | 321 | 155 | 579 | 3,062 | 4,775 | 283 | 3,466 |
| 1924 . . | 49,466 | 68 | 2 | 165 | 158 | 534 | 2,953 | 5,074 | 287 | 3,345 |
| 1925 . . | 51,890 | 73 | – | 337 | 117 | 333 | 2,883 | 5,196 | 300 | 3,153 |
| 1926 . . | 52,888 | 61 | – | 367 | 117 | 249 | 2,961 | 5,341 | 285 | 4,005 |
| 1927 . . | 49,324 | 44 | – | 87 | 144 | 268 | 2,774 | 5,454 | 260 | 3,763 |
| 1928 . . | 51 442 | 36 | – | 265 | 90 | 249 | 2,690 | 5,611 | 258 | 3,758 |
| 1929 . . | 52,171 | 42 [1] | 1 | 121 | 71 | 256 | 2,[illegible]61 | 5,672 | 281 | 3,565 |
| 1930 . . | 49,503 | 38 [1] | – | 137 | 98 | 182 | 2,423 | 5,813 | 214 | 3,715 |

[1] Includes 1 case of paratyphoid fever.

| Abridged Int. List No. | Table 17 — Cause of Death.[1] | Number of Deaths.[2] 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. |
|---|---|---|---|---|---|---|---|---|
| | **All Causes.[2]** | **49,503** | **52,171** | **51,442** | **49,324** | **52,888** | **51,890** | **49,466** |
| I. | Epidemic, endemic and infectious diseases | 4,163 | 5,244 | 5,056 | 4,865 | 5,956 | 5,728 | 5,431 |
| II. | General diseases not included above | 7,893 | 7,835 | 7,648 | 7,475 | 7,450 | 7,447 | 7,135 |
| III. | Diseases of the nervous system and of the organs of special sense | 5,211 | 5,451 | 5,513 | 5,287 | 5,510 | 6,367 | 6,147 |
| IV. | Diseases of the circulatory system | 13,610 | 13,972 | 13,544 | 12,385 | 13,023 | 11,778 | 10,844 |
| V. | Diseases of the respiratory system | 4,511 | 5,502 | 5,152 | 4,663 | 5,820 | 5,898 | 4,971 |
| VI. | Diseases of the digestive system | 3,053 | 2,993 | 3,053 | 3,080 | 3,189 | 3,126 | 3,255 |
| VII. | Nonvenereal diseases of the genito-urinary system and annexa | 4,283 | 4,137 | 4,343 | 4,341 | 4,525 | 3,694 | 3,809 |
| VIII. | The puerperal state* | 437 | 453 | 456 | 486 | 501 | 501 | 544 |
| IX. | Diseases of the skin and of the cellular tissue | 97 | 144 | 137 | 112 | 140 | 135 | 136 |
| X. | Diseases of the bones and of the organs of locomotion | 49 | 51 | 54 | 66 | 59 | 86 | 68 |
| XI. | Malformations* | 621 | 578 | 614 | 643 | 705 | 710 | 679 |
| XII. | Early infancy | 1,938 | 2,056 | 2,126 | 2,364 | 2,452 | 2,596 | 2,717 |
| XIII. | Old age | 68 | 101 | 98 | 99 | 121 | 132 | 133 |
| XIV. | External causes | 3,499 | 3,584 | 3,567 | 3,371 | 3,343 | 3,573 | 3,474 |
| XV. | Ill-defined diseases | 70 | 70 | 81 | 87 | 94 | 119 | 123 |
| 1 | Typhoid fever (1)* | 38 | 42 | 36 | 44 | 61 | 73 | 68 |
| 2 | Typhus fever (2)* | – | – | – | – | – | – | – |
| 3 | Malaria (5) | 3 | 3 | 6 | 1 | 1 | 6 | 2 |
| 4 | Smallpox (6)* | – | 1 | – | – | – | – | 2 |
| 5 | Measles (7)* | 137 | 121 | 265 | 87 | 367 | 337 | 165 |
| 6 | Scarlet fever (8)* | 98 | 71 | 90 | 144 | 117 | 117 | 158 |
| 7 | Whooping cough (9)* | 182 | 137 | 208 | 149 | 391 | 269 | 147 |
| 8 | Diphtheria and croup (10)* | 182 | 256 | 249 | 268 | 249 | 333 | 534 |
| 9 | Influenza (11) | 270 | 1,185 | 520 | 326 | 718 | 519 | 277 |
| 10 | Asiatic cholera (14)* | – | – | – | – | – | – | – |
| 11 | Cholera nostras (15) | – | – | 2 | 1 | 1 | 3 | 2 |
| 12 | Other epidemic diseases (3, 4, 12, 13, 16–23, 25, 42) | 236 | 221 | 276 | 393 | 259 | 315 | 245 |
| 13 | Tuberculosis of the respiratory system (31) | 2,423 | 2,561 | 2,690 | 2,774 | 2,961 | 2,883 | 2,953 |
| 14 | Tuberculous meningitis (32) | 108 | 122 | 187 | 178 | 237 | 249 | 249 |
| 15 | Other forms of tuberculosis (33–37) | 203 | 239 | 246 | 251 | 318 | 327 | 328 |
| 16 | Cancer and other malignant tumors (43–49) | 5,813 | 5,672 | 5,611 | 5,454 | 5,341 | 5,196 | 5,074 |
| 17 | Meningitis (24, 71) | 173 | 193 | 155 | 155 | 186 | 197 | 209 |
| 18 | Cerebral hemorrhage and softening (74, 83) | 4,131 | 4,172 | 4,257 | 3,999 | 4,141 | 4,911 | 4,733 |
| 19 | Other diseases of the heart (90)* | 10,012 | 10,218 | 9,881 | 9,135 | 9,705 | 8,607 | 7,597 |
| 20 | Acute bronchitis (99*a*) | 75 | 120 | 111 | 107 | 153 | 151 | 169 |
| 21 | Chronic bronchitis (99*b*)* | 76 | 76 | 69 | 77 | 101 | 114 | 109 |
| 22 | Pneumonia (101) | 1,883 | 2,202 | 2,163 | 1,969 | 2,409 | 2,364 | 1,944 |
| 23 | Other diseases of the respiratory system (tuberculosis excepted) (60, 61, 97, 98, 99*c*, 99*d*, 100, 102–107) | 2,555 | 3,181 | 2,881 | 2,572 | 3,218 | 3,319 | 2,805 |
| 24 | Diseases of the stomach (cancer excepted) (111, 112) | 417 | 384 | 365 | 386 | 375 | 382 | 371 |
| 25 | Diarrhea and enteritis (under 2 years) (113)* | 410 | 394 | 520 | 582 | 757 | 684 | 772 |
| 26 | Appendicitis and typhlitis (117) | 606 | 620 | 559 | 570 | 521 | 535 | 565 |
| 27 | Hernia, intestinal obstruction (118) | 412 | 366 | 376 | 400 | 416 | 429 | 422 |
| 28 | Cirrhosis of the liver (122)* | 282 | 251 | 272 | 218 | 220 | 207 | 177 |
| 29 | Acute nephritis and Bright's disease (128, 129) | 3,617 | 3,460 | 3,650 | 3,647 | 3,867 | 3,032 | 3,227 |
| 30 | Noncancerous tumors and other diseases of the female genital organs (137–141) | 231 | 219 | 200 | 208 | 187 | 205 | 191 |
| 31 | Puerperal septicemia (puerperal fever, peritonitis) (146)* | 141 | 147 | 123 | 141 | 150 | 140 | 161 |
| 32 | Other puerperal accidents of pregnancy and labor (143–145, 147–150)* | 296 | 306 | 333 | 345 | 351 | 361 | 383 |
| 33 | Congenital debility and malformations (159–161*a*) | 1,929 | 2,049 | 2,123 | 2,305 | 2,473 | 2,470 | 2,492 |
| 34 | Senility (164) | 68 | 101 | 98 | 99 | 121 | 132 | 133 |
| 35 | Violent deaths (suicide excepted) (175–203) | 2,954 | 3,044 | 3,017 | 2,905 | 2,870 | 3,114 | 2,988 |
| 36 | Suicide (165–174)* | 547 | 540 | 550 | 466 | 473 | 459 | 486 |
| 37 | Other diseases (26–30, 38–41, 50–59, 62–70, 72, 73, 75–82, 84–89, 91–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*–163) | 8,926 | 9,427 | 9,272 | 8,881 | 9,079 | 9,331 | 9,205 |
| 38 | Unknown or ill-defined diseases (204, 205) | 69 | 70 | 81 | 87 | 94 | 119 | 123 |

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

| Abridged Int. List No. | Death Rates[3] per 100,000 Population. | | | | | | | Per Cent Distribution. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. | 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. |
| | 1,164.9 | 1,191.0 | 1,189.4 | 1,155.3 | 1,255.1 | 1,252.1 | 1,235.7 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| I. | 98.0 | 119.7 | 116.9 | 114.0 | 141.3 | 138.2 | 135.7 | 8.4 | 10.1 | 9.8 | 9.9 | 11.3 | 11.0 | 11.0 |
| II. | 185.7 | 178.9 | 176.8 | 175.1 | 176.8 | 179.7 | 178.2 | 15.9 | 15.0 | 14.9 | 15.2 | 14.1 | 14.4 | 14.4 |
| III. | 122.6 | 124.4 | 127.5 | 123.8 | 130.8 | 153.6 | 153.5 | 10.5 | 10.5 | 10.7 | 10.7 | 10.4 | 12.3 | 12 4 |
| IV. | 320.3 | 319.0 | 313.2 | 290.1 | 309.1 | 284.2 | 270.9 | 27.5 | 26.8 | 26.3 | 25.1 | 24.6 | 22.7 | 21.9 |
| V. | 106.2 | 125.6 | 119.1 | 109.2 | 138.1 | 142.3 | 124.2 | 9.1 | 10.5 | 10.0 | 9.5 | 11.0 | 11.4 | 10.0 |
| VI. | 71.9 | 68.3 | 70.6 | 72.1 | 75.7 | 75.4 | 81.3 | 6.2 | 5.7 | 6.0 | 6.2 | 6.0 | 6.0 | 6.6 |
| VII. | 100.8 | 94.4 | 100.4 | 101.7 | 107.4 | 89.1 | 95.1 | 8.7 | 7.9 | 8.4 | 8.8 | 8.6 | 7.0 | 7.7 |
| VIII. | 10.3 | 10.3 | 10.5 | 11.4 | 11.9 | 12.1 | 13.6 | .9 | .9 | .9 | 1.0 | 1.0 | 1.0 | 1.1 |
| IX. | 2.3 | 3.3 | 3.2 | 2.6 | 3.3 | 3.3 | 3.4 | .2 | .3 | .3 | .2 | .3 | .3 | .3 |
| X. | 1.1 | 1.2 | 1.2 | 1.5 | 1.4 | 2.1 | 1.7 | .1 | .1 | .1 | .1 | .1 | .2 | .1 |
| XI. | 14.6 | 13.2 | 14.2 | 15.1 | 16.7 | 17.1 | 17.0 | 1.3 | 1.1 | 1.2 | 1.3 | 1.3 | 1.4 | 1.4 |
| XII. | 45.6 | 47.0 | 49.2 | 55.4 | 58.2 | 62.7 | 67.9 | 3.9 | 3.9 | 4.1 | 4.8 | 4.6 | 4.9 | 5.5 |
| XIII. | 1.6 | 2.3 | 2.3 | 2.3 | 2.9 | 3.2 | 3.3 | .1 | .2 | .2 | .2 | .2 | .3 | .3 |
| XIV. | 82.3 | 81.8 | 82.5 | 79.0 | 79.3 | 86.2 | 86.8 | 7.1 | 6.9 | 6.9 | 6.8 | 6.3 | 6.9 | 7.0 |
| XV. | 1.6 | 1.6 | 1.9 | 2.0 | 2.2 | 2.9 | 3.1 | .1 | .1 | .2 | .2 | .2 | .2 | .3 |
| 1 | .9 | 1.0 | .8 | 1.0 | 1.4 | 1.8 | 1.7 | .1 | .1 | .1 | .1 | .1 | .1 | .1 |
| 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 3 | –[3] | –[3] | .1 | –[3] | –[3] | .1 | –[3] | –[4] | –[4] | –[4] | –[4] | –[4] | –[4] | –[4] |
| 4 | – | –[3] | – | – | – | – | –[3] | – | –[4] | – | – | – | – | –[4] |
| 5 | 3.2 | 2.8 | 6.1 | 2.0 | 8.7 | 8.1 | 4.1 | .3 | .2 | .5 | .2 | .7 | .6 | .3 |
| 6 | 2.3 | 1.6 | 2.1 | 3.4 | 2.8 | 2.8 | 4.0 | .2 | .1 | .2 | .3 | .2 | .2 | .3 |
| 7 | 4.3 | 3.1 | 4.8 | 3.5 | 9.3 | 6.5 | 3.7 | .4 | .3 | .4 | .3 | .7 | .5 | .3 |
| 8 | 4.3 | 5.8 | 5.8 | 6.3 | 5.9 | 8.0 | 13.3 | .4 | .5 | .5 | .5 | .5 | .6 | 1.1 |
| 9 | 6.3 | 27.1 | 12.0 | 7.6 | 17.0 | 12.5 | 6.9 | .5 | 2.3 | 1.0 | .7 | 1.4 | 1.0 | .6 |
| 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 11 | – | – | –[3] | –[3] | –[3] | –[3] | –[3] | – | –[4] | –[4] | –[4] | –[4] | –[4] | –[4] |
| 12 | 5.5 | 5.0 | 6.4 | 9.2 | 6.1 | 7.6 | 6.1 | .5 | .4 | .5 | .8 | .5 | .7 | .5 |
| 13 | 57.0 | 58.5 | 62.2 | 65.0 | 70.3 | 69.6 | 73.8 | 4.9 | 4.9 | 5.2 | 5.6 | 5.6 | 5.6 | 6.0 |
| 14 | 2.5 | 2.8 | 4.3 | 4.2 | 5.6 | 6.1 | 6.2 | .2 | .3 | .4 | .4 | .4 | .5 | .5 |
| 15 | 4.8 | 5.5 | 5.7 | 5.9 | 7.5 | 7.9 | 8.2 | .4 | .5 | .5 | .5 | .6 | .6 | .7 |
| 16 | 136.8 | 129.5 | 129.7 | 127.7 | 126.8 | 125.4 | 126.8 | 11.7 | 10.9 | 11.0 | 11.0 | 10.1 | 10.0 | 10.3 |
| 17 | 4.1 | 4.4 | 3.6 | 3.6 | 4.4 | 4.8 | 5.2 | .3 | .4 | .3 | .3 | .3 | .4 | .4 |
| 18 | 97.2 | 95.2 | 98.4 | 93.7 | 98.3 | 118.5 | 118.2 | 8.3 | 8.0 | 8.3 | 8.1 | 7.8 | 9.5 | 9.6 |
| 19 | 235.6 | 233.3 | 228.5 | 214.0 | 230.3 | 207.7 | 189.8 | 20.2 | 19.6 | 19.2 | 18.5 | 18.5 | 16.6 | 15.4 |
| 20 | 1.8 | 2.8 | 2.6 | 2.5 | 3.6 | 3.6 | 4.2 | .4 | .2 | .2 | .2 | .3 | .3 | .3 |
| 21 | 1.8 | 1.7 | 1.6 | 1.8 | 2.4 | 2.8 | 2.7 | .1 | .1 | .1 | .2 | .2 | .2 | .2 |
| 22 | 44.3 | 50.3 | 50.0 | 46.1 | 57.2 | 57.0 | 48.6 | 3.8 | 4.2 | 4.2 | 4.0 | 4.6 | 4.6 | 3.9 |
| 23 | 60.1 | 72.7 | 66.6 | 60.2 | 76.4 | 80.1 | 70.1 | 5.2 | 6.1 | 5.6 | 5.2 | 6.1 | 6.4 | 5.7 |
| 24 | 9.8 | 8.8 | 8.4 | 9.0 | 8.9 | 9.2 | 9.3 | .8 | .7 | .7 | .8 | .7 | .7 | .7 |
| 25 | 9.6 | 9.0 | 12.0 | 13.6 | 18.0 | 16.5 | 19.3 | .8 | .8 | 1.0 | 1.2 | 1.4 | 1.3 | 1.6 |
| 26 | 14.3 | 14.2 | 12.9 | 13.4 | 12.4 | 12.9 | 14.1 | 1.2 | 1.2 | 1.1 | 1.2 | 1.0 | 1.0 | 1.1 |
| 27 | 9.7 | 7.7 | 8.7 | 9.4 | 9.9 | 10.4 | 10.5 | .8 | .7 | .8 | .8 | .8 | .8 | .9 |
| 28 | 6.6 | 5.7 | 6.3 | 5.1 | 5.2 | 5.0 | 4.4 | .6 | .4 | .5 | .4 | .4 | .4 | .4 |
| 29 | 85.1 | 79.0 | 84.4 | 85.4 | 91.8 | 73.2 | 80.6 | 7.3 | 6.6 | 7.1 | 7.4 | 7.3 | 5.8 | 6.5 |
| 30 | 5.4 | 5.0 | 4.6 | 4.9 | 4.4 | 4.9 | 4.8 | .5 | .4 | .4 | .4 | .3 | .4 | .4 |
| 31 | 3.3 | 3.4 | 2.8 | 3.3 | 3.6 | 3.4 | 4.0 | .3 | .2 | .2 | .3 | .3 | .3 | .3 |
| 32 | 7.0 | 7.0 | 7.7 | 8.0 | 8.3 | 8.7 | 9.6 | .6 | .6 | .7 | .7 | .7 | .7 | .8 |
| 33 | 45.4 | 46.8 | 49.1 | 54.0 | 58.7 | 59.6 | 62.3 | 3.9 | 4.0 | 4.1 | 4.7 | 4.7 | 4.8 | 5.0 |
| 34 | 1.7 | 2.3 | 2.3 | 2.3 | 2.9 | 3.2 | 3.3 | .1 | .2 | .2 | .2 | .2 | .3 | .3 |
| 35 | 69.8 | 68.8 | 68.9 | 68.0 | 68.1 | 75.1 | 74.7 | 6.0 | 5.8 | 5.7 | 5.9 | 5.4 | 6.0 | 6.0 |
| 36 | 12.9 | 12.3 | 12.7 | 10.9 | 11.2 | 11.1 | 12.1 | 1.1 | 1.0 | 1.1 | .9 | .9 | .9 | 1.0 |
| 37 | 210.0 | 215.5 | 214.4 | 208.0 | 215.5 | 225.1 | 230.0 | 18.0 | 18.1 | 18.0 | 18.0 | 17.1 | 18.0 | 18.6 |
| 38 | 1.6 | 1.6 | 1.9 | 2.3 | 2.2 | 2.9 | 3.1 | .1 | .2 | .2 | .2 | .2 | .2 | .2 |

[3] Exclusive of stillbirths.
[4] Less than one-tenth of 1 per cent.
[3] Less than one-tenth of 1 per 100,000.

**Table 18**

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1900 TO 1925.

| YEARS. | All causes.[2] | Typhoid fever.* 1 | Smallpox.* 6 | Measles.* 7 | Scarlet fever.* 8 | Diphtheria and croup.* 10 | Tuberculosis of the respiratory system.* 31 | Cancer. 43-49 | Nephritis, Bright's disease, etc. 128, 129, 131 |
|---|---|---|---|---|---|---|---|---|---|
| 1900 . . | 1,721.0 | 21.4 | 2.9 | 8.3 | 10.0 | 37.5 | 181.3 | 71.0 | 81.1 |
| 1905 . . | 1,677.0 | 15.8 | .3 | 6.3 | 7.9 | 24.6 | 155.7 | 83.0 | 88.1 |
| 1910 . . | 1,566.2 | 11.2 | –[3] | 6.9 | 7.0 | 18.1 | 130.0 | 89.9 | 89.6 |
| 1915 . . | 1,475.7 | 6.2 | .1 | 7.5 | 5.2 | 18.8 | 116.8 | 102.2 | 94.7 |
| 1920 . . | 1,472.9 | 2.9 | –[3] | 7.6 | 3.9 | 15.6 | 100.2 | 114.2 | 93.0 |
| 1925 . . | 1,235.2 | 1.5 | –[3] | 6.2 | 4.1 | 11.1 | 70.6 | 124.3 | 85.6 |

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

**Table 19**

DEATHS PRODUCED BY EXTERNAL CAUSES: 1906 TO 1930

| YEARS. | Total. 165–203 | Burns and scalds.* 179 | Other acute poisonings. 177 | Accidental injuries. 183–189 | Accidental drownings.* 182 | Freezing.* 193 | Effects of heat.* 194[2] | Homicide including infanticide.* 197–200 | Suicide.* 165–174 | Other external causes. 175–203[1] |
|---|---|---|---|---|---|---|---|---|---|---|
| 1906 . . | 2,358 | 271 | 90 | 1,223 | 317 | 15 | 33 | 31 | 280 | 98 |
| 1907 . . | 2,681 | 322 | 88 | 1,363 | 309 | 3 | 36 | 44 | 400 | 116 |
| 1908 . . | 2,664 | 290 | 104 | 1,257 | 350 | 18 | 30 | 66 | 436 | 113 |
| 1909 . . | 2,578 | 292 | 87 | 1,247 | 313 | 16 | 39 | 68 | 416 | 100 |
| 1910 . . | 2,825 | 268 | 90 | 1,477 | 300 | 15 | 23 | 76 | 438 | 138 |
| 1911 . . | 3,418 | 315 | 78 | 1,423 | 301 | 18 | 614 | 85 | 449 | 135 |
| 1912 . . | 3,097 | 331 | 51 | 1,487 | 303 | 21 | 53 | 92 | 478 | 281 |
| 1913 . . | 3,222 | 311 | 52 | 1,525 | 364 | 7 | 25 | 111 | 486 | 341 |
| 1914 . . | 3,070 | 312 | 52 | 1,420 | 304 | 32 | 17 | 106 | 495 | 332 |
| 1915 . . | 3,206 | 274 | 56 | 1,522 | 362 | 11 | 17 | 113 | 515 | 336 |
| 1916 . . | 3,402 | 282 | 46 | 1,718 | 318 | 27 | 26 | 115 | 455 | 415 |
| 1917 . . | 3,584 | 309 | 55 | 1,719 | 315 | 27 | 91 | 106 | 493 | 469 |
| 1918 . . | 3,442 | 302 | 46 | 1,636 | 276 | 17 | 14 | 93 | 492 | 566 |
| 1919 . . | 3,242 | 296 | 118 | 1,491 | 292 | 13 | 26 | 102 | 445 | 459 |
| 1920 . . | 2,938 | 282 | 52 | 1,374 | 224 | 9 | 15 | 78 | 391 | 513 |
| 1921 . . | 2,996 | 202 | 65 | 1,393 | 301 | 9 | 31 | 116 | 472 | 407 |
| 1922 . . | 3,140 | 243 | 46 | 1,471 | 269 | 3 | 12 | 102 | 458 | 536 |
| 1923 . . | 3,392 | 265 | 43 | 1,656 | 260 | 4 | 32 | 106 | 452 | 574 |
| 1924 . . | 3,474 | 257 | 55 | 1,697 | 354 | 14 | 30 | 109 | 486 | 472 |
| 1925 . . | 3,573 | 215 | 53 | 1,761 | 273 | 9 | 135[2] | 109 | 459 | 559 |
| 1926 . . | 3,343 | 219 | 43 | 1,727 | 225 | 1 | 63 | 87 | 473 | 505 |
| 1927 . . | 3,371 | 198 | 39 | 1,740 | 296 | 7 | 14 | 86 | 466 | 525 |
| 1928 . . | 3,567 | 204 | 46 | 1,817 | 318 | 8 | 34 | 82 | 550 | 508 |
| 1929 . . | 3,584 | 191 | 46 | 1,868 | 257 | 14 | 37 | 70 | 540 | 561 |
| 1930 . . | 3,497 | 189 | 59 | 1,741 | 238 | 7 | 25 | 79 | 545 | 614 |

[1] Balance between.
[2] Deaths from heat for the year 1925 numbered 135. This is the nearest approach to the high mark since 1911 when the total number of deaths from this cause was 614.

The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on June 6.

The average monthly temperature for the months of June, July, and August, in 1911 and 1925, was as follows:

| | June. | July. | August. |
|---|---|---|---|
| 1911 . . . . . | 65.6 | 77.1 | 69.0 |
| 1925 . . . . . | 70.9 | 72.4 | 71.2 |

**Table 20**

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1930.

| Detailed Int. List No. | Cause of Death and Age Period. | Males. Single. | Males. Married. | Males. Widowed. | Males. Divorced. | Males. Unknown. | Females. Single. | Females. Married. | Females. Widowed. | Females. Divorced. | Females. Unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 43–49 | **Cancer (all causes)** | **356** | **1,528** | **571** | **30** | **3** | **564** | **1,526** | **1,191** | **43** | **1** |
| | Under 20 years | 30 | – | – | – | – | 18 | – | – | – | – |
| | 20 to 29 years | 15 | 15 | – | – | – | 13 | 19 | – | 1 | – |
| | 30 to 39 years | 18 | 52 | 1 | 1 | – | 23 | 121 | 4 | 3 | – |
| | 40 to 49 years | 44 | 148 | 7 | 1 | – | 62 | 306 | 43 | 9 | – |
| | 50 to 59 years | 79 | 409 | 54 | 6 | – | 147 | 471 | 157 | 14 | 1 |
| | 60 to 69 years | 110 | 514 | 181 | 13 | 1 | 154 | 382 | 347 | 11 | – |
| | 70 to 79 years | 52 | 325 | 232 | 6 | 1 | 113 | 195 | 410 | 3 | – |
| | 80 years and over | 8 | 65 | 96 | 3 | 1 | 34 | 32 | 230 | 2 | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 43 | Cancer of the buccal cavity | | | | | | | | | | |
| | Under 20 years | 1 | – | – | – | – | 1 | – | – | – | – |
| | 20 to 29 years | – | 1 | – | – | – | – | – | – | – | – |
| | 30 to 39 years | 2 | 1 | – | – | – | – | 1 | – | – | – |
| | 40 to 49 years | 5 | 7 | – | – | – | 1 | 4 | – | – | – |
| | 50 to 59 years | 3 | 23 | 1 | 1 | – | 4 | 4 | – | – | – |
| | 60 to 69 years | 12 | 26 | 6 | 2 | – | – | 3 | 1 | – | – |
| | 70 to 79 years | 6 | 21 | 15 | 1 | – | 2 | 3 | 8 | – | – |
| | 80 years and over | 1 | 7 | 10 | – | – | – | – | 3 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 44 | Cancer of the stomach and liver | | | | | | | | | | |
| | Under 20 years | 3 | – | – | – | – | 1 | – | – | – | – |
| | 20 to 29 years | 2 | 1 | – | – | – | 1 | 3 | – | – | – |
| | 30 to 39 years | 5 | 11 | 1 | 1 | – | 1 | 13 | – | – | – |
| | 40 to 49 years | 15 | 51 | 5 | 1 | – | 8 | 43 | 8 | – | – |
| | 50 to 59 years | 30 | 164 | 20 | 3 | – | 31 | 94 | 35 | 2 | – |
| | 60 to 69 years | 41 | 182 | 73 | 4 | 1 | 32 | 98 | 97 | 5 | – |
| | 70 to 79 years | 20 | 117 | 75 | 1 | – | 28 | 64 | 120 | 2 | – |
| | 80 years and over | 2 | 22 | 30 | 1 | – | 7 | 5 | 71 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 45 | Cancer of the peritoneum, intestines, rectum | | | | | | | | | | |
| | Under 20 years | 3 | – | – | – | – | 3 | – | – | – | – |
| | 20 to 29 years | 4 | 4 | – | – | – | 2 | 4 | – | – | – |
| | 30 to 39 years | 3 | 12 | – | – | – | 6 | 19 | – | 1 | – |
| | 40 to 49 years | 7 | 33 | – | – | – | 5 | 35 | 6 | – | – |
| | 50 to 59 years | 12 | 81 | 14 | 1 | – | 19 | 75 | 24 | 2 | – |
| | 60 to 69 years | 20 | 107 | 33 | 1 | – | 31 | 71 | 79 | 1 | – |
| | 70 to 79 years | 12 | 68 | 45 | – | – | 28 | 39 | 100 | – | – |
| | 80 years and over | 2 | 16 | 16 | – | – | 7 | 11 | 53 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 46 | Cancer of the female genital organs | | | | | | | | | | |
| | Under 20 years | – | – | – | – | – | 1 | – | – | – | – |
| | 20 to 29 years | – | – | – | – | – | 3 | 8 | – | 1 | – |
| | 30 to 39 years | – | – | – | – | – | 6 | 45 | 2 | 2 | – |
| | 40 to 49 years | – | – | – | – | – | 17 | 108 | 16 | 5 | – |
| | 50 to 59 years | – | – | – | – | – | 34 | 138 | 43 | 4 | 1 |
| | 60 to 69 years | – | – | – | – | – | 22 | 84 | 76 | 3 | – |
| | 70 to 79 years | – | – | – | – | – | 19 | 37 | 66 | – | – |
| | 80 years and over | – | – | – | – | – | 3 | 5 | 29 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 47 | Cancer of the breast | | | | | | | | | | |
| | Under 20 years | – | – | – | – | – | – | – | – | – | – |
| | 20 to 29 years | – | – | – | – | – | 3 | 1 | – | – | – |
| | 30 to 39 years | – | – | – | – | – | 4 | 27 | 1 | – | – |
| | 40 to 49 years | – | – | – | – | – | 25 | 74 | 8 | 1 | – |
| | 50 to 59 years | – | 2 | – | – | – | 41 | 91 | 31 | 4 | – |
| | 60 to 69 years | – | 2 | 3 | – | – | 50 | 66 | 44 | 1 | – |
| | 70 to 79 years | – | 1 | – | – | – | 24 | 28 | 55 | – | – |
| | 80 years and over | – | – | – | 2 | – | 9 | 4 | 37 | 2 | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 48 | Cancer of the skin | | | | | | | | | | |
| | Under 20 years | – | – | – | – | – | – | – | – | – | – |
| | 20 to 29 years | – | – | – | – | – | – | – | – | – | – |
| | 30 to 39 years | – | – | – | – | – | 1 | – | – | – | – |
| | 40 to 49 years | 2 | 1 | – | – | – | – | 2 | – | – | – |
| | 50 to 59 years | 3 | 3 | – | – | – | – | 1 | – | – | – |
| | 60 to 69 years | 4 | 5 | – | 1 | – | 2 | 3 | 4 | – | – |
| | 70 to 79 years | 1 | 6 | 11 | – | – | 1 | 2 | 8 | – | – |
| | 80 years and over | 1 | 3 | 8 | – | – | 1 | 3 | 15 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |
| 49 | Cancer of other organs or of organs not specified | | | | | | | | | | |
| | Under 20 years | 23 | – | – | – | – | 12 | – | – | – | – |
| | 20 to 29 years | 9 | 9 | – | – | – | 4 | 3 | – | – | – |
| | 30 to 39 years | 8 | 28 | – | – | – | 5 | 16 | 1 | – | – |
| | 40 to 49 years | 15 | 56 | 2 | – | – | 6 | 40 | 5 | 3 | – |
| | 50 to 59 years | 31 | 136 | 19 | 1 | – | 18 | 68 | 24 | 2 | – |
| | 60 to 69 years | 33 | 192 | 66 | 5 | – | 17 | 57 | 46 | 1 | – |
| | 70 to 79 years | 13 | 112 | 86 | 4 | 1 | 11 | 22 | 53 | 1 | – |
| | 80 years and over | 2 | 17 | 32 | – | 1 | 7 | 4 | 22 | – | – |
| | Unknown age | – | – | – | – | – | – | – | – | – | – |

Table 21

| Municipalities. | Total deaths under 1 month of age. | Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1930. Total. | Males. | Females. |
|---|---|---|---|---|
| **Infant Mortality Rate.** | 60.3 | | | |
| **The State.** | 2,594 | 4,440 | 2,482 | 1,958 |
| Abington | – | – | – | – |
| Acton | – | 1 | 1 | – |
| Acushnet | 1 | 2 | – | 2 |
| Adams | 11 | 15 | 5 | 10 |
| Agawam | 3 | 4 | 3 | 1 |
| Alford | – | – | – | – |
| Amesbury | 12 | 16 | 13 | 3 |
| Amherst | 3 | 3 | 2 | 1 |
| Andover | 6 | 9 | 4 | 5 |
| Arlington | 17 | 26 | 15 | 11 |
| Ashburnham | 1 | 1 | 1 | – |
| Ashby | – | – | – | – |
| Ashfield | 1 | 1 | 1 | – |
| Ashland | 1 | 1 | – | 1 |
| Athol | 3 | 7 | 2 | 5 |
| Attleboro | 22 | 31 | 17 | 14 |
| Auburn | 1 | 2 | 1 | 1 |
| Avon | – | 1 | – | 1 |
| Ayer | 4 | 5 | 1 | 4 |
| Barnstable | 14 | 18 | 11 | 7 |
| Barre | 4 | 5 | 4 | 1 |
| Becket | – | – | – | – |
| Bedford | – | – | – | – |
| Belchertown | – | – | – | – |
| Bellingham | 1 | 2 | 1 | 1 |
| Belmont | – | 4 | 2 | 2 |
| Berkley | – | 1 | 1 | – |
| Berlin | – | – | – | – |
| Bernardston | – | – | – | – |
| Beverly | 7 | 14 | 7 | 7 |
| Billerica | 2 | 4 | 2 | 2 |
| Blackstone | 3 | 4 | 2 | 2 |
| Blandford | – | – | – | – |
| Bolton | – | – | – | – |
| Boston | 687 | 1,257 | 719 | 538 |
| Bourne | 2 | 3 | 3 | – |
| Boxborough | – | – | – | – |
| Boxford | – | – | – | – |
| Boylston | 2 | 2 | 1 | 1 |
| Braintree | 4 | 6 | 5 | 1 |
| Brewster | – | – | – | – |
| Bridgewater | 1 | 3 | 2 | 1 |
| Brimfield | 1 | 2 | 1 | 1 |
| Brockton | 46 | 68 | 41 | 27 |
| Brookfield | 1 | 1 | – | 1 |
| Brookline | 5 | 5 | 2 | 3 |
| Buckland | 1 | 2 | 1 | 1 |
| Burlington | – | – | – | – |
| Cambridge | 75 | 118 | 62 | 56 |
| Canton | 3 | 4 | 3 | 1 |
| Carlisle | – | – | – | – |
| Carver | – | – | – | – |
| Charlemont | – | – | – | – |
| Charlton | 3 | 3 | 1 | 2 |
| Chatham | 1 | 1 | 1 | – |
| Chelmsford | 3 | 7 | 5 | 2 |
| Chelsea | 26 | 45 | 25 | 20 |
| Cheshire | 1 | 1 | – | 1 |
| Chester | – | – | – | – |
| Chesterfield | – | – | – | – |
| Chicopee | 15 | 28 | 14 | 14 |
| Chilmark | – | 1 | – | 1 |
| Clarksburg | – | 1 | 1 | – |
| Clinton | 10 | 14 | 6 | 8 |
| Cohasset | 3 | 5 | 3 | 2 |
| Colrain | – | – | – | – |
| Concord | 4 | 5 | – | 5 |
| Conway | – | – | – | – |
| Cummington | 1 | 1 | 1 | – |
| Dalton | – | – | – | – |
| Dana | – | – | – | – |
| Danvers | 2 | 4 | 3 | 1 |
| Dartmouth | 4 | 8 | 5 | 3 |
| Dedham | 7 | 17 | 12 | 5 |
| Deerfield | 1 | 3 | 1 | 2 |
| Dennis | 1 | 2 | 2 | – |
| Dighton | 2 | 4 | 4 | – |
| Douglas | – | – | – | – |
| Dover | – | 1 | 1 | – |
| Dracut | 8 | 13 | 4 | 9 |
| Dudley | – | 1 | 1 | – |
| Dunstable | – | – | – | – |
| Duxbury | 1 | 1 | – | 1 |
| East Bridgewater | 2 | 3 | – | 3 |
| East Brookfield | – | – | – | – |
| East Longmeadow | 1 | 2 | 2 | – |
| Eastham | 1 | 1 | – | 1 |
| Easthampton | 6 | 12 | 7 | 5 |
| Easton | – | – | – | – |
| Edgartown | 1 | 1 | 1 | – |
| Egremont | – | – | – | – |
| Enfield | – | – | – | – |
| Erving | – | – | – | – |
| Essex | – | – | – | – |
| Everett | 15 | 28 | 15 | 13 |
| Fairhaven | 2 | 5 | 3 | 2 |
| Fall River | 86 | 146 | 74 | 72 |
| Falmouth | 2 | 6 | 1 | 5 |
| Fitchburg | 26 | 50 | 24 | 26 |
| Florida | – | – | – | – |
| Foxborough | 3 | 5 | 3 | 2 |
| Framingham | 14 | 19 | 12 | 7 |
| Franklin | 4 | 5 | 1 | 4 |
| Freetown | – | – | – | – |
| Gardner | 13 | 21 | 10 | 11 |
| Gay Head | – | – | – | – |
| Georgetown | – | 1 | 1 | – |
| Gill | 2 | 2 | 2 | – |
| Gloucester | 23 | 29 | 17 | 12 |
| Goshen | – | – | – | – |
| Gosnold | – | – | – | – |
| Grafton | 1 | 4 | 3 | 1 |
| Granby | – | – | – | – |
| Granville | – | – | – | – |
| Great Barrington | – | 4 | 2 | 2 |
| Greenfield | 11 | 19 | 12 | 7 |
| Greenwich | – | – | – | – |
| Groton | 1 | 1 | – | 1 |
| Groveland | – | 1 | 1 | – |
| Hadley | 1 | 3 | 2 | 1 |
| Halifax | – | 1 | – | 1 |
| Hamilton | – | – | – | – |
| Hampden | – | – | – | – |
| Hancock | – | – | – | – |
| Hanover | – | – | – | – |
| Hanson | – | 1 | 1 | – |
| Hardwick | 1 | 1 | 1 | – |
| Harvard | – | – | – | – |
| Harwich | 2 | 2 | 2 | – |
| Hatfield | 1 | 1 | 1 | – |
| Haverhill | 20 | 38 | 20 | 18 |
| Hawley | – | – | – | – |
| Heath | – | – | – | – |
| Hingham | – | 1 | 1 | – |
| Hinsdale | – | 1 | 1 | – |
| Holbrook | 1 | 1 | 1 | – |
| Holden | 2 | 4 | 4 | – |
| Holland | – | – | – | – |
| Holliston | – | 1 | 1 | – |
| Holyoke | 37 | 57 | 29 | 28 |
| Hopedale | 2 | 2 | 1 | 1 |
| Hopkinton | – | – | – | – |
| Hubbardston | – | – | – | – |
| Hudson | 4 | 7 | 1 | 6 |
| Hull | – | – | – | – |
| Huntington | – | 1 | – | 1 |
| Ipswich | 5 | 5 | 4 | 1 |
| Kingston | – | – | – | – |
| Lakeville | 1 | 1 | – | 1 |
| Lancaster | 1 | 2 | 1 | 1 |
| Lanesborough | 1 | 1 | – | 1 |
| Lawrence | 64 | 101 | 58 | 43 |
| Lee | – | 1 | 1 | – |
| Leicester | 2 | 3 | 1 | 2 |
| Lenox | – | – | – | – |
| Leominster | 24 | 42 | 21 | 21 |
| Leverett | – | – | – | – |

[1] Exclusive of stillbirths.

**Table 21**

| Municipalities. | Total deaths under 1 month of age. | Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1930. | | |
|---|---|---|---|---|
| | | Total. | Males. | Females. |
| Lexington | 1 | 3 | 3 | – |
| Leyden | – | – | – | – |
| Lincoln | – | 1 | 1 | – |
| Littleton | – | – | – | – |
| Longmeadow | – | – | – | – |
| Lowell | 95 | 155 | 82 | 73 |
| Ludlow | 6 | 11 | 9 | 2 |
| Lunenburg | 2 | 2 | 2 | – |
| Lynn | 71 | 104 | 60 | 44 |
| Lynnfield | – | – | – | – |
| Malden | 22 | 36 | 23 | 13 |
| Manchester | 1 | 1 | 1 | – |
| Mansfield | – | 2 | 2 | – |
| Marblehead | 4 | 4 | 1 | 3 |
| Marion | – | 1 | – | 1 |
| Marlborough | 11 | 12 | 7 | 5 |
| Marshfield | – | 1 | – | 1 |
| Mashpee | – | – | – | – |
| Mattapoisett | – | – | – | – |
| Maynard | 2 | 2 | 1 | 1 |
| Medfield | – | – | – | – |
| Medford | 29 | 41 | 19 | 22 |
| Medway | – | – | – | – |
| Melrose | 19 | 27 | 13 | 14 |
| Mendon | – | 1 | 1 | – |
| Merrimac | – | 1 | – | 1 |
| Methuen | 9 | 13 | 6 | 7 |
| Middleborough | 6 | 8 | 4 | 4 |
| Middlefield | – | – | – | – |
| Middleton | – | – | – | – |
| Milford | 8 | 19 | 12 | 7 |
| Millbury | 1 | 2 | – | 2 |
| Millis | – | 1 | 1 | – |
| Millville | 1 | 1 | – | 1 |
| Milton | 6 | 7 | 3 | 4 |
| Monroe | – | – | – | – |
| Monson | 1 | 2 | 1 | 1 |
| Montague | 8 | 18 | 10 | 8 |
| Monterey | – | – | – | – |
| Montgomery | – | – | – | – |
| Mount Washington | – | – | – | – |
| Nahant | – | 1 | 1 | – |
| Nantucket | 4 | 5 | 4 | 1 |
| Natick | 11 | 17 | 12 | 5 |
| Needham | 4 | 5 | 2 | 3 |
| New Ashford | – | – | – | – |
| New Bedford | 65 | 109 | 60 | 49 |
| New Braintree | – | – | – | – |
| New Marlborough | – | – | – | – |
| New Salem | – | – | – | – |
| Newbury | – | – | – | – |
| Newburyport | 9 | 15 | 6 | 9 |
| Newton | 24 | 27 | 15 | 12 |
| Norfolk | – | – | – | – |
| North Adams | 22 | 35 | 20 | 15 |
| North Andover | 3 | 5 | 5 | – |
| North Attleborough | 4 | 5 | 3 | 2 |
| North Brookfield | – | 2 | 2 | – |
| North Reading | 1 | 2 | 1 | 1 |
| Northampton | 20 | 27 | 13 | 14 |
| Northborough | 1 | 1 | 1 | – |
| Northbridge | 8 | 10 | 6 | 4 |
| Northfield | – | – | – | – |
| Norton | 1 | 3 | 2 | 1 |
| Norwell | – | 1 | 1 | – |
| Norwood | 15 | 26 | 14 | 12 |
| Oak Bluffs | 1 | 3 | 2 | 1 |
| Oakham | – | – | – | – |
| Orange | 3 | 7 | 3 | 4 |
| Orleans | – | – | – | – |
| Otis | – | 1 | – | 1 |
| Oxford | 3 | 6 | 4 | 2 |
| Palmer | 6 | 10 | 2 | 8 |
| Paxton | – | – | – | – |
| Peabody | 9 | 13 | 5 | 8 |
| Pelham | 1 | 1 | 1 | – |
| Pembroke | 1 | 1 | – | 1 |
| Pepperell | 1 | 2 | 2 | – |
| Peru | – | – | – | – |
| Petersham | – | – | – | – |
| Phillipston | – | – | – | – |
| Pittsfield | 33 | 48 | 34 | 14 |
| Plainfield | – | – | – | – |
| Plainville | – | – | – | – |
| Plymouth | 13 | 17 | 9 | 8 |
| Plympton | – | 1 | 1 | – |
| Prescott | – | – | – | – |
| Princeton | – | – | – | – |
| Provincetown | 2 | 3 | 1 | 2 |
| Quincy | 31 | 54 | 31 | 23 |
| Randolph | 4 | 4 | 3 | 1 |
| Raynham | 1 | 1 | – | 1 |
| Reading | 1 | 3 | 2 | 1 |
| Rehoboth | 1 | 1 | – | 1 |
| Revere | 1 | 10 | 4 | 6 |
| Richmond | – | – | – | – |
| Rochester | – | – | – | – |
| Rockland | 3 | 7 | 4 | 3 |
| Rockport | – | 2 | 2 | – |
| Rowe | – | – | – | – |
| Rowley | – | 2 | – | 2 |
| Royalston | – | – | – | – |
| Russell | – | – | – | – |
| Rutland | – | – | – | – |
| Salem | 29 | 71 | 37 | 34 |
| Salisbury | – | – | – | – |
| Sandisfield | – | – | – | – |
| Sandwich | – | – | – | – |
| Saugus | 3 | 6 | 3 | 3 |
| Savoy | – | 1 | 1 | – |
| Scituate | 2 | 2 | 1 | 1 |
| Seekonk | 2 | 6 | 3 | 3 |
| Sharon | 1 | 2 | 2 | – |
| Sheffield | – | – | – | – |
| Shelburne | – | 1 | 1 | – |
| Sherborn | – | – | – | – |
| Shirley | – | 2 | 2 | – |
| Shrewsbury | 1 | 4 | 1 | 3 |
| Shutesbury | – | – | – | – |
| Somerset | 3 | 6 | 5 | 1 |
| Somerville | 67 | 107 | 67 | 40 |
| South Hadley | 1 | 3 | 2 | 1 |
| Southampton | 1 | 1 | 1 | – |
| Southborough | 1 | 1 | – | 1 |
| Southbridge | 6 | 13 | 7 | 6 |
| Southwick | – | 1 | – | 1 |
| Spencer | 3 | 4 | 1 | 3 |
| Springfield | 99 | 168 | 95 | 73 |
| Sterling | – | 1 | 1 | – |
| Stockbridge | – | – | – | – |
| Stoneham | 15 | 18 | 11 | 7 |
| Stoughton | 3 | 10 | 4 | 6 |
| Stow | 1 | 1 | 1 | – |
| Sturbridge | 3 | 5 | 4 | 1 |
| Sudbury | 1 | 1 | 1 | – |
| Sunderland | – | – | – | – |
| Sutton | 3 | 3 | 2 | 1 |
| Swampscott | 4 | 5 | 4 | 1 |
| Swansea | 2 | 2 | 1 | 1 |
| Taunton | 34 | 50 | 34 | 16 |
| Templeton | 2 | 3 | 1 | 2 |
| Tewksbury | – | 2 | 1 | 1 |
| State Infirmary | 4 | 37 | 21 | 16 |
| Tisbury | – | – | – | – |
| Tolland | – | – | – | – |
| Topsfield | – | – | – | – |
| Townsend | – | 2 | 1 | 1 |
| Truro | 1 | 1 | 1 | – |
| Tyngsborough | – | 1 | – | 1 |
| Tyringham | – | – | – | – |
| Upton | 2 | 2 | 2 | – |
| Uxbridge | 1 | 3 | – | 3 |
| Wakefield | 1 | 8 | 5 | 3 |
| Wales | – | – | – | – |
| Walpole | 2 | 2 | 1 | 1 |
| Waltham | 30 | 49 | 28 | 21 |
| Ware | 9 | 11 | 5 | 6 |
| Wareham | 4 | 6 | 1 | 5 |
| Warren | 3 | 3 | 1 | 2 |
| Warwick | – | 1 | 1 | – |

[1] Exclusive of stillbirths.

**Table 21**

| Municipalities. | Total deaths under 1 month of age. | Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1930. | | | Municipalities. | Total deaths under 1 month of age. | Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1930. | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Males. | Females. | | | Total. | Males. | Females. |
| Washington | – | – | – | – | Weston | – | – | – | – |
| Watertown | 4 | 16 | 9 | 7 | Westport | 1 | 3 | 2 | 1 |
| Wayland | 4 | 5 | – | 5 | Westwood | – | – | – | – |
| Webster | 5 | 10 | 8 | 2 | Weymouth | 13 | 16 | 9 | 7 |
| Wellesley | 2 | 3 | 2 | 1 | Whately | – | – | – | – |
| Wellfleet | – | – | – | – | Whitman | 2 | 2 | – | 2 |
| Wendell | – | – | – | – | Wilbraham | – | 2 | 1 | 1 |
| Wenham | – | – | – | – | Williamsburg | – | – | – | – |
| West Boylston | 1 | 2 | 2 | – | Williamstown | 1 | 1 | – | 1 |
| West Bridgewater | – | 1 | 1 | – | Wilmington | – | – | – | – |
| West Brookfield | – | – | – | – | Winchendon | 5 | 11 | 7 | 4 |
| West Newbury | – | 1 | – | 1 | Winchester | 10 | 12 | 10 | 2 |
| West Springfield | 4 | 12 | 7 | 5 | Windsor | – | – | – | – |
| West Stockbridge | – | – | – | – | Winthrop | 10 | 12 | 6 | 6 |
| West Tisbury | – | – | – | – | Woburn | 14 | 19 | 9 | 10 |
| Westborough | 1 | 2 | 2 | – | Worcester | 126 | 230 | 121 | 109 |
| Westfield | 10 | 20 | 11 | 9 | Worthington | – | – | – | – |
| Westford | 4 | 5 | 3 | 2 | Wrentham | 1 | 2 | 1 | 1 |
| Westhampton | – | – | – | – | Yarmouth | 1 | 1 | 1 | – |
| Westminster | – | – | – | – | | | | | |

[1] Exclusive of stillbirths.

**Table 22**

| Years. | Infant Mortality: 1906 to 1930. | | | |
|---|---|---|---|---|
| | Live births. | Deaths[1] under 1 Year. | | |
| | | Number. | Per 1,000 live births. | Per cent of total deaths. |
| 1906 | 80,237 | 11,106 | 138.4 | 21.9 |
| 1907 | 85,001 | 11,293 | 132.9 | 20.9 |
| 1908 | 86,911 | 11,606 | 133.5 | 22.4 |
| 1909 | 84,039 | 10,693 | 127.2 | 20.9 |
| 1910 | 86,539 | 11,499 | 132.9 | 21.1 |
| 1911 | 88,327 | 10,543 | 119.4 | 19.9 |
| 1912 | 89,882 | 10,472 | 116.5 | 20.0 |
| 1913 | 91,644 | 10,086 | 110.1 | 18.9 |
| 1914 | 93,399 | 9,894 | 105.9 | 18.7 |
| 1915 | 93,155 | 9,490 | 101.9 | 17.9 |
| 1916 | 93,487 | 9,334 | 99.8 | 16.6 |
| 1917 | 95,731 | 9,325 | 97.4 | 16.5 |
| 1918 | 95,607 | 10,820 | 113.2 | 13.7 |
| 1919 | 87,827 | 7,769 | 88.5 | 14.8 |
| 1920 | 91,859 | 8,382 | 91.2 | 15.6 |
| 1921 | 92,245 | 7,005 | 75.9 | 14.7 |
| 1922 | 87,636 | 7,129 | 81.3 | 13.9 |
| 1923 | 89,210 | 6,968 | 78.1 | 13.3 |
| 1924 | 91,463 | 6,191 | 67.7 | 12.5 |
| 1925 | 86,014 | 6,294 | 73.1 | 12.1 |
| 1926 | 83,502 | 6,130 | 73.4 | 11.6 |
| 1927 | 82,273 | 5,320 | 64.7 | 10.7 |
| 1928 | 79,054 | 5,118 | 64.7 | 9.9 |
| 1929 | 74,122 | 4,592 | 62.0 | 8.8 |
| 1930 | 73,690 | 4,440 | 60.3 | 9.0 |

[1] Exclusive of stillbirths.

**Table 23**

| Municipalities. (Grouped in order of population, 1930.) | Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1930: 1923 to 1930. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. | 1923. |
| **The State.** | **60.3** | **62** | **65** | **65** | **73** | **73** | **68** | **78** |
| Over 100,000. | | | | | | | | |
| Boston | 70 | 69 | 77 | 85 | 84 | 85 | 74 | 82 |
| Worcester | 63 | 60 | 62 | 58 | 74 | 76 | 63 | 76 |
| Springfield | 54 | 59 | 60 | 58 | 69 | 68 | 69 | 73 |
| Fall River | 66 | 66 | 69 | 77 | 91 | 91 | 94 | 93 |
| Cambridge | 47 | 57 | 55 | 54 | 68 | 61 | 54 | 72 |
| New Bedford | 55 | 66 | 79 | 66 | 102 | 80 | 79 | 106 |
| Somerville | 64 | 53 | 76 | 51 | 61 | 78 | 56 | 71 |
| Lynn | 57 | 56 | 69 | 67 | 67 | 78 | 72 | 79 |
| Lowell | 78 | 70 | 77 | 91 | 90 | 84 | 91 | 108 |
| 50,000 to 100,000. | | | | | | | | |
| Lawrence | 68 | 75 | 60 | 55 | 73 | 63 | 69 | 88 |
| Quincy | 47 | 48 | 59 | 58 | 66 | 58 | 53 | 70 |
| Newton | 31 | 46 | 42 | 45 | 47 | 43 | 46 | 57 |
| Brockton | 56 | 60 | 55 | 55 | 61 | 41 | 55 | 59 |
| Medford | 37 | 33 | 42 | 43 | 53 | 49 | 55 | 70 |
| Malden | 44 | 34 | 52 | 50 | 49 | 51 | 48 | 59 |
| Holyoke | 55 | 68 | 66 | 82 | 92 | 75 | 87 | 98 |
| 25,000 to 50,000. | | | | | | | | |
| Pittsfield | 40 | 74 | 55 | 56 | 42 | 61 | 65 | 50 |
| Haverhill | 47 | 44 | 59 | 62 | 60 | 68 | 55 | 74 |
| Everett | 46 | 51 | 50 | 65 | 67 | 68 | 61 | 87 |
| Brookline (town) | 39 | 73 | 85 | 83 | 51 | 68 | 34 | 51 |
| Chelsea | 49 | 39 | 53 | 35 | 52 | 69 | 40 | 53 |
| Chicopee | 48 | 94 | 88 | 81 | 87 | 88 | 87 | 100 |
| Salem | 87 | 97 | 57 | 85 | 91 | 65 | 70 | 92 |
| Fitchburg | 65 | 74 | 65 | 61 | 68 | 76 | 73 | 78 |
| Waltham | 51 | 44 | 43 | 58 | 62 | 49 | 56 | 75 |
| Taunton | 86 | 62 | 68 | 62 | 99 | 79 | 64 | 97 |
| Arlington (town) | 45 | 62 | 54 | 45 | 58 | 36 | 39 | 44 |
| Revere | 35 | 26 | 52 | 38 | 50 | 74 | 30 | 47 |
| Watertown (town) | 63 | 39 | 58 | 91 | 69 | 47 | 38 | 42 |
| 15,000 to 25,000. | | | | | | | | |
| Beverly | 33 | 43 | 64 | 57 | 57 | 53 | 43 | 91 |
| Northampton | 50 | 55 | 32 | 50 | 64 | 76 | 53 | 69 |
| Gloucester | 57 | 79 | 54 | 63 | 76 | 59 | 60 | 80 |
| Melrose | 53 | 42 | 46 | 44 | 50 | 59 | 49 | 68 |
| Framingham (town) | 34 | 34 | 56 | 48 | 59 | 67 | 63 | 54 |
| Leominster | 108 | 47 | 68 | 52 | 60 | 82 | 93 | 51 |
| Attleboro | 68 | 58 | 61 | 70 | 48 | 67 | 61 | 67 |
| Belmont (town) | 53 | 34 | 85 | 62 | 10 | 59 | 83 | 76 |
| North Adams | 78 | 69 | 69 | 69 | 63 | 100 | 73 | 61 |
| Peabody | 36 | 79 | 57 | 51 | 66 | 69 | 72 | 60 |
| Methuen (town) | 65 | 50 | 71 | 48 | 58 | 71 | 60 | 85 |
| Weymouth (town) | 36 | 27 | 41 | 44 | 39 | 48 | 42 | 44 |
| Westfield | 54 | 70 | 48 | 80 | 70 | 66 | 80 | 87 |
| Woburn | 43 | 56 | 45 | 58 | 58 | 84 | 61 | 66 |
| Gardner | 51 | 65 | 65 | 72 | 86 | 93 | 73 | 85 |
| Winthrop (town) | 44 | 17 | 42 | 31 | 31 | 47 | 55 | 57 |
| West Springfield (town) | 87 | 85 | 103 | 60 | 38 | 99 | 89 | 100 |
| Milton (town) | 49 | – | – | – | – | – | – | – |
| Wakefield (town) | 48 | 47 | 36 | 26 | 52 | 51 | 60 | 69 |
| Braintree (town) | 38 | – | – | – | – | – | – | – |
| Marlborough | 36 | 29 | 30 | 33 | 51 | 52 | 70 | 52 |
| Greenfield (town) | 63 | 48 | 40 | 66 | 72 | 46 | 67 | 54 |
| Dedham (town) | 116 | – | – | – | – | – | – | – |
| Newburyport | 46 | 51 | 32 | 44 | 46 | 64 | 47 | 73 |
| Norwood (town) | 52 | – | – | – | – | – | – | – |
| Southbridge (town) | 57 | 68 | 63 | 69 | 65 | 69 | 73 | 71 |

[1] Exclusive of stillbirths.

**Table 24**

| Municipalities. (Grouped in order of population, 1930.) | Birth Rates, Death Rates, Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1930: 1930. | | | | | |
|---|---|---|---|---|---|---|
| | Births[1] per 1,000 population. | Deaths[1] per 1,000 population. | Natural increase per 1,000 population. | Deaths[1] under 1 year per 1,000 births.[1] | Survivors at end of first year of life. | |
| | | | | | Number. | Per 1,000 births.[1] |
| **The State.** | **17.3** | **11.6** | **5.7** | **603** | **69,250** | **940** |
| Over 100,000 | | | | | | |
| Boston | 23.1 | 14.1 | 9.0 | 696 | 16,800 | 930 |
| Worcester | 18.6 | 12.8 | 5.8 | 632 | 3,408 | 937 |
| Springfield | 20.7 | 11.9 | 8.6 | 540 | 2,938 | 946 |
| Fall River | 19.1 | 11.5 | 7.6 | 663 | 2,055 | 934 |
| Cambridge | 22.2 | 11.9 | 10.3 | 467 | 2,406 | 953 |
| New Bedford | 17.7 | 11.0 | 6.7 | 548 | 1,879 | 945 |
| Somerville | 16.1 | 9.7 | 6.4 | 638 | 1,570 | 936 |
| Lynn | 17.7 | 10.6 | 7.1 | 574 | 1,709 | 943 |
| Lowell | 19.9 | 13.3 | 6.6 | 775 | 1,844 | 922 |

[1] Exclusive of stillbirths.

**Table 24**

BIRTH RATES, DEATH RATES, NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1930: **1930**—*Con.*

| MUNICIPALITIES. (Grouped in order of population, 1930.) | Births[1] per 1,000 population. | Deaths[1] per 1,000 population. | Natural increase per 1,000 population. | Deaths[1] under 1 year per 1,000 births.[1] | SURVIVORS AT END OF FIRST YEAR OF LIFE. Number. | SURVIVORS AT END OF FIRST YEAR OF LIFE. Per 1,000 births.[1] |
|---|---|---|---|---|---|---|
| 50,000 TO 100,000. | | | | | | |
| Lawrence | 17.4 | 10.6 | 6.8 | 682 | 1,381 | 932 |
| Quincy | 15.9 | 8.3 | 7.6 | 472 | 1,090 | 953 |
| Newton | 13.4 | 8.4 | 5.0 | 309 | 848 | 969 |
| Brockton | 19.2 | 12.8 | 6.4 | 555 | 1,156 | 944 |
| Medford | 18.6 | 7.8 | 10.8 | 370 | 1,068 | 963 |
| Malden | 14.0 | 8.3 | 5.7 | 441 | 779 | 956 |
| Holyoke | 18.4 | 13.1 | 5.3 | 548 | 983 | 945 |
| 25,000 TO 50,000. | | | | | | |
| Pittsfield | 24.3 | 12.4 | 11.9 | 397 | 1,161 | 960 |
| Haverhill | 16.4 | 11.2 | 5.2 | 474 | 763 | 953 |
| Everett | 12.7 | 7.6 | 5.1 | 456 | 586 | 954 |
| Brookline (town) | 2.7 | 10.5 | 7.8[2] | 385 | 150 | 962 |
| Chelsea | 20.0 | 11.9 | 8.1 | 491 | 871 | 951 |
| Chicopee | 13.4 | 5.7 | 7.7 | 477 | 559 | 952 |
| Salem | 18.7 | 12.9 | 5.8 | 874 | 741 | 913 |
| Fitchburg | 19.0 | 11.1 | 7.9 | 647 | 723 | 935 |
| Waltham | 24.4 | 10.4 | 14.0 | 511 | 909 | 949 |
| Taunton | 15.5 | 16.0 | .5[2] | 864 | 529 | 914 |
| Arlington (town) | 16.0 | 9.3 | 6.7 | 450 | 552 | 955 |
| Revere | 8.0 | 5.0 | 3.0 | 346 | 279 | 965 |
| Watertown (town) | 7.3 | 5.4 | 1.9 | 625 | 240 | 938 |
| 15,000 TO 25,000. | | | | | | |
| Beverly | 16.8 | 10.8 | 6.0 | 332 | 408 | 967 |
| Northampton | 18.7 | 21.1 | 2.4[2] | 591 | 430 | 940 |
| Gloucester | 20.9 | 11.7 | 9.2 | 573 | 477 | 943 |
| Melrose | 22.0 | 13.4 | 8.6 | 530 | 482 | 947 |
| Framingham (town) | 24.8 | 13.3 | 11.5 | 345 | 532 | 966 |
| Leominster | 17.8 | 10.5 | 7.3 | 1,164 | 346 | 892 |
| Attleboro | 21.0 | 10.3 | 10.7 | 677 | 427 | 932 |
| Belmont (town) | 3.5 | 7.0 | 3.5[2] | 526 | 72 | 947 |
| North Adams | 20.6 | 13.6 | 7.0 | 785 | 411 | 922 |
| Peabody | 17.0 | 9.2 | 7.8 | 358 | 350 | 964 |
| Methuen (town) | 9.4 | 8.4 | 1.0 | 653 | 186 | 935 |
| Weymouth (town) | 21.4 | 10.5 | 10.9 | 358 | 431 | 964 |
| Westfield | 18.8 | 12.5 | 6.3 | 539 | 351 | 946 |
| Woburn | 22.9 | 8.9 | 14.0 | 426 | 427 | 957 |
| Gardner | 21.3 | 12.6 | 8.7 | 508 | 392 | 949 |
| Winthrop (town) | 16.1 | 9.1 | 7.0 | 439 | 261 | 956 |
| West Springfield (town) | 8.3 | 5.9 | 2.4 | 870 | 126 | 913 |
| Milton (town) | 8.6 | 6.5 | 2.1 | 492 | 135 | 951 |
| Wakefield (town) | 10.2 | 8.2 | 2.0 | 479 | 159 | 952 |
| Braintree (town) | 9.9 | 10.4 | .5[2] | 385 | 150 | 962 |
| Marlborough | 21.7 | 11.3 | 10.4 | 355 | 326 | 964 |
| Greenfield (town) | 19.6 | 12.5 | 7.1 | 625 | 285 | 938 |
| Dedham (town) | 9.6 | 6.6 | 3.0 | 1,165 | 129 | 883 |
| Newburyport | 21.6 | 13.6 | 8.0 | 460 | 311 | 954 |
| Norwood (town) | 33.1 | 9.4 | 23.7 | 522 | 472 | 948 |
| Southbridge (town) | 16.1 | 7.5 | 8.6 | 565 | 217 | 943 |

[1] Exclusive of stillbirths. [2] Decrease.

**Table 25**

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: **1914** TO **1930.**

| YEARS. | MASSACHUSETTS. Live births. | MASSACHUSETTS. DEATHS UNDER 1 YEAR. Number. | MASSACHUSETTS. DEATHS UNDER 1 YEAR. Per 1,000 live births. | BOSTON. Live births. | BOSTON. DEATHS UNDER 1 YEAR. Number. | BOSTON. DEATHS UNDER 1 YEAR. Per 1,000 live births. | REMAINDER OF STATE OUTSIDE BOSTON. Live births. | REMAINDER OF STATE OUTSIDE BOSTON. DEATHS UNDER 1 YEAR. Number. | REMAINDER OF STATE OUTSIDE BOSTON. DEATHS UNDER 1 YEAR. Per 1,000 live births. |
|---|---|---|---|---|---|---|---|---|---|
| 1914 | 93,399 | 9,894 | 105.9 | 19,467 | 2,011 | 105.2 | 73,932 | 7,883 | 106.6 |
| 1915 | 93,155 | 9,490 | 101.9 | 19,713 | 2,047 | 103.8 | 73,442 | 7,443 | 101.3 |
| 1916 | 93,487 | 9,334 | 99.8 | 19,604 | 2,046 | 104.4 | 73,883 | 7,288 | 98.6 |
| 1917 | 95,731 | 9,325 | 97.4 | 19,950 | 1,965 | 98.5 | 75,781 | 7,360 | 97.1 |
| 1918 | 95,607 | 10,820 | 113.2 | 20,092 | 2,304 | 114.7 | 75,515 | 8,516 | 112.8 |
| 1919 | 87,827 | 7,769 | 88.5 | 18,799 | 1,814 | 96.5 | 69,028 | 5,955 | 86.3 |
| 1920 | 91,859 | 8,382 | 91.2 | 19,573 | 1,962 | 100.2 | 72,286 | 6,420 | 88.8 |
| 1921 | 92,245 | 7,005 | 75.9 | 19,397 | 1,497 | 77.2 | 72,848 | 5,508 | 75.6 |
| 1922 | 87,636 | 7,129 | 81.3 | 18,536 | 1,711 | 92.3 | 69,100 | 5,418 | 78.4 |
| 1923 | 89,210 | 6,968 | 78.1 | 19,056 | 1,570 | 82.4 | 70,154 | 5,398 | 76.9 |
| 1924 | 91,463 | 6,191 | 67.7 | 19,776 | 1,468 | 74.2 | 71,687 | 4,723 | 65.9 |
| 1925 | 86,014 | 6,294 | 73.1 | 18,636 | 1,585 | 85.1 | 67,378 | 4,709 | 69.9 |
| 1926 | 83,502 | 6,130 | 73.4 | 18,731 | 1,572 | 83.9 | 64,771 | 4,558 | 70.4 |
| 1927 | 82,273 | 5,320 | 64.7 | 17,079 | 1,459 | 85.4 | 65,194 | 3,861 | 59.2 |
| 1928 | 79,054 | 5,118 | 64.7 | 18,781 | 1,445 | 76.9 | 60,273 | 3,673 | 60.9 |
| 1929 | 74,122 | 4,592 | 62.0 | 17,942 | 1,236 | 68.9 | 56,180 | 3,356 | 59.7 |
| 1930 | 73,690 | 4,440 | 60.3 | 18,057 | 1,257 | 69.6 | 55,633 | 3,183 | 57.2 |

**Table 26**

| Years. | Survivors at End of First Year of Life: 1905 to 1930. Per 1,000 population. | Per 1,000 live births. | Years. | Survivors at End of First Year of Life: 1905 to 1930. Per 1,000 population. | Per 1,000 live births. |
|---|---|---|---|---|---|
| 1905 | 21.4 | 860 | 1918 | 21.7 | 887 |
| 1906 | 22.3 | 862 | 1919 | 20.9 | 911 |
| 1907 | 23.3 | 867 | 1920 | 21.7 | 909 |
| 1908 | 23.3 | 866 | 1921 | 21.9 | 924 |
| 1909 | 22.2 | 873 | 1922 | 20.5 | 919 |
| 1910 | 22.2 | 867 | 1923 | 20.7 | 922 |
| 1911 | 22.6 | 881 | 1924 | 21.3 | 932 |
| 1912 | 22.6 | 883 | 1925 | 19.2 | 927 |
| 1913 | 22.8 | 890 | 1926 | 18.4 | 927 |
| 1914 | 22.9 | 894 | 1927 | 18.0 | 935 |
| 1915 | 22.7 | 898 | 1928 | 17.1 | 935 |
| 1916 | 22.3 | 900 | 1929 | 15.9 | 938 |
| 1917 | 22.5 | 903 | 1930 | 16.3 | 940 |

**Table 27**

| Detailed Int. List No. | Causes. | Infant Deaths per 1,000 Live Births, by Causes: 1923 to 1930. 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. | 1923. |
|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.** | 60.3 | 62.0 | 64.7 | 64.7 | 73.4 | 73.1 | 67.7 | 78.1 |
| | Developmental and wasting diseases* | 25.5 | 26.9 | 26.3 | 27.5 | 29.0 | 28.1 | 26.7 | 28.7 |
| 161*a* | Premature birth* | 15.7 | 17.5 | 16.8 | 17.2 | 17.9 | 16.9 | 16.2 | 16.5 |
| 159 | Congenital malformations | 7.8 | 7.1 | 7.3 | 7.3 | 7.9 | 7.7 | 7.0 | 7.3 |
| 160 | Congenital debility, etc.* | 2.0 | 2.3 | 2.2 | 3.0 | 3.2 | 3.5 | 3.5 | 4.9 |
| 113 | Diarrhea and enteritis* | 5.0 | 4.5 | 5.9 | 6.3 | 8.0 | 6.9 | 7.5 | 8.5 |
| 100*a* | Bronchopneumonia* | 8.5 | 9.0 | 9.7 | 8.3 | 10.4 | 10.5 | 8.4 | 11.7 |
| 101*a* | Lobar pneumonia* | 1.6 | 1.6 | 1.9 | 1.4 | 1.5 | 1.7 | 1.5 | 1.4 |
| 80 | Convulsions | .2 | .5 | .5 | .4 | .4 | .4 | .7 | .7 |
| 99*a*, 99*b*, 99*c* | Bronchitis* | .4 | .5 | .6 | .6 | .9 | 1.2 | 1.1 | 1.2 |
| 9 | Whooping cough* | 1.3 | .9 | 1.4 | 1.0 | 2.5 | 1.8 | 1.0 | 3.1 |
| 24, 71 | Meningitis | .5 | .4 | .5 | .7 | .6 | .6 | .8 | .8 |
| 32 | Tuberculous meningitis | .2 | .3 | .4 | .4 | .6 | .6 | .4 | .6 |
| 38 | Syphilis | .4 | .3 | .4 | .5 | .4 | .5 | .3 | .6 |
| 101*b* | Pneumonia, undefined | .2 | .2 | .1 | .1 | .2 | .1 | .3 | .4 |
| 22 | Acute anterior poliomyelitis | – | – | – | .2 | – | – | – | – |
| | All other causes | 16.5 | 16.9 | 17.0 | 17.3 | 18.9 | 20.7 | 19.0 | 20.4 |

**Table 28**

| Months. | Deaths under 2 Years of Age from Diarrhea and Enteritis (113)*, by Months: 1923 to 1930. 1930. | 1929. | 1928. | 1927. | 1926. | 1925. | 1924. | 1923. |
|---|---|---|---|---|---|---|---|---|
| **The Year.** | 410 | 394 | 520 | 582 | 757 | 684 | 772 | 867 |
| January | 30 | 42 | 24 | 38 | 38 | 32 | 47 | 51 |
| February | 25 | 17 | 24 | 24 | 21 | 32 | 39 | 48 |
| March | 34 | 31 | 30 | 32 | 39 | 45 | 45 | 63 |
| April | 35 | 21 | 39 | 27 | 46 | 39 | 39 | 59 |
| May | 30 | 24 | 51 | 22 | 24 | 37 | 50 | 41 |
| June | 23 | 28 | 32 | 31 | 43 | 56 | 55 | 48 |
| July | 28 | 30 | 55 | 56 | 48 | 31 | 66 | 72 |
| August | 38 | 45 | 49 | 92 | 153 | 121 | 106 | 148 |
| September | 66 | 54 | 86 | 94 | 138 | 141 | 119 | 138 |
| October | 53 | 48 | 55 | 80 | 120 | 78 | 91 | 98 |
| November | 26 | 25 | 38 | 45 | 40 | 43 | 66 | 53 |
| December | 22 | 29 | 37 | 41 | 47 | 29 | 49 | 48 |
| | Per Cent Distribution. | | | | | | | |
| **The Year.** | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| January | 7.3 | 10.7 | 4.6 | 6.5 | 5.0 | 4.7 | 6.1 | 5.9 |
| February | 6.1 | 4.3 | 4.6 | 4.1 | 2.8 | 4.7 | 5.1 | 5.5 |
| March | 8.3 | 7.9 | 5.8 | 5.5 | 5.2 | 6.6 | 5.8 | 7.3 |
| April | 8.5 | 5.3 | 7.5 | 4.6 | 6.1 | 5.7 | 5.1 | 6.8 |
| May | 7.3 | 6.0 | 9.8 | 3.8 | 3.2 | 5.4 | 6.5 | 4.8 |
| June | 5.6 | 7.1 | 6.2 | 5.3 | 5.7 | 8.2 | 7.1 | 5.5 |
| July | 6.8 | 7.6 | 10.6 | 9.6 | 6.3 | 4.5 | 8.5 | 8.3 |
| August | 9.3 | 11.5 | 9.4 | 15.8 | 20.2 | 17.7 | 13.7 | 17.1 |
| September | 16.1 | 13.7 | 16.5 | 16.2 | 18.2 | 20.6 | 15.4 | 15.9 |
| October | 12.9 | 12.2 | 10.6 | 13.8 | 15.8 | 11.4 | 11.8 | 11.3 |
| November | 6.4 | 6.3 | 7.3 | 7.8 | 5.3 | 6.3 | 8.6 | 6.1 |
| December | 5.4 | 7.4 | 7.1 | 7.0 | 6.2 | 4.2 | 6.3 | 5.5 |

**Table 29**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: **1930.**

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **The State.** | T | 4,440 | 1,125 | 290 | 242 | 390 | 2,047 | 244 | 154 | 149 | 2,594 | 337 | 268 | 568 | 395 | 278 |
| | | M | 2,482 | 652 | 177 | 142 | 221 | 1,192 | 136 | 80 | 76 | 1,484 | 204 | 153 | 288 | 219 | 134 |
| | | F | 1,958 | 473 | 113 | 100 | 169 | 855 | 108 | 74 | 73 | 1,110 | 133 | 115 | 280 | 176 | 144 |
| 5 | Measles | M | 12 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 5 | 5 |
| | | F | 19 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 6 | 10 |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 48 | – | – | – | – | – | – | – | 1 | 1 | 9 | 3 | 13 | 11 | 11 |
| | | F | 59 | – | – | – | – | – | – | – | – | – | 6 | 2 | 16 | 20 | 15 |
| 8 | Diphtheria | M | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| 9 | Influenza | M | 20 | – | – | – | – | – | – | 1 | – | 1 | 3 | 1 | 8 | 4 | 3 |
| | | F | 10 | – | – | – | – | – | 1 | 1 | 2 | 4 | – | 2 | 5 | 2 | 3 |
| 12 | Dysentery | M | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| 12 | Erysipelas | M | 19 | – | – | – | 1 | 1 | 1 | 2 | 1 | 5 | 5 | 3 | 2 | 2 | 2 |
| | | F | 23 | – | – | – | – | – | – | 2 | – | 2 | 6 | – | 8 | 3 | 4 |
| 37 | Tetanus | M | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 3 | – |
| | | F | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 |
| 14 | Tuberculosis of the meninges and central nervous system. | M | 7 | – | – | – | – | – | – | – | – | – | – | – | 3 | 4 | – |
| | | F | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| 15 | Other forms of tuberculosis | M | 6 | – | – | – | – | – | – | – | 2 | 2 | – | – | – | 1 | 3 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | 13 | 2 | – | – | – | 2 | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 1 |
| | | F | 17 | 1 | 1 | – | 4 | 6 | 1 | – | 1 | 8 | – | 3 | 4 | 1 | 1 |
| 17 | Meningitis | M | 15 | – | – | 1 | – | 1 | 1 | – | – | 2 | – | 2 | 2 | 6 | 3 |
| | | F | 21 | – | 2 | – | 2 | 4 | 1 | – | – | 5 | 2 | – | 4 | 6 | 4 |
| 37 | Convulsions | M | 5 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | 2 | 1 | – |
| | | F | 11 | – | – | – | 2 | 2 | – | – | 2 | 4 | 2 | 2 | 2 | 1 | – |
| 19 | Diseases of the heart | M | 8 | – | – | – | 2 | 2 | – | 1 | – | 3 | 1 | 2 | 1 | – | 1 |
| | | F | 5 | – | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | 2 | 1 |
| 20 | Acute bronchitis | M | 9 | – | – | – | – | – | 1 | 1 | – | 2 | 3 | 2 | 2 | – | – |
| | | F | 10 | – | – | – | – | – | 1 | – | 2 | 3 | 2 | 2 | 1 | – | 2 |
| 22 | Pneumonia | M | 73 | – | – | 1 | – | 1 | 2 | 2 | 2 | 7 | 9 | 5 | 26 | 16 | 10 |
| | | F | 55 | – | – | – | – | – | 3 | 4 | 1 | 8 | 4 | 4 | 19 | 9 | 11 |
| 23 | Bronchopneumonia | M | 342 | 1 | 1 | 3 | 11 | 16 | 17 | 1[illegible] | 13 | 56 | 49 | 50 | 76 | 68 | 43 |
| | | F | 291 | 1 | 1 | 4 | 9 | 15 | 7 | 17 | 1 | 49 | 31 | 27 | 83 | 53 | 48 |
| 24 | Diseases of the stomach | M | 18 | – | 1 | – | – | 1 | 1 | 3 | 1 | 6 | 1 | 3 | 6 | 2 | – |
| | | F | 11 | – | – | – | 2 | 2 | 1 | – | – | 3 | 2 | 2 | 3 | – | 1 |
| 25 | Diarrhea and enteritis | M | 212 | 1 | – | – | 4 | 5 | 6 | 8 | 9 | 28 | 43 | 26 | 61 | 39 | 15 |
| | | F | 153 | 1 | – | – | 1 | 2 | 3 | 7 | 3 | 15 | 12 | 24 | 56 | 26 | 20 |
| 33 | Malformations | M | 296 | 69 | 26 | 26 | 49 | 170 | 27 | 15 | 14 | 226 | 26 | 8 | 21 | 10 | 5 |
| | | F | 276 | 68 | 23 | 19 | 38 | 148 | 30 | 14 | 16 | 208 | 16 | 8 | 24 | 14 | 6 |
| 33 | Premature birth | M | 675 | 389 | 88 | 49 | 54 | 580 | 42 | 17 | 13 | 652 | 13 | 5 | 5 | – | – |
| | | F | 484 | 266 | 54 | 35 | 38 | 393 | 27 | 17 | 16 | 453 | 16 | 9 | 4 | 2 | – |
| 33 | Congenital debility | M | 74 | 7 | 1 | 3 | 13 | 24 | 4 | 4 | 7 | 39 | 5 | 13 | 11 | 3 | 3 |
| | | F | 74 | 10 | 6 | 7 | 10 | 33 | 4 | 1 | 5 | 43 | 9 | 12 | 9 | 1 | – |
| 33 | Injuries at birth | M | 256 | 127 | 29 | 34 | 43 | 233 | 13 | 2 | 1 | 249 | 1 | 3 | 1 | – | 2 |
| | | F | 169 | 72 | 19 | 18 | 37 | 146 | 10 | 3 | 3 | 162 | 3 | 1 | 3 | – | – |
| 35 | External causes | M | 29 | 4 | – | 1 | – | 5 | – | 1 | 3 | 9 | 3 | 3 | 8 | 4 | 2 |
| | | F | 16 | 1 | – | 1 | 1 | 3 | – | – | – | 3 | 2 | 1 | 3 | 4 | 3 |
| 38 | Unknown or ill-defined diseases | M | 9 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 4 | 2 | – |
| | | F | 15 | 2 | – | 2 | 2 | 6 | – | – | 1 | 7 | – | 2 | 2 | 3 | 1 |
| | All other causes | M | 324 | 51 | 31 | 24 | 43 | 149 | 19 | 12 | 8 | 188 | 28 | 21 | 31 | 35 | 21 |
| | | F | 218 | 51 | 6 | 14 | 23 | 94 | 19 | 7 | 11 | 131 | 19 | 11 | 31 | 16 | 10 |

[1] Exclusive of stillbirths.

**Table 29a**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | BOSTON. | T | 1,257 | 289 | 72 | 59 | 103 | 523 | 69 | 47 | 48 | 687 | 118 | 83 | 175 | 114 | 80 |
| | | M | 719 | 172 | 52 | 35 | 61 | 320 | 39 | 27 | 26 | 412 | 64 | 47 | 84 | 75 | 37 |
| | | F | 538 | 117 | 20 | 24 | 42 | 203 | 30 | 20 | 22 | 275 | 54 | 36 | 91 | 39 | 43 |
| 5 | Measles | M | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 |
| | | F | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 |
| | | F | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | 3 | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| 12 | Dysentery | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | 8 | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 | 1 | 2 |
| | | F | 16 | – | – | – | – | – | – | 2 | – | 2 | 4 | – | 7 | 2 | 1 |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| 14 | Tuberculosis of the meninges and central nervous system. | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | 5 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – |
| | | F | 7 | 1 | 1 | – | 1 | 3 | 1 | – | 1 | 5 | – | – | 2 | – | – |
| 17 | Meningitis | M | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| | | F | 9 | – | 2 | – | – | 2 | – | – | – | 2 | – | – | 2 | 3 | 2 |
| 37 | Convulsions | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| 19 | Diseases of the heart | M | 2 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 22 | – | – | – | – | – | 1 | 1 | 1 | 3 | 4 | 1 | 6 | 6 | 2 |
| | | F | 23 | – | – | – | – | – | 2 | 2 | – | 4 | 4 | 3 | 4 | 3 | 5 |
| 23 | Bronchopneumonia | M | 114 | – | – | 1 | 3 | 4 | 9 | 5 | 5 | 23 | 19 | 19 | 18 | 24 | 11 |
| | | F | 106 | – | 1 | 3 | 5 | 9 | 3 | 6 | 6 | 24 | 12 | 15 | 36 | 8 | 11 |
| 24 | Diseases of the stomach | M | 5 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 2 | – | – |
| | | F | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 80 | 1 | – | – | 1 | 2 | – | 6 | 5 | 13 | 17 | 8 | 24 | 14 | 4 |
| | | F | 52 | – | – | – | – | – | 2 | 2 | – | 4 | 3 | 8 | 19 | 9 | 9 |
| 33 | Malformations | M | 87 | 24 | 3 | 10 | 9 | 46 | 8 | 4 | 7 | 65 | 4 | 3 | 8 | 4 | 3 |
| | | F | 73 | 19 | 2 | 4 | 10 | 35 | 9 | 3 | 5 | 52 | 6 | 1 | 6 | 5 | 3 |
| 33 | Premature birth | M | 183 | 93 | 28 | 12 | 18 | 151 | 12 | 5 | 5 | 173 | 7 | 2 | 1 | – | – |
| | | F | 117 | 70 | 8 | 7 | 10 | 95 | 7 | 1 | 4 | 107 | 9 | 1 | – | – | – |
| 33 | Congenital debility | M | 9 | – | 1 | – | 6 | 7 | – | – | – | 7 | – | 1 | 1 | – | – |
| | | F | 14 | 2 | 2 | – | 2 | 6 | – | – | 1 | 7 | 4 | 2 | 1 | – | – |
| 33 | Injuries at birth | M | 75 | 40 | 10 | 5 | 13 | 68 | 3 | – | – | 71 | 1 | 2 | – | – | 1 |
| | | F | 37 | 12 | 4 | 7 | 6 | 29 | 3 | 1 | 1 | 34 | 1 | 1 | 1 | – | – |
| 35 | External causes | M | 8 | 1 | – | – | – | 1 | – | – | 1 | 2 | 1 | – | 3 | 2 | – |
| | | F | 5 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | 1 |
| 38 | Unknown or ill-defined diseases | M | 3 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | – |
| | | F | 3 | 1 | – | 1 | – | 2 | – | – | – | 2 | – | – | – | – | 1 |
| | All other causes | M | 89 | 12 | 10 | 7 | 11 | 40 | 5 | 3 | 1 | 49 | 7 | 7 | 8 | 13 | 5 |
| | | F | 59 | 12 | – | 1 | 6 | 19 | 3 | 3 | 4 | 29 | 9 | 4 | 9 | 5 | |

[1] Exclusive of stillbirths.

Table 29b

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | BROCKTON. | T | 68 | 24 | 3 | 3 | 5 | 35 | 5 | 4 | 2 | 46 | 6 | 3 | 3 | 4 | 6 |
| | | M | 41 | 13 | 2 | 1 | 3 | 19 | 4 | 4 | 1 | 28 | 5 | 3 | 1 | 1 | 3 |
| | | F | 27 | 11 | 1 | 2 | 2 | 16 | 1 | – | 1 | 18 | 1 | – | 2 | 3 | 3 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 23 | Bronchopneumonia | M | 3 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| | | F | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 3 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Malformations | M | 5 | 1 | – | – | – | 1 | 1 | 2 | 1 | 5 | – | – | – | – | – |
| | | F | 4 | – | – | 1 | 1 | 2 | – | – | – | 2 | 1 | – | 1 | – | – |
| 33 | Premature birth | M | 14 | 10 | 2 | 1 | – | 13 | – | – | – | 13 | 1 | – | – | – | – |
| | | F | 11 | 9 | 1 | – | 1 | 11 | – | – | – | 11 | – | – | – | – | – |
| 33 | Congenital debility | M | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 33 | Injuries at birth | M | 3 | 2 | – | – | – | 2 | 1 | – | – | 3 | – | – | – | – | – |
| | | F | 2 | 2 | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 7 | – | – | – | 2 | 2 | 1 | 1 | – | 4 | 2 | 1 | – | – | – |
| | | F | 4 | – | – | 1 | – | 1 | 1 | – | – | 2 | – | – | – | 2 | – |

[1] Exclusive of stillbirths.

**Table 29c**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CAMBRIDGE. | T | 118 | 34 | 7 | 5 | 8 | 54 | 6 | 9 | 6 | 75 | 9 | 2 | 19 | 3 | 10 |
| | | M | 62 | 17 | 2 | 2 | 4 | 25 | 5 | 5 | 3 | 38 | 7 | - | 11 | 1 | 5 |
| | | F | 56 | 17 | 5 | 3 | 4 | 29 | 1 | 4 | 3 | 37 | 2 | 2 | 8 | 2 | 5 |
| 5 | Measles | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| | | F | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| 6 | Scarlet fever | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | Whooping cough | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 8 | Diphtheria | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9 | Influenza | M | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | Dysentery | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | Erysipelas | M | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | Tetanus | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | Tuberculosis of the respiratory system | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 14 | Tuberculosis of the meninges and central nervous system. | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 15 | Other forms of tuberculosis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | Syphilis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 17 | Meningitis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 37 | Convulsions | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 19 | Diseases of the heart | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| 20 | Acute bronchitis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | Pneumonia | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 23 | Bronchopneumonia | M | 11 | - | - | - | - | - | 2 | 2 | - | 4 | 1 | - | 3 | - | 3 |
| | | F | 5 | - | - | - | - | - | - | - | - | - | - | 1 | 2 | - | 2 |
| 24 | Diseases of the stomach | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25 | Diarrhea and enteritis | M | 6 | - | - | - | - | - | - | - | - | - | 1 | - | 4 | - | 1 |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| 33 | Malformations | M | 10 | 3 | 1 | - | 1 | 5 | 2 | 2 | - | 9 | 1 | - | - | - | - |
| | | F | 10 | 1 | 2 | - | 1 | 4 | - | 2 | 2 | 8 | - | - | 1 | 1 | - |
| 33 | Premature birth | M | 15 | 13 | 1 | - | 1 | 15 | - | - | - | 15 | - | - | - | - | - |
| | | F | 15 | 10 | 1 | 2 | - | 13 | - | 2 | - | 15 | - | - | - | - | - |
| 33 | Congenital debility | M | 3 | - | - | - | - | - | - | - | 3 | 3 | - | - | - | - | - |
| | | F | 3 | 1 | - | - | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| 33 | Injuries at birth | M | 3 | 1 | - | 1 | 1 | 3 | - | - | - | 3 | - | - | - | - | - |
| | | F | 6 | 2 | 1 | 1 | 2 | 6 | - | - | - | 6 | - | - | - | - | - |
| 35 | External causes | M | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 38 | Unknown or ill-defined diseases | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | All other causes | M | 9 | - | - | 1 | 1 | 2 | 1 | 1 | - | 4 | 3 | - | 2 | - | - |
| | | F | 7 | 3 | - | - | 1 | 4 | 1 | - | - | 5 | - | - | 2 | - | - |

[1] Exclusive of stillbirths.

**Table 29d**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | FALL RIVER. | T | 146 | 40 | 9 | 12 | 12 | 73 | 7 | 2 | 4 | 86 | 10 | 9 | 17 | 17 | 7 |
| | | M | 74 | 23 | 4 | 11 | 5 | 43 | 4 | 1 | 2 | 50 | 5 | 5 | 6 | 5 | 3 |
| | | F | 72 | 17 | 5 | 1 | 7 | 30 | 3 | 1 | 2 | 36 | 5 | 4 | 11 | 12 | 4 |
| 5 | Measles | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6 | Scarlet fever | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | Whooping cough | M | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| | | F | 4 | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| 8 | Diphtheria | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9 | Influenza | M | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| | | F | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 |
| 12 | Dysentery | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | Erysipelas | M | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| | | F | 1 | - | - | | - | - | - | - | - | - | 1 | - | - | - | - |
| 37 | Tetanus | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | Tuberculosis of the respiratory system | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 14 | Tuberculosis of the meninges and central nervous system | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 15 | Other forms of tuberculosis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | Syphilis | M | 3 | 2 | - | - | - | 2 | - | - | - | 2 | - | 1 | - | - | - |
| | | F | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| 17 | Meningitis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| 37 | Convulsions | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 19 | Diseases of the heart | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| 20 | Acute bronchitis | M | 3 | - | - | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | Pneumonia | M | 1 | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| | | F | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| 23 | Bronchopneumonia | M | 8 | - | - | 1 | - | 1 | - | - | - | 1 | - | 1 | 2 | 3 | 1 |
| | | F | 10 | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 5 | 2 |
| 24 | Diseases of the stomach | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 25 | Diarrhea and enteritis | M | 6 | - | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 3 | - | - |
| | | F | 12 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 1 | 4 | 2 | 1 |
| 33 | Malformations | M | 9 | - | 2 | 3 | 2 | 7 | 1 | - | - | 8 | 1 | - | - | - | - |
| | | F | 10 | 5 | 1 | - | - | 6 | 1 | - | 1 | 8 | - | 1 | 1 | - | - |
| 33 | Premature birth | M | 18 | 13 | 1 | 4 | - | 18 | - | - | - | 18 | - | - | - | - | - |
| | | F | 12 | 8 | 2 | - | 1 | 11 | - | - | - | 11 | - | 1 | - | - | - |
| 33 | Congenital debility | M | 2 | - | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| | | F | 3 | 1 | - | - | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| 33 | Injuries at birth | M | 14 | 6 | 1 | 3 | 2 | 12 | 1 | - | - | 13 | - | - | - | - | 1 |
| | | F | 7 | 1 | 2 | 1 | 3 | 7 | - | - | - | 7 | - | - | - | - | - |
| 35 | External causes | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 38 | Unknown or ill-defined diseases | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | All other causes | M | 4 | 2 | - | - | 1 | 3 | 1 | - | - | 4 | - | - | - | - | - |
| | | F | 4 | 2 | - | - | 1 | 3 | - | - | - | 3 | - | - | - | 1 | - |

[1] Exclusive of stillbirths.

**Table 29e**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | HOLYOKE. | T | 57 | 19 | 4 | 2 | 8 | 33 | 2 | 1 | 1 | 37 | 3 | 3 | 6 | 5 | 3 |
| | | M | 29 | 10 | 2 | 1 | 4 | 17 | 1 | – | – | 18 | 2 | 1 | 4 | 3 | 1 |
| | | F | 28 | 9 | 2 | 1 | 4 | 16 | 1 | 1 | 1 | 19 | 1 | 2 | 2 | 2 | 2 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 23 | Bronchopneumonia | M | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – |
| | | F | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 4 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| 33 | Malformations | M | 3 | 1 | – | – | 1 | 2 | – | – | – | 2 | – | – | – | – | 1 |
| | | F | 7 | 3 | – | 1 | 1 | 5 | 1 | – | 1 | 7 | – | – | – | – | – |
| 33 | Premature birth | M | 10 | 8 | – | 1 | 1 | 10 | – | – | – | 10 | – | – | – | – | – |
| | | F | 8 | 4 | – | – | 3 | 7 | – | – | – | 7 | – | 1 | – | – | – |
| 33 | Congenital debility | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Injuries at birth | M | 4 | 1 | 2 | – | 1 | 4 | – | – | – | 4 | – | – | – | – | – |
| | | F | 3 | 1 | 2 | – | – | 3 | – | – | – | 3 | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | 2 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – |

[1] Exclusive of stillbirths.

**Table 29f**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LAWRENCE. | T | 101 | 28 | 5 | 7 | 15 | 55 | 4 | 4 | 1 | 64 | 6 | 7 | 9 | 8 | 7 |
| | | M | 58 | 17 | 3 | 4 | 8 | 32 | 2 | 2 | 1 | 37 | 3 | 6 | 3 | 5 | 4 |
| | | F | 43 | 11 | 2 | 3 | 7 | 23 | 2 | 2 | – | 27 | 3 | 1 | 6 | 3 | 3 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 8 | Diphtheria | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 23 | Bronchopneumonia | M | 14 | – | – | – | – | – | – | 1 | – | 1 | 2 | 3 | 2 | 4 | 2 |
| | | F | 10 | – | – | – | – | – | 1 | 1 | – | 2 | 2 | – | 3 | 1 | 2 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| | | F | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| 33 | Malformations | M | 4 | 1 | 1 | – | 2 | 4 | – | – | – | 4 | – | – | – | – | – |
| | | F | 4 | – | – | 1 | 2 | 3 | – | – | – | 3 | – | – | 1 | – | – |
| 33 | Premature birth | M | 23 | 11 | 1 | 2 | 6 | 20 | 2 | – | 1 | 23 | – | – | – | – | – |
| | | F | 14 | 7 | 2 | 2 | 2 | 13 | – | 1 | – | 14 | – | – | – | – | – |
| 33 | Congenital debility | M | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | | F | 3 | 1 | – | – | – | 1 | 1 | – | – | 2 | – | – | 1 | – | – |
| 33 | Injuries at birth | M | 4 | 2 | 1 | 1 | – | 4 | – | – | – | 4 | – | – | – | – | – |
| | | F | 3 | 1 | – | – | 2 | 3 | – | – | – | 3 | – | – | – | – | – |
| 35 | External causes | M | 1 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 5 | 2 | – | 1 | – | 3 | – | – | – | 3 | – | 2 | – | – | – |
| | | F | 2 | 2 | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |

[1] Exclusive of stillbirths.

**Table 29g**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LOWELL. | T | 155 | 45 | 10 | 5 | 14 | 74 | 11 | 7 | 3 | 95 | 9 | 10 | 15 | 11 | 15 |
| | | M | 82 | 26 | 4 | 3 | 9 | 42 | 4 | 4 | – | 50 | 8 | 3 | 6 | 7 | 8 |
| | | F | 73 | 19 | 6 | 2 | 5 | 32 | 7 | 3 | 3 | 45 | 1 | 7 | 9 | 4 | 7 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| | | F | 2 | – | – | – | – | – | | – | – | – | – | – | 1 | 1 | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 22 | Pneumonia | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 23 | Bronchopneumonia | M | 8 | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | 2 | 3 |
| | | F | 6 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | 3 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 25 | Diarrhea and enteritis | M | 9 | – | – | – | 1 | 1 | – | – | – | 1 | 3 | – | 1 | 3 | 1 |
| | | F | 9 | 1 | – | – | – | 1 | – | – | – | 1 | – | 1 | 3 | 1 | 3 |
| 33 | Malformations | M | 6 | – | – | 1 | 2 | 3 | 1 | 1 | – | 5 | 1 | – | – | – | – |
| | | F | 6 | 1 | – | – | – | 1 | 4 | – | 1 | 6 | – | – | – | – | – |
| 33 | Premature birth | M | 32 | 17 | 4 | 1 | 3 | 25 | 3 | 2 | – | 30 | 1 | – | 1 | – | – |
| | | F | 18 | 7 | 4 | 2 | 2 | 15 | 2 | – | 1 | 18 | – | – | – | – | – |
| 33 | Congenital debility | M | 6 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | 2 |
| | | F | 6 | – | 1 | – | 1 | 2 | – | – | – | 2 | – | 1 | 3 | – | – |
| 33 | Injuries at birth | M | 6 | 6 | – | – | – | 6 | – | – | – | 6 | – | – | – | – | – |
| | | F | 7 | 4 | 1 | – | 1 | 6 | – | 1 | – | 7 | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | All other causes | M | 10 | 3 | – | – | 3 | 6 | – | – | – | 6 | 1 | – | 1 | 2 | – |
| | | F | 11 | 6 | – | – | – | 6 | 1 | 1 | – | 8 | – | 2 | – | – | 1 |

[1] Exclusive of stillbirths.

**Table 29h**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: **1930.**

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3 | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | LYNN. | T | 104 | 26 | 12 | 10 | 10 | 58 | 6 | 5 | 2 | 71 | 3 | 2 | 14 | 7 | 7 |
| | | M | 60 | 15 | 7 | 6 | 4 | 32 | 4 | 2 | 1 | 39 | – | 1 | 11 | 5 | 4 |
| | | F | 44 | 11 | 5 | 4 | 6 | 26 | 2 | 3 | 1 | 32 | 3 | 1 | 3 | 2 | 3 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | | F | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| 23 | Bronchopneumonia | M | 6 | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | 2 | 1 | 1 |
| | | F | 5 | – | – | – | – | – | 1 | – | 1 | 2 | – | – | 1 | – | 2 |
| 24 | Diseases of the stomach | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 4 | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – |
| | | F | 2 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – |
| 33 | Malformations | M | 6 | 1 | – | 2 | 1 | 4 | 1 | – | – | 5 | – | – | – | 1 | – |
| | | F | 8 | 3 | 2 | 1 | 1 | 7 | – | – | – | 7 | – | – | – | 1 | – |
| 33 | Premature birth | M | 23 | 12 | 6 | 3 | – | 21 | 1 | – | 1 | 23 | – | – | – | – | – |
| | | F | 11 | 6 | – | 1 | 1 | 8 | – | 2 | – | 10 | 1 | – | – | – | – |
| 33 | Congenital debility | M | 2 | – | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| 33 | Injuries at birth | M | 5 | 1 | 1 | – | 2 | 4 | – | 1 | – | 5 | – | – | – | – | – |
| | | F | 6 | 1 | 1 | 1 | 3 | 6 | – | – | – | 6 | – | – | – | – | – |
| 35 | External causes | M | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 6 | 1 | – | 1 | – | 2 | – | – | – | 2 | – | – | 2 | – | 2 |
| | | F | 6 | 1 | 2 | 1 | – | 4 | 1 | – | – | 5 | 1 | – | – | – | – |

[1] Exclusive of stillbirths.

**Table 29i**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MALDEN. | T | 36 | 9 | 1 | 5 | 6 | 21 | 1 | – | – | 22 | 3 | 3 | 3 | 4 | 1 |
| | | M | 23 | 6 | 1 | 5 | 4 | 16 | 1 | – | – | 17 | – | 1 | 2 | 2 | 1 |
| | | F | 13 | 3 | – | – | 2 | 5 | – | – | – | 5 | 3 | 2 | 1 | 2 | – |
| 5 | Measles | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 23 | Bronchopneumonia | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 2 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Malformations | M | 6 | 3 | – | 2 | 1 | 6 | – | – | – | 6 | – | – | – | – | – |
| | | F | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| 33 | Premature birth | M | 6 | 3 | 1 | 2 | – | 6 | – | – | – | 6 | – | – | – | – | – |
| | | F | 3 | 3 | – | – | – | 3 | – | – | – | 3 | – | – | – | – | – |
| 33 | Congenital debility | M | 2 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 33 | Injuries at birth | M | 2 | – | – | 1 | – | 1 | 1 | – | – | 2 | – | – | – | – | – |
| | | F | 2 | – | – | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

[1] Exclusive of stillbirths.

**Table 29j**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: **1930.**

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MEDFORD. | T | 41 | 17 | 1 | 1 | 7 | 26 | 2 | – | 1 | 29 | 4 | 2 | 3 | 1 | 2 |
| | | M | 19 | 7 | – | 1 | 3 | 11 | 2 | – | 1 | 14 | 2 | 2 | – | – | 1 |
| | | F | 22 | 10 | 1 | – | 4 | 15 | – | – | – | 15 | 2 | – | 3 | 1 | 1 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | 1 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | | | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 23 | Bronchopneumonia | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 33 | Malformations | M | 5 | – | – | – | 3 | 3 | 2 | – | – | 5 | – | – | – | – | – |
| | | F | 5 | 3 | – | – | 2 | 5 | – | – | – | 5 | – | – | – | – | – |
| 33 | Premature birth | M | 6 | 5 | – | – | – | 5 | – | – | 1 | 6 | – | – | – | – | – |
| | | F | 8 | 6 | – | – | 1 | 7 | – | – | – | 7 | 1 | – | – | – | – |
| 33 | Congenital debility | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Injuries at birth | M | 2 | 2 | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| | | F | 3 | 1 | 1 | – | 1 | 3 | – | – | – | 3 | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

[1] Exclusive of stillbirths.

**Table 29k**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NEW BEDFORD. | T | 109 | 28 | 8 | 3 | 12 | 51 | 6 | 4 | 4 | 65 | 6 | 7 | 16 | 8 | 7 |
| | | M | 60 | 13 | 7 | 1 | 7 | 28 | 4 | 2 | 2 | 36 | 3 | 4 | 8 | 5 | 4 |
| | | F | 49 | 15 | 1 | 2 | 5 | 23 | 2 | 2 | 2 | 29 | 3 | 3 | 8 | 3 | 3 |
| 5 | Measles | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6 | Scarlet fever | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 7 | Whooping cough | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| 8 | Diphtheria | M | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 9 | Influenza | M | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | Dysentery | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 12 | Erysipelas | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | Tetanus | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | Tuberculosis of the respiratory system | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 14 | Tuberculosis of the meninges and central nervous system. | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 15 | Other forms of tuberculosis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 37 | Syphilis | M | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 17 | Meningitis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 37 | Convulsions | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 19 | Diseases of the heart | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 20 | Acute bronchitis | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 22 | Pneumonia | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 23 | Bronchopneumonia | M | 14 | 1 | - | - | - | 1 | 1 | - | - | 2 | 2 | 2 | 4 | 2 | 2 |
| | | F | 7 | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 1 | 1 | 3 |
| 24 | Diseases of the stomach | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 25 | Diarrhea and enteritis | M | 5 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - |
| | | F | 3 | - | - | - | - | - | - | 1 | 1 | 2 | - | - | 1 | - | - |
| 33 | Malformations | M | 8 | 1 | 2 | - | 1 | 4 | 1 | 1 | 1 | 7 | - | - | 1 | - | - |
| | | F | 3 | 1 | 1 | - | - | 2 | - | - | - | 2 | - | - | 1 | - | - |
| 33 | Premature birth | M | 13 | 9 | - | - | 2 | 11 | 1 | - | - | 12 | - | - | 1 | - | - |
| | | F | 7 | 3 | - | 1 | 1 | 5 | 1 | 1 | - | 7 | - | - | - | - | - |
| 33 | Congenital debility | M | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| | | F | 3 | - | - | - | 2 | 2 | - | - | - | 2 | - | 1 | - | - | - |
| 33 | Injuries at birth | M | 3 | - | - | 1 | 2 | 3 | - | - | - | 3 | - | - | - | - | - |
| | | F | 8 | 6 | - | - | 1 | 7 | - | - | - | 7 | 1 | - | - | - | - |
| 35 | External causes | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 1 | - | | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 38 | Unknown or ill-defined diseases | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | F | 3 | - | - | - | 1 | 1 | - | - | - | 1 | - | 1 | - | 1 | - |
| | All other causes | M | 12 | 2 | 5 | - | 2 | 9 | 1 | - | - | 10 | - | - | - | 2 | - |
| | | F | 9 | 5 | - | 1 | - | 6 | - | - | 1 | 7 | - | 1 | 1 | - | - |

[1] Exclusive of stillbirths.

**Table 291**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NEWTON. | T | 27 | 16 | – | 4 | 3 | 23 | 1 | – | – | 24 | 1 | – | 1 | – | 1 |
| | | M | 15 | 9 | – | 2 | 2 | 13 | – | – | – | 13 | 1 | – | – | – | 1 |
| | | F | 12 | 7 | – | 2 | 1 | 10 | 1 | – | – | 11 | – | – | 1 | – | – |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 23 | Bronchopneumonia | M | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Malformations | M | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| | | F | 4 | 2 | – | 1 | – | 3 | 1 | – | – | 4 | – | – | – | – | – |
| 33 | Premature birth | M | 7 | 6 | – | 1 | – | 7 | – | – | – | 7 | – | – | – | – | – |
| | | F | 3 | 2 | – | 1 | – | 3 | – | – | – | 3 | – | – | – | – | – |
| 33 | Congenital debility | M | 1 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | 1 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| 33 | Injuries at birth | M | 2 | 1 | – | 1 | – | 2 | – | – | – | 2 | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 1 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | 3 | 2 | – | – | 1 | 3 | – | – | – | 3 | – | – | – | – | – |

[1] Exclusive of stillbirths.

**Table 29m**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | QUINCY. | T | 54 | 15 | 2 | 5 | 2 | 24 | 4 | 2 | 1 | 31 | 6 | 3 | 5 | 5 | 4 |
| | | M | 31 | 8 | 1 | 2 | 1 | 12 | 1 | 1 | – | 14 | 4 | 3 | 4 | 4 | 2 |
| | | F | 23 | 7 | 1 | 3 | 1 | 12 | 3 | 1 | 1 | 17 | 2 | – | 1 | 1 | 2 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 22 | Pneumonia | M | 4 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| | | F | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| 23 | Bronchopneumonia | M | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 |
| | | F | 5 | – | – | – | – | – | 1 | – | 1 | 2 | 1 | – | – | 1 | 1 |
| 24 | Diseases of the stomach | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 3 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Malformations | M | 4 | 1 | – | – | 1 | 2 | 1 | 1 | – | 4 | – | – | – | – | – |
| | | F | 2 | – | 1 | 1 | – | 2 | – | – | – | 2 | – | – | – | – | – |
| 33 | Premature birth | M | 7 | 5 | 1 | 1 | – | 7 | – | – | – | 7 | – | – | – | – | – |
| | | F | 7 | 4 | – | 1 | 1 | 6 | 1 | – | – | 7 | – | – | – | – | – |
| 33 | Congenital debility | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 33 | Injuries at birth | M | 2 | 2 | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| | | F | 3 | 1 | – | 1 | – | 2 | 1 | – | – | 3 | – | – | – | – | – |
| 35 | External causes | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 1 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| | | F | 4 | 2 | – | – | – | 2 | – | – | – | 2 | 1 | – | 1 | – | – |

[1] Exclusive of stillbirths.

**Table 29n**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: **1930.**

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | SOMERVILLE. | T | 107 | 24 | 5 | 5 | 13 | 47 | 8 | 7 | 5 | 67 | 4 | 11 | 10 | 11 | 4 |
| | | M | 67 | 13 | 3 | 3 | 11 | 30 | 6 | 5 | 1 | 42 | 3 | 7 | 6 | 8 | 1 |
| | | F | 40 | 11 | 2 | 2 | 2 | 17 | 2 | 2 | 4 | 25 | 1 | 4 | 4 | 3 | 3 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 7 | Whooping cough | M | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 8 | Diphtheria | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 19 | Diseases of the heart | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 22 | Pneumonia | M | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 23 | Bronchopneumonia | M | 12 | – | – | – | 1 | 1 | 1 | – | – | 2 | 1 | 3 | 1 | 5 | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| 24 | Diseases of the stomach | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 33 | Malformations | M | 6 | 3 | 1 | – | 2 | 6 | – | – | – | 6 | – | – | – | – | – |
| | | F | 5 | – | 1 | 1 | 1 | 3 | 1 | 1 | – | 5 | – | – | – | – | – |
| 33 | Premature birth | M | 20 | 9 | – | 1 | 5 | 15 | 1 | 3 | – | 19 | 1 | – | – | – | – |
| | | F | 10 | 7 | – | – | – | 7 | 1 | 1 | 1 | 10 | – | – | – | – | – |
| 33 | Congenital debility | M | 3 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | – |
| | | F | 3 | – | 1 | – | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – |
| 33 | Injuries at birth | M | 3 | – | 1 | – | 1 | 2 | 1 | – | – | 3 | – | – | – | – | – |
| | | F | 5 | 4 | – | – | – | 4 | – | – | – | 4 | – | – | 1 | – | – |
| 35 | External causes | M | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 11 | 1 | 1 | 2 | 2 | 6 | 2 | – | – | 8 | – | 1 | 1 | 1 | – |
| | | F | 6 | – | – | 1 | – | 1 | – | – | 2 | 3 | – | 1 | 1 | 1 | – |

[1] Exclusive of stillbirths.

**Table 29o**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | SPRINGFIELD. | T | 168 | 40 | 12 | 12 | 15 | 79 | 12 | 2 | 6 | 99 | 17 | 7 | 25 | 13 | 7 |
| | | M | 95 | 25 | 7 | 6 | 10 | 48 | 7 | – | 3 | 58 | 9 | 3 | 14 | 8 | 3 |
| | | F | 73 | 15 | 5 | 6 | 5 | 31 | 5 | 2 | 3 | 41 | 8 | 4 | 11 | 5 | 4 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | | F | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| 8 | Diphtheria | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 9 | Influenza | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 12 | Erysipelas | M | 2 | – | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Convulsions | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 3 | – | – | – | 1 | 1 | – | – | 1 | 2 | 1 | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 22 | Pneumonia | M | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 23 | Bronchopneumonia | M | 13 | – | – | – | – | – | – | – | – | – | 2 | 1 | 6 | 3 | 1 |
| | | F | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 2 | 1 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | – |
| | | F | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | – |
| 33 | Malformations | M | 9 | 2 | – | – | 1 | 3 | 2 | – | – | 5 | 3 | – | 1 | – | – |
| | | F | 5 | – | 1 | 1 | – | 2 | – | – | – | 2 | 2 | – | 1 | – | – |
| 33 | Premature birth | M | 23 | 14 | 4 | 2 | – | 20 | 2 | – | 1 | 23 | – | – | – | – | – |
| | | F | 22 | 9 | 4 | 2 | 1 | 16 | 3 | 1 | 1 | 21 | – | – | 1 | – | – |
| 33 | Congenital debility | M | 1 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | | F | 5 | – | – | 1 | 2 | 3 | – | 1 | – | 4 | – | 1 | – | – | – |
| 33 | Injuries at birth | M | 11 | 3 | 2 | 1 | 5 | 11 | – | – | – | 11 | – | – | – | – | – |
| | | F | 8 | 4 | – | – | 1 | 5 | 1 | – | 1 | 7 | 1 | – | – | – | – |
| 35 | External causes | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 2 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 27 | 6 | 1 | 2 | 3 | 12 | 3 | – | 2 | 17 | 2 | – | 4 | 2 | 2 |
| | | F | 10 | 1 | – | 2 | – | 3 | 1 | – | – | 4 | 1 | – | 8 | 1 | 1 |

[1] Exclusive of stillbirths.

**Table 29p.**

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1930.

| Abridged Int. List No. | Cause of Death. | Sex. | Total deaths under 1 year of age. | Less than 1 day. | 1 day. | 2 days. | 3 days but less than 7. | Total less than 1 week. | 1 week but less than 2. | 2 weeks but less than 3. | 3 weeks but less than 1 month. | Total less than 1 month. | 1 month but less than 2. | 2 months but less than 3. | 3 months but less than 6. | 6 months but less than 9. | 9 months but less than 12. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | WORCESTER. | T | 230 | 52 | 22 | 13 | 11 | 98 | 13 | 7 | 8 | 126 | 23 | 14 | 30 | 20 | 17 |
| | | M | 121 | 31 | 12 | 4 | 3 | 50 | 5 | 3 | 4 | 62 | 16 | 10 | 16 | 9 | 8 |
| | | F | 109 | 21 | 10 | 9 | 8 | 48 | 8 | 4 | 4 | 64 | 7 | 4 | 14 | 11 | 9 |
| 5 | Measles | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| 6 | Scarlet fever | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 7 | Whooping cough | M | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | | F | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| 8 | Diphtheria | M | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| 9 | Influenza | M | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | | F | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| 12 | Dysentery | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 12 | Erysipelas | M | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| 37 | Tetanus | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 13 | Tuberculosis of the respiratory system | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 14 | Tuberculosis of the meninges and central nervous system. | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 15 | Other forms of tuberculosis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 37 | Syphilis | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 17 | Meningitis | M | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| | | F | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| 37 | Convulsions | M | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 19 | Diseases of the heart | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 | Acute bronchitis | M | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | | F | 2 | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – |
| 22 | Pneumonia | M | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| 23 | Bronchopneumonia | M | 18 | – | 1 | 1 | – | 2 | – | – | 2 | 4 | 3 | – | 5 | 3 | 3 |
| | | F | 19 | – | – | – | 1 | 1 | – | 1 | – | 2 | 3 | – | 7 | 6 | 1 |
| 24 | Diseases of the stomach | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 25 | Diarrhea and enteritis | M | 9 | – | – | – | – | – | – | – | – | – | 4 | 1 | 3 | – | 1 |
| | | F | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| 33 | Malformations | M | 13 | – | 1 | – | 2 | 3 | – | – | 1 | 4 | 6 | 2 | – | 1 | – |
| | | F | 11 | 1 | 1 | – | 1 | 3 | 1 | 2 | – | 6 | 1 | 1 | 2 | 1 | – |
| 33 | Premature birth | M | 29 | 19 | 6 | 1 | – | 26 | 2 | – | – | 28 | – | – | 1 | – | – |
| | | F | 23 | 8 | 5 | 4 | 1 | 18 | 1 | 1 | 1 | 21 | 1 | 1 | – | – | – |
| 33 | Congenital debility | M | 4 | – | – | – | – | – | – | – | – | – | – | 3 | – | 1 | – |
| | | F | 2 | – | – | 2 | – | 2 | – | – | – | 2 | – | – | – | – | – |
| 33 | Injuries at birth | M | 16 | 7 | 3 | 2 | – | 12 | 2 | 1 | – | 15 | – | 1 | – | – | – |
| | | F | 15 | 9 | 2 | 2 | 2 | 15 | – | – | – | 15 | – | – | – | – | – |
| 35 | External causes | M | 2 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 38 | Unknown or ill-defined diseases | M | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | All other causes | M | 16 | 4 | 1 | – | 1 | 6 | 1 | 2 | – | 9 | – | 2 | 1 | 1 | 3 |
| | | F | 20 | 3 | 2 | 1 | 3 | 9 | 5 | – | 1 | 15 | – | 1 | 3 | – | 1 |

[1] Exclusive of stillbirths.

## Maternal Mortality.

**Table 30**

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1906 to 1930.

| Years. | Deaths. Total. 143-150. | Deaths. Puerperal septicemia. 146. | Deaths. All others. 143-145, 147-150. | Death rates — per 100,000 population. Total. | Death rates — per 100,000 population. Puerperal septicemia. | Death rates — per 100,000 population. All others. | Death rates — per 100,000 female[1] population. Total. | Death rates — per 100,000 female[1] population. Puerperal septicemia. | Death rates — per 100,000 female[1] population. All others. |
|---|---|---|---|---|---|---|---|---|---|
| 1906 | 340 | 87 | 253 | 11.0 | 2.8 | 8.2 | 21.2 | 5.4 | 15.8 |
| 1907 | 386 | 83 | 303 | 12.2 | 2.6 | 9.6 | 23.6 | 5.1 | 18.5 |
| 1908 | 357 | 37 | 320 | 11.0 | 1.1 | 9.9 | 21.5 | 2.2 | 19.3 |
| 1909 | 456 | 89 | 367 | 13.8 | 2.7 | 11.1 | 27.0 | 5.3 | 21.7 |
| 1910 | 402 | 104 | 298 | 11.9 | 3.1 | 8.8 | 23.4 | 6.1 | 17.3 |
| 1911 | 506 | 143 | 363 | 14.7 | 4.2 | 10.6 | 29.0 | 6.0 | 23.0 |
| 1912 | 435 | 97 | 338 | 12.4 | 2.8 | 9.6 | 24.5 | 5.5 | 19.0 |
| 1913 | 467 | 101 | 366 | 13.1 | 2.8 | 10.2 | 25.9 | 5.6 | 20.3 |
| 1914 | 538 | 104 | 434 | 14.8 | 2.9 | 11.9 | 29.4 | 5.7 | 23.7 |
| 1915 | 462 | 106 | 356 | 12.5 | 2.9 | 9.6 | 24.9 | 5.7 | 19.2 |
| 1916 | 525 | 159 | 366 | 13.9 | 4.2 | 9.7 | 27.3 | 8.3 | 19.0 |
| 1917 | 616 | 194 | 422 | 16.0 | 5.0 | 11.0 | 31.5 | 9.9 | 21.6 |
| 1918 | 804 | 159 | 645 | 20.6 | 4.1 | 16.5 | 40.4 | 8.0 | 32.4 |
| 1919 | 622 | 163 | 459 | 16.2 | 4.2 | 12.0 | 31.8 | 8.3 | 23.5 |
| 1920 | 698 | 195 | 503 | 18.1 | 5.1 | 13.0 | 35.6 | 10.0 | 25.6 |
| 1921 | 580 | 178 | 402 | 14.9 | 4.6 | 10.3 | 29.3 | 9.0 | 20.3 |
| 1922 | 559 | 159 | 400 | 14.2 | 4.0 | 10.2 | 27.9 | 7.9 | 20.0 |
| 1923 | 498 | 128 | 370 | 12.5 | 3.2 | 9.3 | 24.6 | 6.3 | 18.3 |
| 1924 | 544 | 161 | 383 | 13.6 | 4.0 | 9.6 | 26.7 | 7.9 | 18.8 |
| 1925 | 501 | 140 | 361 | 12.1 | 3.4 | 8.7 | – | – | – |
| 1926 | 501 | 150 | 351 | 11.9 | 3.6 | 8.3 | – | – | – |
| 1927 | 486 | 141 | 345 | 11.4 | 3.3 | 8.1 | – | – | – |
| 1928 | 456 | 123 | 333 | 10.5 | 2.8 | 7.7 | – | – | – |
| 1929 | 453 | 147 | 306 | 10.4 | 3.4 | 7.0 | – | – | – |
| 1930 | 438 | 141 | 297 | 10.3 | 3.3 | 7.0 | – | – | – |

[1] Female population for 1925, 1926, 1927, 1928, 1929 and 1930 not available.

**Table 31**

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (143-150)*: 1906 to 1930.

| Years. | Per 10,000 confinements.[1] Total. 143-150. | Per 10,000 confinements.[1] Puerperal septicemia. 146. | Per 10,000 confinements.[1] All others. 143-145, 147-150. | Per 10,000 births.[2] Total. 143-150. | Per 10,000 births.[2] Puerperal septicemia. 146. | Per 10,000 births.[2] All others. 143-145, 147-150. | Per 10,000 live births. Total. 143-150. | Per 10,000 live births. Puerperal septicemia. 146. | Per 10,000 live births. All others. 143-145, 147-150. | Per 10,000 confinements.[1] 143-150. Three-year averages. | Per 10,000 confinements.[1] 143-150. Five-year averages. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1906 | 41 | 11 | 30 | 41 | 10 | 31 | 42 | 11 | 31 | | |
| 1907 | 44 | 10 | 34 | 44 | 9 | 35 | 45 | 10 | 35 | | |
| 1908 | 40 | 4 | 36 | 40 | 4 | 36 | 41 | 4 | 37 | 45 | 44 |
| 1909 | 52 | 10 | 42 | 52 | 10 | 42 | 54 | 11 | 43 | | |
| 1910 | 45 | 12 | 33 | 45 | 12 | 33 | 46 | 12 | 34 | | |
| 1911 | 56 | 16 | 40 | 55 | 16 | 39 | 57 | 16 | 41 | 49 | |
| 1912 | 47 | 11 | 36 | 47 | 10 | 37 | 48 | 11 | 37 | | |
| 1913 | 50 | 11 | 39 | 49 | 11 | 38 | 51 | 11 | 40 | | 51 |
| 1914 | 56 | 11 | 45 | 56 | 11 | 45 | 58 | 11 | 47 | 51 | |
| 1915 | 48 | 11 | 37 | 48 | 11 | 37 | 48 | 11 | 37 | | |
| 1916 | 55 | 17 | 39 | 54 | 16 | 38 | 56 | 17 | 39 | | |
| 1917 | 63 | 20 | 43 | 62 | 19 | 43 | 64 | 20 | 44 | 67 | |
| 1918 | 82 | 16 | 66 | 81 | 16 | 65 | 84 | 17 | 67 | | 69 |
| 1919 | 69 | 18 | 51 | 68 | 18 | 50 | 71 | 19 | 52 | | |
| 1920 | 74 | 21 | 53 | 73 | 20 | 53 | 76 | 21 | 55 | 68 | |
| 1921 | 61 | 19 | 42 | 60 | 18 | 42 | 63 | 19 | 44 | | |
| 1922 | 62 | 18 | 44 | 61 | 17 | 44 | 64 | 18 | 46 | | |
| 1923 | 54 | 14 | 40 | 54 | 14 | 40 | 56 | 14 | 41 | 58 | 58 |
| 1924 | 58 | 17 | 41 | 57 | 17 | 40 | 59 | 17 | 42 | | |
| 1925 | 57 | 16 | 41 | 56 | 16 | 40 | 58 | 16 | 42 | | |
| 1926 | 59 | 18 | 41 | 58 | 17 | 41 | 60 | 18 | 42 | 58 | |
| 1927 | 58 | 17 | 41 | 57 | 17 | 40 | 59 | 17 | 42 | | |
| 1928 | 56 | 15 | 41 | 56 | 15 | 41 | 58 | 16 | 42 | | |
| 1929 | 62 | 20 | 42 | 59 | 19 | 40 | 61 | 20 | 41 | 59 | 58 |
| 1930 | 58 | 19 | 39 | 57 | 18 | 39 | 59 | 19 | 40 | | |

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.

| Line No. | Table 32 — Cause of Death. | Deaths (inclusive of Stillbirths) — The State. Number. | The State. Per Cent distribution. | Counties. Barnstable. | Berkshire. | Bristol. | Dukes. |
|---|---|---|---|---|---|---|---|
| 1 | **All Causes.** | **7,982** | **100.0** | **79** | **183** | **630** | **10** |
| 2 | VIOLENCE. | 3,170 | 39.7 | 34 | 89 | 238 | 7 |
| 3 | *Homicide.* | 79 | 1.0 | 1 | 2 | 9 | – |
| 4 | Firearms (197) | 33 | .4 | 1 | 1 | 3 | – |
| 5 | Stabbing (198) | 12 | .2 | – | – | 4 | – |
| 6 | Infanticide (200) | 1 | –[1] | – | – | – | – |
| 7 | Other methods (199) | 33 | .4 | – | 1 | 2 | – |
| 8 | *Suicide.* | 556 | 7.0 | 3 | 12 | 41 | 3 |
| 9 | Firearms (170) | 121 | 1.5 | 2 | 6 | 10 | 1 |
| 10 | Asphyxia by illuminating gas (167) | 147 | 1.9 | – | 2 | 20 | – |
| 11 | Hanging (168) | 121 | 1.5 | – | 2 | 5 | – |
| 12 | Poisons (165, 166) | 45 | .6 | – | – | 2 | – |
| 13 | Drowning (169) | 59 | .7 | – | 2 | – | 1 |
| 14 | Cutting or piercing instruments (171) | 32 | .4 | 1 | – | 4 | – |
| 15 | Other methods | 31 | .4 | – | – | – | 1 |
| 16 | *Accident or Negligence.* | 2,535 | 31.7 | 30 | 75 | 188 | 4 |
| 17 | Public travel (railroads, vehicles, etc.) (188) | 945 | 11.8 | 15 | 28 | 73 | 2 |
| 18 | Falls, blows and falling bodies (185, 202) | 754 | 9.4 | 4 | 6 | 44 | – |
| 19 | Burns, scalds and explosions (178, 179) | 229 | 2.9 | 2 | 11 | 22 | – |
| 20 | Drowning (182) | 240 | 3.0 | 7 | 9 | 24 | 1 |
| 21 | Asphyxia (other than drowning) (180, 181) | 153 | 1.9 | – | 3 | 11 | – |
| 22 | Machinery (187) | 53 | .7 | – | 1 | 3 | – |
| 23 | Weather agencies (193–195) | 17 | .2 | – | – | 2 | – |
| 24 | Poisons (177) | 62 | .8 | 1 | 9 | 2 | 1 |
| 25 | Firearms and other weapons (183) | 21 | .2 | – | 3 | 3 | – |
| 26 | Other accidental causes | 61 | .8 | 1 | 5 | 4 | – |
| 27 | CAUSES NOT DUE TO VIOLENCE. | 3,956 | 49.6 | 42 | 92 | 383 | 3 |
| 28 | Natural causes | 3,660 | 45.9 | 40 | 90 | 364 | 3 |
| 29 | Alcoholism | 209 | 2.6 | 1 | 2 | 10 | – |
| 30 | Unknown or ill-defined causes | 87 | 1.1 | 1 | – | 9 | – |
| 31 | Cremations | 785 | 9.8 | 3 | 2 | 1 | – |
| 32 | STILLBIRTHS. | 71 | .9 | – | – | 8 | – |
| 33 | **Autopsies.** | | | | | | |
| 34 | Number | 551 | – | 2 | 6 | 46 | 1 |

[1] Less than one tenth of one per cent.

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1930.

| Line No. | COUNTIES — Con. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Essex. | Franklin. | Hampden. | Hampshire. | Middlesex. | Nantucket. | Norfolk. | Plymouth. | Suffolk. | Worcester. |
| 1 | **821** | **63** | **787** | **147** | **1,622** | **12** | **567** | **333** | **1,817** | **911** |
| 2 | 368 | 27 | 299 | 62 | 556 | 7 | 162 | 160 | 734 | 427 |
| 3 | 3 | – | 8 | – | 18 | – | 2 | 2 | 23 | 11 |
| 4 | – | – | 3 | – | 9 | – | 1 | – | 12 | 3 |
| 5 | – | – | 1 | – | 2 | – | – | 1 | 4 | – |
| 6 | – | – | – | – | – | – | – | – | – | 1 |
| 7 | 3 | – | 4 | – | 7 | – | 1 | 1 | 7 | 7 |
| 8 | 82 | 3 | 46 | 13 | 93 | 5 | 26 | 26 | 128 | 75 |
| 9 | 15 | 1 | 8 | 2 | 18 | 1 | 7 | 8 | 24 | 18 |
| 10 | 32 | – | 16 | 2 | 15 | 2 | 5 | 8 | 25 | 20 |
| 11 | 13 | 1 | 10 | 9 | 26 | – | 9 | 6 | 24 | 16 |
| 12 | 9 | – | 3 | – | 10 | 2 | 1 | 1 | 11 | 6 |
| 13 | 11 | 1 | 6 | – | 8 | – | 2 | 1 | 22 | 5 |
| 14 | – | – | 1 | – | 11 | – | 1 | 2 | 7 | 5 |
| 15 | 2 | – | 2 | – | 5 | – | 1 | – | 15 | 5 |
| 16 | 283 | 24 | 245 | 49 | 445 | 2 | 134 | 132 | 583 | 341 |
| 17 | 106 | 10 | 87 | 20 | 185 | – | 57 | 50 | 177 | 135 |
| 18 | 62 | 6 | 74 | 15 | 125 | – | 36 | 37 | 227 | 118 |
| 19 | 27 | 1 | 24 | 4 | 35 | – | 7 | 15 | 57 | 24 |
| 20 | 37 | 4 | 16 | 4 | 39 | 1 | 19 | 13 | 43 | 23 |
| 21 | 30 | 1 | 18 | 2 | 24 | 1 | 3 | 6 | 33 | 21 |
| 22 | 3 | 2 | 8 | 1 | 8 | – | 3 | 2 | 17 | 5 |
| 23 | 5 | – | 1 | – | 4 | – | 2 | – | 1 | 2 |
| 24 | 5 | – | 7 | – | 6 | – | 2 | 4 | 19 | 6 |
| 25 | 4 | – | 2 | 2 | 3 | – | 2 | – | – | 2 |
| 26 | 4 | – | 8 | 1 | 16 | – | 3 | 5 | 9 | 5 |
| 27 | 422 | 30 | 332 | 80 | 876 | 5 | 333 | 160 | 726 | 472 |
| 28 | 402 | 28 | 322 | 77 | 809 | 5 | 324 | 155 | 592 | 449 |
| 29 | 20 | 1 | 9 | 1 | 19 | – | 6 | 4 | 120 | 16 |
| 30 | – | 1 | 1 | 2 | 48 | – | 3 | 1 | 14 | 7 |
| 31 | 22 | 5 | 152 | 5 | 172 | – | 66 | 12 | 337 | 8 |
| 32 | 9 | 1 | 4 | – | 18 | – | 6 | 1 | 20 | 4 |
| 33 | | | | | | | | | | |
| 34 | 29 | 1 | 17 | – | 57 | 1 | 23 | 12 | 280 | 76 |

**Table 33**

| Detailed Int. List No. | Cause of Death. | Sex. | Deaths due to Violence and Other and Months, and by: All deaths investigated. | Months: January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes.** | T | 7,197[1] | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4,807 | 423 | 342 | 380 | 431 | 377 | 403 | 380 | 396 | 403 | 415 | 411 | 446 |
| | | F | 2,390 | 199 | 208 | 232 | 229 | 181 | 203 | 162 | 201 | 163 | 222 | 196 | 194 |
| | **All Causes (exclusive of stillbirths).** | T | 7,126 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4,765 | 421 | 339 | 376 | 428 | 373 | 400 | 378 | 394 | 395 | 411 | 407 | 443 |
| | | F | 2,361 | 198 | 204 | 229 | 229 | 179 | 199 | 158 | 197 | 163 | 218 | 195 | 192 |
| | Violence. | T | 3,170 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,251 | 178 | 136 | 149 | 203 | 172 | 208 | 210 | 201 | 203 | 201 | 192 | 198 |
| | | F | 919 | 79 | 83 | 82 | 87 | 68 | 97 | 59 | 82 | 63 | 75 | 78 | 66 |
| | *Suicide.* | T | 556 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 416 | 37 | 28 | 27 | 54 | 42 | 34 | 45 | 29 | 33 | 36 | 24 | 27 |
| | | F | 140 | 13 | 7 | 17 | 14 | 9 | 16 | 5 | 17 | 9 | 13 | 14 | 6 |
| 165 | Suicide by solid or liquid poisons (corrosive substances excepted) | T | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | 3 | – | 1 | – | 1 | 3 | – | – | 2 | – | – |
| | | F | 16 | 2 | 1 | – | 1 | – | 2 | – | 5 | – | – | 5 | – |
| 165*a* | Arsenic and its compounds | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 165*b* | Opium and its preparations | T | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | | F | 4 | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| 165*c* | Carbolic acid | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | | F | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 165*d* | Other poisons | T | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | – | 3 | – | 1 | – | – | 1 | – | – | 2 | – | – |
| | | F | 11 | 1 | – | – | 1 | – | – | – | 4 | – | – | 5 | – |
| 166 | By corrosive substances | T | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 12 | – | – | 1 | 2 | 1 | 3 | 1 | – | 1 | – | 1 | 2 |
| | | F | 7 | 2 | – | 1 | 1 | – | 1 | – | – | – | 1 | 1 | – |
| 167 | Suicide by poisonous gas | T | 147 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 100 | 11 | 6 | 7 | 13 | 9 | 12 | 11 | 3 | 8 | 5 | 8 | 7 |
| | | F | 47 | – | 4 | 4 | 5 | 5 | 5 | 2 | 3 | 3 | 7 | 3 | 6 |
| 168 | Suicide by hanging or strangulation | T | 121 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 102 | 8 | 6 | 4 | 17 | 18 | 6 | 10 | 7 | 6 | 8 | 6 | 6 |
| | | F | 19 | 2 | – | 3 | 2 | 1 | 2 | 1 | 2 | 2 | 4 | – | – |
| 169 | Suicide by drowning | T | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 36 | – | 2 | 2 | 3 | 4 | 4 | 6 | 7 | 4 | – | 3 | 1 |
| | | F | 23 | – | 1 | 4 | 4 | 3 | 3 | 1 | 2 | 1 | – | 4 | – |
| 170 | Suicide by firearms | T | 121 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 111 | 11 | 9 | 10 | 13 | 6 | 6 | 8 | 6 | 10 | 18 | 6 | 8 |
| | | F | 10 | 2 | – | – | – | – | 1 | – | 3 | 3 | 1 | – | – |
| 171 | Suicide by cutting or piercing instruments | T | 32 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 27 | 2 | 2 | 1 | 5 | 3 | 1 | 6 | 3 | 2 | 1 | – | 1 |
| | | F | 5 | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| 172 | Suicide by jumping from high places | T | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 12 | 3 | – | 2 | – | – | 1 | – | 2 | 1 | 2 | – | 1 |
| | | F | 10 | 3 | 1 | 2 | – | – | 2 | 1 | – | – | – | 1 | – |
| 173 | Suicide by crushing | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | 1 | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 |
| | | F | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| 174 | Other suicides | T | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | *Homicide.* | T | 79 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 52 | 5 | 4 | 3 | 5 | 2 | 5 | 3 | 6 | 5 | 5 | 4 | 5 |
| | | F | 27 | 2 | 3 | 3 | 3 | 2 | 2 | 1 | 4 | 1 | 5 | – | 1 |
| 197 | By firearms | T | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 22 | 2 | 2 | 2 | 2 | – | 3 | 1 | 3 | 2 | 1 | 3 | 1 |
| | | F | 11 | 1 | – | 2 | 1 | – | 1 | – | 3 | – | 2 | – | 1 |
| 198 | By cutting or piercing instruments | T | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | 2 | – | – | 1 | – | 1 | 2 | – | – | 3 | – | 1 |
| | | F | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| 199 | By other means | T | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 19 | 1 | 2 | 1 | 2 | 1 | 1 | – | 3 | 3 | 1 | 1 | 3 |
| | | F | 14 | 1 | 3 | 1 | 2 | 2 | – | 1 | 1 | 1 | 2 | – | – |
| 200 | Infanticide (murder of infants less than one year of age) | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | *Accidental.* | T | 2,535 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 1,783 | 136 | 104 | 119 | 144 | 128 | 169 | 162 | 166 | 165 | 160 | 164 | 166 |
| | | F | 752 | 64 | 73 | 62 | 70 | 57 | 79 | 53 | 61 | 53 | 57 | 64 | 59 |
| 175 | Poisoning by food | T | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 176 | Poisoning by venomous animals | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |

[1] Not including 785 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1930.

| Detailed Int. List No. | AGE PERIODS. Under 1 week. | 1 week but under 1 year. | 1 to 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 29 years. | 30 to 39 years. | 40 to 49 years. | 50 to 59 years. | 60 to 69 years. | 70 to 79 years. | 80 years and over. | Unknown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 69 | 129 | 140 | 122 | 120 | 129 | 326 | 481 | 633 | 936 | 925 | 581 | 215 | 1 |
| | 51 | 95 | 78 | 74 | 27 | 39 | 141 | 181 | 232 | 331 | 406 | 431 | 304 | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 27 | 129 | 140 | 122 | 120 | 129 | 326 | 481 | 633 | 936 | 925 | 581 | 215 | 1 |
| | 22 | 95 | 78 | 74 | 27 | 39 | 141 | 181 | 232 | 331 | 406 | 431 | 304 | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5 | 21 | 100 | 106 | 106 | 119 | 268 | 299 | 319 | 368 | 298 | 170 | 72 | – |
| | 2 | 12 | 55 | 62 | 20 | 22 | 75 | 84 | 94 | 109 | 113 | 144 | 127 | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | 3 | 7 | 40 | 65 | 80 | 101 | 71 | 41 | 8 | – |
| | – | – | – | – | – | 1 | 19 | 27 | 36 | 33 | 15 | 9 | – | – |
| 165 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 2 | – | 2 | 2 | 3 | – | 1 | – |
| | – | – | – | – | – | 1 | 3 | 2 | 9 | – | 1 | – | – | – |
| 165*a* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 165*b* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | – | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – |
| 165*c* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 165*d* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 | – | – | – |
| | – | – | – | – | – | 1 | 2 | 2 | 6 | – | – | – | – | – |
| 166 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | 3 | 2 | 5 | 2 | – | – | – |
| | – | – | – | – | – | – | 4 | 1 | 2 | – | – | – | – | – |
| 167 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | 9 | 16 | 10 | 33 | 18 | 11 | 2 | – |
| | – | – | – | – | – | – | 7 | 11 | 9 | 10 | 4 | 6 | – | – |
| 168 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | 2 | 3 | 9 | 11 | 24 | 25 | 11 | 14 | 3 | – |
| | – | – | – | – | – | – | 3 | 2 | 5 | 7 | 2 | – | – | – |
| 169 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 3 | 6 | 6 | 7 | 10 | 4 | – | – |
| | – | – | – | – | – | – | 1 | 7 | 5 | 6 | 2 | 2 | – | – |
| 170 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | 1 | 3 | 13 | 24 | 24 | 19 | 18 | 8 | 1 | – |
| | – | – | – | – | – | – | 1 | 3 | 3 | 3 | – | – | – | – |
| 171 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 2 | 7 | 8 | 6 | 2 | 1 | – |
| | – | – | – | – | – | – | – | – | 1 | 2 | 2 | – | – | – |
| 172 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 2 | 2 | 2 | 2 | 2 | 2 | – | – |
| | – | – | – | – | – | – | – | 1 | 1 | 3 | 4 | 1 | – | – |
| 173 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – |
| | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| 174 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3 | 3 | 1 | 2 | 1 | 1 | 7 | 15 | 9 | 5 | 5 | – | – | – |
| | – | – | – | – | 1 | 1 | 10 | 9 | 3 | 2 | 1 | – | – | – |
| 197 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | 1 | 2 | 9 | 6 | 2 | 2 | – | – | – |
| | – | – | – | – | 1 | 1 | 4 | 3 | 2 | – | – | – | – | – |
| 198 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | 1 | 1 | – | 1 | 4 | 1 | 1 | – | – | – | – |
| | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| 199 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 3 | – | 1 | – | – | 4 | 2 | 2 | 2 | 3 | – | – | – |
| | – | – | – | – | – | – | 5 | 5 | 1 | 2 | 1 | – | – | – |
| 200 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 18 | 99 | 104 | 102 | 111 | 221 | 219 | 230 | 262 | 222 | 129 | 64 | – |
| | 2 | 12 | 55 | 62 | 19 | 20 | 46 | 48 | 55 | 74 | 97 | 135 | 127 | – |
| 175 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| 176 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

**Table 33**

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

| Detailed Int. List No. | Cause of Death. | Sex. | All deaths investigated. | MONTHS. January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 177 | Other acute accidental poisonings (gas excepted) | T | 62 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 45 | 1 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 5 | 5 | 1 | 15 |
| | | F | 17 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | 2 | 2 | 2 | 2 |
| 178 | Conflagration | T | 50 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 30 | 3 | 8 | 3 | – | 2 | 1 | 2 | – | – | 3 | 1 | 7 |
| | | F | 20 | – | 8 | 2 | – | 2 | 1 | 1 | – | 2 | 1 | – | 3 |
| 179 | Accidental burns (conflagration excepted) | T | 179 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 72 | 5 | 3 | 8 | 9 | 2 | 5 | 5 | 7 | 15 | 5 | 6 | 2 |
| | | F | 107 | 7 | 10 | 10 | 13 | 6 | 7 | 9 | 12 | 8 | 4 | 9 | 12 |
| 180 | Accidental mechanical suffocation | T | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 26 | 6 | 2 | 2 | 4 | 2 | – | – | 2 | 2 | 2 | 1 | 3 |
| | | F | 11 | 1 | 3 | 2 | 3 | – | 1 | – | – | – | – | 1 | – |
| 181 | Accidental absorption of irrespirable or poisonous gas | T | 116 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 82 | 9 | 7 | 8 | 8 | 6 | 5 | – | 9 | 8 | 7 | 6 | 9 |
| | | F | 34 | 6 | 1 | 1 | 3 | 2 | 4 | 2 | 3 | 2 | 4 | 3 | 3 |
| 182 | Accidental drowning | T | 240 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 211 | 6 | 7 | 3 | 14 | 19 | 54 | 36 | 34 | 15 | 9 | 4 | 10 |
| | | F | 29 | – | 1 | 4 | 2 | – | 8 | 7 | 4 | 1 | 1 | 1 | – |
| 183 | Accidental traumatism by firearms (wounds of war excepted) | T | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 20 | 2 | 2 | 1 | – | 1 | – | – | 2 | 1 | 4 | 4 | 3 |
| | | F | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| 184 | Accidental traumatism by cutting or piercing instruments | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | – | – | 1 | – | – | 1 | – | 1 | – | – | 2 | – |
| | | F | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| 185 | Accidental traumatism by fall | T | 584 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 338 | 33 | 24 | 34 | 25 | 34 | 27 | 27 | 17 | 25 | 35 | 31 | 26 |
| | | F | 246 | 24 | 26 | 19 | 25 | 23 | 20 | 12 | 15 | 22 | 21 | 19 | 20 |
| 186 | Accidental traumatism in mines and quarries | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 187 | Accidental traumatism by machines | T | 53 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 52 | 4 | 4 | 1 | 3 | 10 | 4 | 4 | 2 | 7 | 5 | 3 | 5 |
| | | F | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| 188 | Accidental traumatism by other crushing (vehicles, railways, landslides, etc.) | T | 945 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 728 | 52 | 39 | 40 | 60 | 39 | 56 | 67 | 77 | 67 | 77 | 86 | 68 |
| | | F | 217 | 19 | 13 | 16 | 17 | 15 | 26 | 11 | 23 | 15 | 20 | 25 | 17 |
| 188*a* | Railroad accidents | T | 75 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 65 | – | 4 | 5 | 5 | 5 | 8 | 8 | 4 | 7 | 5 | 10 | 4 |
| | | F | 10 | 2 | 2 | – | – | 2 | 2 | – | 1 | – | – | 1 | – |
| 188*b* | Street car accidents | T | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 25 | 3 | – | – | 4 | 2 | 1 | 1 | 3 | 2 | 3 | 4 | 2 |
| | | F | 5 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 |
| 188*c* | Automobile accidents | T | 791 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 589 | 47 | 31 | 33 | 46 | 30 | 37 | 49 | 62 | 53 | 64 | 71 | 56 |
| | | F | 202 | 16 | 11 | 15 | 17 | 12 | 24 | 11 | 21 | 15 | 20 | 24 | 16 |
| 188*d* | Aeroplane and balloon accidents | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 5 | – | – | – | – | – | 1 | 2 | – | – | 2 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 188*e* | Motorcycle accidents | T | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 16 | 1 | – | 1 | 1 | 1 | 5 | 3 | 2 | 1 | 1 | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 188*f* | Injuries by other vehicles | T | 28 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 28 | 1 | 4 | 1 | 3 | 1 | 3 | 3 | 4 | 3 | – | – | 5 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 188*g* | Landslide, other crushing | T | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 10 | – | – | – | 1 | – | 1 | 1 | 2 | 1 | 2 | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 189 | Injuries by animals (not poisoning) | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 7 | 2 | – | – | 2 | – | 1 | – | – | – | – | 1 | 1 |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 190 | Wounds of war | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 191 | Execution of civilians by belligerent armies | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 192 | Starvation (deprivation of food or water) | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 193 | Excessive cold | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | 2 |
| | | F | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| 194 | Excessive heat | T | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 6 | – | – | – | – | 1 | 2 | – | 3 | – | – | – | – |
| | | F | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| 195 | Lightning | T | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 4 | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – |
| | | F | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1930.

| Detailed Int. List No. | AGE PERIODS. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 week. | 1 week but under 1 year. | 1 to 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 29 years. | 30 to 39 years. | 40 to 49 years. | 50 to 59 years. | 60 to 69 years. | 70 to 79 years. | 80 years and over. | Unknown. |
| 177 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 4 | - | 1 | - | 3 | 11 | 10 | 10 | 5 | 1 | - | - |
| | - | - | 3 | - | - | 1 | 1 | 2 | 6 | 3 | 1 | - | - | - |
| 178 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 6 | - | - | - | 3 | 5 | 5 | 5 | 1 | 3 | 2 | - |
| | - | 2 | 2 | 2 | - | 1 | 2 | 3 | 1 | - | 3 | 2 | 2 | - |
| 179 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 27 | 4 | 4 | 2 | 2 | 7 | 5 | 7 | 7 | 4 | 3 | - |
| | - | 1 | 26 | 18 | 4 | 1 | 5 | 8 | 6 | 8 | 15 | 10 | 5 | - |
| 180 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 8 | 2 | 1 | - | 1 | 3 | 2 | 3 | 5 | 1 | - | - | - |
| | 1 | 5 | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - | - |
| 181 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | - | - | 1 | 1 | 3 | 13 | 17 | 17 | 14 | 13 | 2 | - |
| | - | - | 1 | - | 2 | 1 | 2 | 6 | 4 | 4 | 3 | 5 | 6 | - |
| 182 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 6 | 25 | 32 | 27 | 29 | 25 | 18 | 24 | 18 | 5 | 2 | - |
| | - | - | 4 | 4 | 7 | 3 | 4 | 1 | 4 | - | 2 | - | - | - |
| 183 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | 1 | 5 | 5 | 2 | 6 | - | - | 1 | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| 184 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - |
| 185 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | 13 | 8 | 6 | 6 | 21 | 32 | 45 | 59 | 63 | 47 | 37 | - |
| | - | 1 | 3 | 3 | - | 3 | 2 | 5 | 2 | 13 | 32 | 79 | 103 | - |
| 186 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 187 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | 1 | 4 | 6 | 12 | 4 | 9 | 11 | 4 | 1 | - | - |
| | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| 188 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | 32 | 58 | 41 | 53 | 120 | 78 | 95 | 92 | 94 | 50 | 14 | - |
| | - | - | 12 | 31 | 5 | 7 | 19 | 12 | 21 | 39 | 35 | 27 | 9 | - |
| 188*a* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 2 | - | 1 | 2 | 9 | 12 | 18 | 13 | 7 | - | 1 | - |
| | - | - | - | 1 | - | - | 1 | - | 3 | 2 | 2 | - | 1 | - |
| 188*b* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 1 | 2 | 2 | - | 3 | 4 | 4 | 3 | 3 | 3 | - | - |
| | - | - | - | 1 | - | - | 1 | - | - | 2 | 1 | - | - | - |
| 188*c* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | 1 | 27 | 50 | 35 | 45 | 96 | 59 | 65 | 67 | 77 | 44 | 13 | - |
| | - | - | 12 | 29 | 5 | 7 | 17 | 12 | 18 | 35 | 32 | 27 | 8 | - |
| 188*d* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | 2 | 1 | 2 | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 188*e* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | 4 | 9 | - | - | 2 | - | 1 | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 188*f* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | 5 | 3 | 1 | 1 | 1 | 3 | 5 | 7 | 2 | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 188*g* | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | 2 | 1 | - | 1 | - | 1 | 3 | 2 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 189 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 2 | 1 | 3 | - | 1 | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 190 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 191 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 192 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 193 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | - | - | - | 1 | 2 | - | 1 | - | - |
| | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| 194 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | 1 | - | - | - | 1 | 1 | 3 | - | - | - | - |
| | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| 195 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |

**Table 33**

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

| Detailed Int. List No. | Cause of Death. | Sex. | All deaths investigated. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MONTHS. | | | | | | | | | | | |
| 196 | Other accidental electric shocks | T | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 24 | – | 1 | – | 2 | 2 | 2 | 7 | 3 | 3 | 2 | 2 | – |
| | | F | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| 201 | Fracture (cause not specified). | T | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 15 | 2 | – | – | 1 | 1 | 1 | 1 | 2 | 4 | 1 | 2 | – |
| | | F | 6 | 1 | – | – | – | 1 | – | 3 | – | – | 1 | – | – |
| 202 | Other external violence (cause specified) . . . . | T | 170 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 114 | 10 | 5 | 14 | 13 | 6 | 7 | 9 | 3 | 13 | 5 | 14 | 15 |
| | | F | 56 | 3 | 9 | 6 | 5 | 5 | 11 | 6 | 3 | 1 | 3 | 2 | 2 |
| 203 | Other external violence (cause not specified) . . . | T | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | | F | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT DUE TO VIOLENCE. | T | 3,956 | – | – | – | – | – | – | – | – | – | – | – | – |
| | | M | 2,514 | 243 | 203 | 227 | 225 | 201 | 192 | 168 | 193 | 192 | 210 | 215 | 245 |
| | | F | 1,442 | 119 | 121 | 147 | 142 | 111 | 102 | 99 | 115 | 100 | 143 | 117 | 126 |
| | | T | 71 | – | – | – | – | – | – | – | – | – | – | – | – |
| | **Stillbirths.** | M | 42 | 2 | 3 | 4 | 3 | 4 | 3 | 2 | 2 | 8 | 4 | 4 | 3 |
| | | F | 29 | 1 | 4 | 3 | – | 2 | 4 | 4 | 4 | – | 4 | 1 | 2 |

**Table 34**

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1921 TO 1930.

| Line No. | Counties. | 10 years, 1921 to 1930. Views. | Autopsies. Number. | Autopsies. Per cent. | 1930. Views. | 1930. Autopsies. | 1929. Views. | 1929. Autopsies. | 1928. Views. | 1928. Autopsies. | 1927. Views. | 1927. Autopsies. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | **The State.** | **75,103** | **6,153** | **8.2** | **7,982** | **551** | **8,097** | **585** | **8,021** | **639** | **7,469** | **534** |
| 2 | Barnstable . | 713 | 15 | 2.1 | 79 | 2 | 77 | 2 | 87 | 3 | 80 | – |
| 3 | Berkshire . | 1,609 | 42 | 2.6 | 183 | 6 | 189 | 4 | 197 | 5 | 151 | 6 |
| 4 | Bristol . | 6,224 | 292 | 4.7 | 630 | 46 | 637 | 45 | 637 | 50 | 574 | 24 |
| 5 | Dukes . | 130 | 12 | 9.2 | 10 | 1 | 15 | – | 14 | 2 | 11 | 1 |
| 6 | Essex . . | 7,394 | 249 | 3.4 | 821 | 29 | 787 | 22 | 773 | 12 | 672 | 19 |
| 7 | Franklin . | 765 | 10 | 1.3 | 63 | 1 | 94 | 3 | 83 | 1 | 76 | – |
| 8 | Hampden . | 6,503 | 174 | 2.7 | 787 | 17 | 742 | 15 | 682 | 11 | 654 | 9 |
| 9 | Hampshire . | 1,203 | 27 | 2.2 | 147 | – | 141 | 2 | 128 | 6 | 131 | – |
| 10 | Middlesex . | 15,048 | 491 | 3.3 | 1,622 | 57 | 1,610 | 39 | 1,581 | 46 | 1,547 | 34 |
| 11 | Nantucket . | 59 | 7 | 11.9 | 12 | 1 | 4 | 1 | 11 | – | 5 | 1 |
| 12 | Norfolk . | 4,858 | 186 | 3.8 | 567 | 23 | 604 | 25 | 570 | 16 | 483 | 13 |
| 13 | Plymouth . | 2,705 | 151 | 5.6 | 333 | 12 | 303 | 10 | 307 | 16 | 260 | 8 |
| 14 | Suffolk . | 19,873 | 3,974 | 20.0 | 1,817 | 280 | 2,047 | 357 | 2,078 | 421 | 1,969 | 355 |
| 15 | Worcester . | 8,019 | 523 | 6.5 | 911 | 76 | 847 | 60 | 873 | 50 | 856 | 64 |

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1930.

| Detailed Int. List No. | AGE PERIODS. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 week. | 1 week but under 1 year. | 1 to 4 years. | 5 to 9 years. | 10 to 14 years. | 15 to 19 years. | 20 to 29 years. | 30 to 39 years. | 40 to 49 years. | 50 to 59 years. | 60 to 69 years. | 70 to 79 years. | 80 years and over. | Unknown. |
| 196 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | 1 | 1 | 8 | 8 | 5 | 1 | – | – | – | – |
| | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| 201 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 2 | – | – | – | 3 | 3 | 1 | 4 | – | 1 | 1 | – |
| | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 1 | – | – |
| 202 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 | 7 | 6 | 5 | 7 | 7 | 10 | 22 | 12 | 20 | 11 | 3 | 2 | – |
| | 1 | 3 | 3 | 2 | 1 | 2 | 9 | 10 | 7 | 4 | 3 | 10 | 1 | – |
| 203 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 22 | 108 | 40 | 16 | 14 | 10 | 58 | 182 | 314 | 568 | 627 | 411 | 143 | 1 |
| | 20 | 83 | 23 | 12 | 7 | 17 | 66 | 97 | 138 | 222 | 293 | 287 | 177 | – |
| | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 42 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 29 | – | – | – | – | – | – | – | – | – | – | – | – | – |

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1921 TO 1930.

| Line No. | 1926. | | 1925. | | 1924. | | 1923. | | 1922. | | 1921. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Views. | Autopsies. | Views. | Autopsies. | Views. | Autopsies. | Views. | Autopsies. | Views. | Autopsies. | Views. | Autopsies. |
| 1 | **7,648** | **565** | **7,689** | **577** | **7,341** | **655** | **7,549** | **732** | **6,939** | **694** | **6,368** | **621** |
| 2 | 70 | 1 | 76 | 1 | 75 | 2 | 55 | 1 | 61 | 2 | 53 | 1 |
| 3 | 157 | – | 170 | 5 | 147 | 1 | 151 | 4 | 140 | 3 | 124 | 8 |
| 4 | 660 | 29 | 629 | 26 | 648 | 25 | 645 | 22 | 603 | 15 | 561 | 10 |
| 5 | 12 | 2 | 9 | – | 13 | – | 26 | 5 | 11 | – | 9 | 1 |
| 6 | 716 | 24 | 723 | 29 | 795 | 29 | 767 | 26 | 725 | 32 | 615 | 27 |
| 7 | 66 | – | 74 | 2 | 67 | 2 | 89 | 1 | 67 | – | 86 | – |
| 8 | 690 | 19 | 666 | 17 | 633 | 14 | 610 | 19 | 539 | 31 | 500 | 22 |
| 9 | 124 | 5 | 117 | 8 | 91 | – | 106 | – | 103 | 2 | 115 | 4 |
| 10 | 1,565 | 47 | 1,568 | 53 | 1,468 | 63 | 1,506 | 49 | 1,310 | 51 | 1,271 | 52 |
| 11 | 5 | 2 | 4 | – | 6 | – | 2 | – | 8 | 1 | 2 | 1 |
| 12 | 491 | 14 | 470 | 19 | 474 | 15 | 439 | 17 | 419 | 24 | 341 | 20 |
| 13 | 271 | 7 | 274 | 18 | 234 | 27 | 247 | 17 | 235 | 16 | 241 | 20 |
| 14 | 1,998 | 358 | 2,109 | 356 | 1,909 | 427 | 2,142 | 519 | 2,029 | 474 | 1,775 | 427 |
| 15 | 823 | 57 | 800 | 43 | 781 | 50 | 764 | 52 | 689 | 43 | 675 | 28 |

# PART II. A.

# BIRTH STATISTICS


| | PAGE |
|---|---|
| Introduction | 126–128 |
| Birth registration | 126, 127 |
| Live births | 127 |
| Birth rates | 127 |
| Changes in birth rate | 127 |
| Stillbirths | 127 |
| Birth rates, highest | 127, 128 |
| Sex proportion at birth | 128 |
| Nativity of parents | 128 |
| Plural births | 128 |
| Natural increase | 128 |
| Statistical tables | 129–136 |


## INTRODUCTION.

**Birth Registration.** — Like the registration of deaths, birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State or sizable city claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

Records are made in the first instance by the local registrars, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the city or town in which such birth occurred. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also requires the clerk of each town annually in January to ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with the local officials. The law has required the filing at this central record office from 1841. During this time 5,012,093 births have been registered and the annual registration report issued. Since the establishment of the office of the State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. If people generally realized the importance of birth records, complete registration would soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;

* Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

8. As evidence in the administration of estates, the settlement of insurance and pensions;

9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal code;

10. As evidence in the enforcement of laws relating to education and to child labor;

11. As evidence to determine the relations of guardians and wards;

12. As proof of citizenship in order to obtain a passport;

13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the size of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections can be accepted unless supported by a deposition made by the parents, physician, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care in accepting delayed returns for records, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be corrected in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents. Chapter 169, Acts of 1930, provides for correction of birth records of illegitimate children who have acquired new names by judicial decree.

The annual canvass is an important factor in eliminating errors from physicians' returns of births, and many local registrars in Massachusetts are guarding against such errors by sending an exact copy of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

**Live Births.** — In the Commonwealth in 1930 there were 73,690 live births, a decrease of 432, or 0.6 per cent as compared with the number registered in 1929. There was an increase in 1930 of 1,357, or 3.4 per cent in the number of infants born to native parents; a decrease of 1,678, or 9.5 per cent, to foreign-born parents; and 113, or 0.8 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1929.

**Birth Rate.** — In proportion to the total population, the total live births were equivalent to a rate of 17.3 per 1,000 population. This was 0.4 per 1,000 higher than that recorded in 1929, and 1.7 per 1,000 below the average for the five years 1925 to 1929.

**Changes in Birth Rate.** — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

**Stillbirths.** — Stillbirths registered in 1930 number 2,597, an increase of 57, or 2.2 per cent, as compared with 1929. The rate per 1,000 live births was 35.2 in 1930, 34.3 in 1929, 35.7 in 1928, 36.1 in 1927, 35.9 in 1926, and 36.5 in 1925.

**Birth Rates, Highest.** — The six municipalities having 15,000 inhabitants or more showing the highest birth rates in 1930 are: Norwood, 33.1; Milford, 26.6; Framingham, 24.8; Waltham, 24.4; Pittsfield, 24.3; and Boston, 23.1.

The city of Boston has the highest birth rate (23.1) of any place in the State of over 100,000 population. High birth rates, however, do not necessarily indicate satisfactory increases in population, since high rates of infant and childhood mortality may nullify the effect of high birth rates.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth.

**Sex Proportion at Birth.** — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. The fact remains that this phenomenon is invariably true. Births of males in 1930 numbered 37,687, and those of females 36,002, corresponding to a ratio of 1,047 male births to 1,000 female births.

**Nativity of Parents.** — The number of births where both parents were native (41,140) exceeded the number of births where both parents were foreign-born (17,621) by 23,519, or 133.5 per cent in 1930. Children born of mixed parents (one parent native and one parent foreign-born) numbered 14,913 in 1930, as compared with 15,026 in 1929.

The proportion of children born of native parents declined from 1890 until about 1910, since when the proportion has steadily increased. In 1930 the proportion was 55.8 per cent.

The proportion of children born of parents one of whom was native and the other foreign-born was 20.2 in 1930, as compared with 20.3 in 1929. The number of children born of parents whose nativity was not reported on the birth certificate was 16 in 1930.

**Plural Births.** — In 1930 there were 898 plural births, 783 pairs of twins, 15 cases of triplets, or 10.6 pairs of twins per 1,000 live births, and .2 case of triplets per 1,000 live births.

**Natural Increase.** — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1930 was 5.7 per 1,000 population, and averaged 6.9 for the five years 1925 to 1929.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounts to 48.9 per cent in 1930, as compared with 42.1 in 1929, 53.7 in 1928, 66.8 in 1927, 57.9 in 1926, and 65.8 in 1925.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending Dec. 31, 1919, Public Document No. 1.

Table 35

| Counties and Municipalities.[1] | Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total number. | Sex. | | | Parent nativity. | | | | Birth rate per 1,000 population. |
| | | Male. | Female. | Unknown. | Native. | Foreign. | Mixed. | Unknown. | |
| **The State.** | **73,690** | **37,687** | **36,002** | **1** | **41,140** | **17,621** | **14,913** | **16** | **17.3** |
| Counties. | | | | | | | | | |
| Barnstable | 575 | 272 | 303 | – | 378 | 84 | 112 | 1 | 17.8 |
| Berkshire | 2,192 | 1,124 | 1,068 | – | 1,533 | 322 | 336 | 1 | 18.2 |
| Bristol | 6,214 | 3,155 | 3,059 | – | 3,263 | 1,519 | 1,431 | 1 | 17.0 |
| Dukes | 81 | 43 | 38 | – | 56 | 7 | 18 | – | 16.4 |
| Essex | 8,009 | 4,078 | 3,931 | – | 4,533 | 1,793 | 1,683 | – | 16.1 |
| Franklin | 762 | 386 | 376 | – | 575 | 99 | 88 | – | 15.4 |
| Hampden | 5,791 | 2,971 | 2,820 | – | 3,379 | 1,320 | 1,092 | – | 17.3 |
| Hampshire | 1,091 | 531 | 559 | 1 | 738 | 175 | 178 | – | 15.0 |
| Middlesex | 15,579 | 7,982 | 7,597 | – | 8,553 | 3,863 | 3,159 | 4 | 16.7 |
| Nantucket | 68 | 29 | 39 | – | 35 | 14 | 19 | – | 18.5 |
| Norfolk | 3,554 | 1,837 | 1,717 | – | 2,050 | 717 | 787 | – | 11.9 |
| Plymouth | 2,171 | 1,139 | 1,032 | – | 1,433 | 363 | 375 | – | 13.4 |
| Suffolk | 19,535 | 10,038 | 9,497 | – | 9,949 | 5,596 | 3,982 | 8 | 22.2 |
| Worcester | 8,068 | 4,102 | 3,966 | – | 4,665 | 1,749 | 1,653 | 1 | 16.4 |
| Municipalities. | | | | | | | | | |
| Abington | 36 | 18 | 18 | – | 31 | 3 | 2 | – | – |
| Acton | 8 | 5 | 3 | – | 5 | 3 | – | – | – |
| Acushnet | 135 | 73 | 62 | – | 68 | 36 | 31 | – | – |
| Adams | 216 | 101 | 115 | – | 144 | 36 | 36 | – | 17.0 |
| Agawam | 70 | 32 | 38 | – | 34 | 23 | 13 | – | – |
| Alford | 1 | 1 | – | – | 1 | – | – | – | – |
| Amesbury | 221 | 109 | 112 | – | 113 | 49 | 59 | – | 18.6 |
| Amherst | 38 | 22 | 15 | 1 | 32 | 3 | 3 | – | – |
| Andover | 126 | 60 | 66 | – | 71 | 25 | 30 | – | – |
| Arlington | 578 | 320 | 258 | – | 347 | 114 | 117 | – | 16.0 |
| Ashburnham | 25 | 14 | 11 | – | 19 | 1 | 5 | – | – |
| Ashby | 7 | 3 | 4 | – | 5 | 2 | – | – | – |
| Ashfield | 6 | 4 | 2 | – | 6 | – | – | – | – |
| Ashland | 13 | 5 | 8 | – | 7 | 3 | 3 | – | – |
| Athol | 137 | 71 | 66 | – | 70 | 36 | 31 | – | – |
| Attleboro | 458 | 216 | 242 | – | 302 | 63 | 93 | – | 21.0 |
| Auburn | 48 | 29 | 19 | – | 33 | 5 | 10 | – | – |
| Avon | 19 | 9 | 10 | – | 13 | 4 | 2 | – | – |
| Ayer | 74 | 37 | 37 | – | 50 | 3 | 21 | – | – |
| Barnstable | 254 | 119 | 135 | – | 174 | 42 | 38 | – | – |
| Barre | 48 | 23 | 25 | – | 18 | 22 | 8 | – | – |
| Becket | 4 | 3 | 1 | – | 4 | – | – | – | – |
| Bedford | 9 | 6 | 3 | – | 6 | 3 | – | – | – |
| Belchertown | 25 | 14 | 11 | – | 20 | – | 5 | – | – |
| Bellingham | 46 | 27 | 19 | – | 16 | 11 | 19 | – | – |
| Belmont | 76 | 40 | 36 | – | 24 | 39 | 13 | – | 3.5 |
| Berkley | 11 | 6 | 5 | – | 9 | 2 | – | – | – |
| Berlin | 6 | 1 | 5 | – | 3 | 1 | 2 | – | – |
| Bernardston | 8 | 5 | 3 | – | 8 | – | – | – | – |
| Beverly | 422 | 215 | 207 | – | 284 | 65 | 73 | – | 16.8 |
| Billerica | 45 | 24 | 21 | – | 34 | 2 | 9 | – | – |
| Blackstone | 73 | 38 | 35 | – | 36 | 17 | 20 | – | – |
| Blandford | 4 | 3 | 1 | – | 3 | 1 | – | – | – |
| Bolton | 2 | 1 | 1 | – | 1 | 1 | – | – | – |
| Boston | 18,057 | 9,253 | 8,804 | – | 9,288 | 5,127 | 3,634 | 8 | 23.1 |
| Bourne | 31 | 18 | 13 | – | 23 | 2 | 6 | – | – |
| Boxborough | 1 | 1 | – | – | 1 | – | – | – | – |
| Boxford | 3 | 2 | 1 | – | 2 | 1 | – | – | – |
| Boylston | 4 | 1 | 3 | – | 4 | – | – | – | – |
| Braintree | 156 | 85 | 71 | – | 106 | 24 | 26 | – | 9.9 |
| Brewster | 6 | 4 | 2 | – | 6 | – | – | – | – |
| Bridgewater | 64 | 34 | 30 | – | 32 | 16 | 16 | – | – |
| Brimfield | 3 | 1 | 2 | – | 1 | 1 | 1 | – | – |
| Brockton | 1,224 | 655 | 569 | – | 821 | 202 | 201 | – | 19.2 |
| Brookfield | 9 | 3 | 6 | – | 5 | 2 | 2 | – | – |
| Brookline | 129 | 69 | 60 | – | 58 | 40 | 31 | – | 2.7 |
| Buckland | 13 | 10 | 3 | – | 11 | – | 2 | – | – |
| Burlington | 13 | 8 | 5 | – | 7 | 3 | 3 | – | – |
| Cambridge | 2,524 | 1,258 | 1,266 | – | 1,364 | 706 | 452 | 2 | 22.2 |
| Canton | 68 | 33 | 35 | – | 30 | 18 | 20 | – | – |
| Carlisle | – | – | – | – | – | – | – | – | – |
| Carver | 15 | 13 | 2 | – | 4 | 4 | 7 | – | – |
| Charlemont | 6 | 2 | 4 | – | 6 | – | – | – | – |
| Charlton | 35 | 19 | 16 | – | 26 | 3 | 6 | – | – |
| Chatham | 14 | 10 | 4 | – | 6 | 3 | 4 | 1 | – |
| Chelmsford | 67 | 29 | 38 | – | 41 | 14 | 12 | – | – |
| Chelsea | 916 | 498 | 418 | – | 376 | 321 | 219 | – | 20.0 |

[1] Cities are printed in small capitals.

**Table 35**

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. | | | PARENT NATIVITY. | | | | Birth rate per 1,000 population. |
|---|---|---|---|---|---|---|---|---|---|
| | | Male. | Female. | Unknown. | Native. | Foreign. | Mixed. | Unknown. | |
| Cheshire | 22 | 8 | 14 | – | 11 | 6 | 5 | – | – |
| Chester | 7 | 3 | 4 | – | 5 | 1 | 1 | – | – |
| Chesterfield | 5 | 3 | 2 | – | 5 | – | – | – | – |
| CHICOPEE | 587 | 293 | 294 | – | 234 | 204 | 149 | – | 13.4 |
| Chilmark | 2 | – | 2 | – | 1 | 1 | – | – | – |
| Clarksburg | 12 | 6 | 6 | – | 8 | 2 | 2 | – | – |
| Clinton | 279 | 135 | 144 | – | 158 | 62 | 59 | – | 21.8 |
| Cohasset | 76 | 37 | 39 | – | 58 | 3 | 15 | – | – |
| Colrain | 19 | 8 | 11 | – | 18 | – | 1 | – | – |
| Concord | 206 | 103 | 103 | – | 136 | 31 | 39 | – | – |
| Conway | 8 | 3 | 5 | – | 8 | – | – | – | – |
| Cummington | 4 | 3 | 1 | – | 4 | – | – | – | – |
| Dalton | 17 | 9 | 8 | – | 16 | – | 1 | – | – |
| Dana | 1 | 1 | – | – | 1 | – | – | – | – |
| Danvers | 145 | 61 | 84 | – | 105 | 17 | 23 | – | 11.2 |
| Dartmouth | 105 | 64 | 41 | – | 44 | 32 | 28 | 1 | – |
| Dedham | 146 | 69 | 77 | – | 76 | 38 | 32 | – | 9.6 |
| Deerfield | 34 | 19 | 15 | – | 16 | 14 | 4 | – | – |
| Dennis | 17 | 5 | 12 | – | 13 | 1 | 3 | – | – |
| Dighton | 70 | 35 | 35 | – | 41 | 12 | 17 | – | – |
| Douglas | 20 | 16 | 4 | – | 8 | 7 | 5 | – | – |
| Dover | 4 | 2 | 2 | – | 3 | – | 1 | – | – |
| Dracut | 123 | 62 | 61 | – | 67 | 22 | 34 | – | – |
| Dudley | 62 | 31 | 31 | – | 44 | 13 | 5 | – | – |
| Dunstable | 5 | 2 | 3 | – | 3 | – | 2 | – | – |
| Duxbury | 14 | 5 | 9 | – | 9 | 2 | 3 | – | – |
| East Bridgewater | 25 | 7 | 18 | – | 19 | 2 | 4 | – | – |
| East Brookfield | 9 | 5 | 4 | – | 9 | – | – | – | – |
| East Longmeadow | 14 | 4 | 10 | – | 9 | 4 | 1 | – | – |
| Eastham | 19 | 6 | 13 | – | 16 | 1 | 2 | – | – |
| Easthampton | 151 | 77 | 74 | – | 91 | 32 | 28 | – | 13.3 |
| Easton | 49 | 29 | 20 | – | 25 | 13 | 11 | – | – |
| Edgartown | 7 | 4 | 3 | – | 5 | 1 | 1 | – | – |
| Egremont | 4 | 2 | 2 | – | 3 | – | 1 | – | – |
| Enfield | – | – | – | – | – | – | – | – | – |
| Erving | 15 | 8 | 7 | – | 13 | – | 2 | – | – |
| Essex | 7 | 1 | 6 | – | 5 | – | 2 | – | – |
| EVERETT | 614 | 307 | 307 | – | 240 | 241 | 133 | – | 12.7 |
| Fairhaven | 103 | 57 | 46 | – | 54 | 21 | 28 | – | 9.4 |
| FALL RIVER | 2,201 | 1,128 | 1,073 | – | 1,231 | 493 | 477 | – | 19.1 |
| Falmouth | 88 | 32 | 56 | – | 35 | 22 | 31 | – | – |
| FITCHBURG | 773 | 363 | 410 | – | 418 | 176 | 179 | – | 19.0 |
| Florida | 2 | 1 | 1 | – | – | – | 2 | – | – |
| Foxborough | 35 | 15 | 20 | – | 20 | 4 | 11 | – | – |
| Framingham | 551 | 291 | 260 | – | 344 | 92 | 115 | – | 24.8 |
| Franklin | 107 | 55 | 52 | – | 49 | 30 | 28 | – | – |
| Freetown | 27 | 14 | 13 | – | 22 | 2 | 3 | – | – |
| GARDNER | 413 | 204 | 209 | – | 206 | 99 | 108 | – | 21.3 |
| Gay Head | 3 | 3 | – | – | 3 | – | – | – | – |
| Georgetown | 23 | 12 | 11 | – | 19 | 2 | 2 | – | – |
| Gill | 7 | 3 | 4 | – | 3 | – | 4 | – | – |
| GLOUCESTER | 506 | 250 | 256 | – | 302 | 90 | 114 | – | 20.9 |
| Goshen | – | – | – | – | – | – | – | – | – |
| Gosnold | – | – | – | – | – | – | – | – | – |
| Grafton | 48 | 22 | 26 | – | 24 | 11 | 13 | – | – |
| Granby | 5 | 1 | 4 | – | – | 5 | – | – | – |
| Granville | 4 | 4 | – | – | 2 | 2 | – | – | – |
| Great Barrington | 135 | 75 | 60 | – | 98 | 19 | 18 | – | – |
| Greenfield | 304 | 157 | 147 | – | 245 | 28 | 31 | – | 19.6 |
| Greenwich | – | – | – | – | – | – | – | – | – |
| Groton | 23 | 9 | 14 | – | 18 | 1 | 4 | – | – |
| Groveland | 17 | 10 | 7 | – | 14 | 2 | 1 | – | – |
| Hadley | 23 | 14 | 9 | – | 10 | 13 | – | – | – |
| Halifax | 7 | 6 | 1 | – | 5 | 1 | 1 | – | – |
| Hamilton | 4 | 3 | 1 | – | 4 | – | – | – | – |
| Hampden | 2 | 2 | – | – | 1 | 1 | – | – | – |
| Hancock | 5 | 3 | 2 | – | 5 | – | – | – | – |
| Hanover | 20 | 8 | 12 | – | 11 | 4 | 5 | – | – |
| Hanson | 21 | 14 | 7 | – | 10 | 6 | 5 | – | – |
| Hardwick | 10 | 7 | 3 | – | 6 | 2 | 2 | – | – |
| Harvard | 5 | 2 | 3 | – | 3 | – | 2 | – | – |
| Harwich | 31 | 14 | 17 | – | 14 | 4 | 13 | – | – |
| Hatfield | 22 | 11 | 11 | – | 4 | 16 | 2 | – | – |
| HAVERHILL | 801 | 403 | 398 | – | 517 | 138 | 146 | – | 16.4 |
| Hawley | 1 | – | 1 | – | 1 | – | – | – | – |
| Heath | 6 | 5 | 1 | – | 5 | – | 1 | – | – |
| Hingham | 31 | 19 | 12 | – | 20 | 4 | 7 | – | – |
| Hinsdale | 2 | 2 | – | – | 2 | – | – | – | – |

[1] See footnote on page 129.

Table 35

Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1930.

| Municipalities.[1] | Total number. | Sex. Male. | Sex. Female. | Sex. Unknown. | Parent nativity. Native. | Parent nativity. Foreign. | Parent nativity. Mixed. | Parent nativity. Unknown. | Birth rate per 1,000 population. |
|---|---|---|---|---|---|---|---|---|---|
| Holbrook | 24 | 16 | 8 | – | 15 | 6 | 3 | – | – |
| Holden | 98 | 53 | 45 | – | 72 | 7 | 19 | – | – |
| Holland | – | – | – | – | – | – | – | – | – |
| Holliston | 7 | 5 | 2 | – | 5 | – | 2 | – | – |
| Holyoke | 1,040 | 542 | 498 | – | 618 | 220 | 202 | – | 18.4 |
| Hopedale | 16 | 11 | 5 | – | 10 | 4 | 2 | – | – |
| Hopkinton | 4 | 2 | 2 | – | 4 | – | – | – | – |
| Hubbardston | 5 | 2 | 3 | – | 4 | 1 | – | – | – |
| Hudson | 77 | 36 | 41 | – | 30 | 34 | 13 | – | – |
| Hull | 10 | 5 | 5 | – | 7 | 2 | 1 | – | – |
| Huntington | 9 | 3 | 6 | – | 7 | – | 2 | – | – |
| Ipswich | 137 | 73 | 64 | – | 76 | 34 | 27 | – | – |
| Kingston | 8 | 3 | 5 | – | 2 | 6 | – | – | – |
| Lakeville | 13 | 4 | 9 | – | 7 | 3 | 3 | – | – |
| Lancaster | 20 | 7 | 13 | – | 17 | 2 | 1 | – | – |
| Lanesborough | 5 | 2 | 3 | – | 4 | – | 1 | – | – |
| Lawrence | 1,482 | 737 | 745 | – | 639 | 461 | 382 | – | 17.4 |
| Lee | 17 | 10 | 7 | – | 11 | 5 | 1 | – | – |
| Leicester | 44 | 23 | 21 | – | 27 | 4 | 13 | – | – |
| Lenox | 7 | 3 | 4 | – | 3 | 3 | 1 | – | – |
| Leominster | 388 | 195 | 193 | – | 206 | 88 | 94 | – | 17.8 |
| Leverett | 13 | 3 | 10 | – | 10 | 2 | 1 | – | – |
| Lexington | 57 | 31 | 26 | – | 29 | 12 | 16 | – | – |
| Leyden | – | – | – | – | – | – | – | – | – |
| Lincoln | 4 | 1 | 3 | – | 2 | 2 | – | – | – |
| Littleton | 2 | 2 | – | – | – | – | 2 | – | – |
| Longmeadow | 6 | 2 | 4 | – | 5 | 1 | – | – | – |
| Lowell | 1,999 | 1,010 | 989 | – | 1,175 | 363 | 461 | – | 19.9 |
| Ludlow | 206 | 94 | 112 | – | 99 | 72 | 35 | – | – |
| Lunenburg | 17 | 9 | 8 | – | 11 | 2 | 4 | – | – |
| Lynn | 1,813 | 953 | 860 | – | 996 | 435 | 382 | – | 17.7 |
| Lynnfield | 5 | 3 | 2 | – | 3 | 1 | 1 | – | – |
| Malden | 815 | 439 | 376 | – | 364 | 262 | 187 | 2 | 14.0 |
| Manchester | 5 | 5 | – | – | 2 | 2 | 1 | – | – |
| Mansfield | 64 | 37 | 27 | – | 39 | 12 | 13 | – | – |
| Marblehead | 77 | 35 | 42 | – | 65 | – | 12 | – | – |
| Marion | 19 | 13 | 6 | – | 11 | 5 | 3 | – | – |
| Marlborough | 338 | 182 | 156 | – | 210 | 59 | 69 | – | 21.7 |
| Marshfield | 4 | 1 | 3 | – | 4 | – | – | – | – |
| Mashpee | 6 | 4 | 2 | – | 5 | – | 1 | – | – |
| Mattapoisett | 10 | 7 | 3 | – | 5 | 2 | 3 | – | – |
| Maynard | 36 | 13 | 23 | – | 9 | 19 | 8 | – | – |
| Medfield | 4 | 2 | 2 | – | 2 | 2 | – | – | – |
| Medford | 1,109 | 581 | 528 | – | 665 | 213 | 231 | – | 18.6 |
| Medway | 25 | 14 | 11 | – | 9 | 11 | 5 | – | – |
| Melrose | 509 | 260 | 249 | – | 363 | 49 | 97 | – | 22.0 |
| Mendon | 11 | 9 | 2 | – | 8 | 1 | 2 | – | – |
| Merrimac | 23 | 9 | 14 | – | 18 | 5 | – | – | – |
| Methuen | 199 | 95 | 104 | – | 104 | 49 | 46 | – | 9.4 |
| Middleborough | 138 | 72 | 66 | – | 102 | 16 | 20 | – | – |
| Middlefield | 2 | – | 2 | – | 2 | – | – | – | – |
| Middleton | 9 | 7 | 2 | – | 7 | 1 | 1 | – | – |
| Milford | 392 | 203 | 189 | – | 203 | 111 | 78 | – | 26.6 |
| Millbury | 68 | 35 | 33 | – | 43 | 12 | 13 | – | – |
| Millis | 13 | 7 | 6 | – | 5 | 3 | 5 | – | – |
| Millville | 25 | 15 | 10 | – | 15 | 3 | 7 | – | – |
| Milton | 142 | 74 | 68 | – | 102 | 20 | 20 | – | 8.6 |
| Monroe | 1 | 1 | – | – | 1 | – | – | – | – |
| Monson | 29 | 14 | 15 | – | 20 | 6 | 3 | – | – |
| Montague | 189 | 92 | 97 | – | 135 | 27 | 27 | – | – |
| Monterey | 1 | 1 | – | – | 1 | – | – | – | – |
| Montgomery | 1 | – | 1 | – | 1 | – | – | – | – |
| Mount Washington | – | – | – | – | – | – | – | – | – |
| Nahant | 9 | 4 | 5 | – | 5 | 4 | – | – | – |
| Nantucket | 68 | 29 | 39 | – | 35 | 14 | 19 | – | – |
| Natick | 269 | 155 | 114 | – | 156 | 58 | 55 | – | – |
| Needham | 121 | 66 | 55 | – | 56 | 26 | 39 | – | 11.1 |
| New Ashford | 1 | 1 | – | – | 1 | – | – | – | – |
| New Bedford | 1,988 | 983 | 1,005 | – | 858 | 613 | 517 | – | 17.7 |
| New Braintree | 2 | 1 | 1 | – | 1 | – | 1 | – | – |
| New Marlborough | 9 | 4 | 5 | – | 8 | – | 1 | – | – |
| New Salem | 3 | 2 | 1 | – | 2 | – | 1 | – | – |
| Newbury | 12 | 8 | 4 | – | 9 | 2 | 1 | – | – |
| Newburyport | 326 | 172 | 154 | – | 244 | 43 | 39 | – | 21.6 |
| Newton | 875 | 442 | 433 | – | 539 | 181 | 155 | – | 13.4 |
| Norfolk | 9 | 5 | 4 | – | 3 | 3 | 3 | – | – |
| North Adams | 446 | 241 | 205 | – | 305 | 43 | 98 | – | 20.6 |
| North Andover | 54 | 34 | 20 | – | 25 | 11 | 18 | – | – |

[1] See footnote on page 129.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. | | | PARENT NATIVITY. | | | | Birth rate per 1,000 population. |
|---|---|---|---|---|---|---|---|---|---|
| | | Male. | Female. | Unknown. | Native. | Foreign. | Mixed. | Unknown. | |
| North Attleborough | 117 | 56 | 61 | – | 72 | 23 | 22 | – | – |
| North Brookfield | 32 | 17 | 15 | – | 24 | 1 | 7 | – | – |
| North Reading | 13 | 7 | 6 | – | 9 | 2 | 2 | – | – |
| NORTHAMPTON | 457 | 231 | 226 | – | 326 | 57 | 74 | – | 18.7 |
| Northborough | 10 | 3 | 7 | – | 8 | 1 | 1 | – | – |
| Northbridge | 203 | 98 | 105 | – | 115 | 36 | 52 | – | – |
| Northfield | 16 | 8 | 8 | – | 12 | 4 | – | – | – |
| Norton | 27 | 13 | 14 | – | 18 | 6 | 3 | – | – |
| Norwell | 11 | 7 | 4 | – | 10 | – | 1 | – | – |
| Norwood | 498 | 271 | 227 | – | 294 | 92 | 112 | – | 33.1 |
| Oak Bluffs | 57 | 28 | 29 | – | 42 | 2 | 13 | – | – |
| Oakham | 3 | – | 3 | – | 1 | 2 | – | – | – |
| Orange | 61 | 29 | 32 | – | 49 | 6 | 6 | – | – |
| Orleans | 9 | 4 | 5 | – | 8 | – | 1 | – | – |
| Otis | 8 | 4 | 4 | – | 8 | – | – | – | – |
| Oxford | 48 | 17 | 31 | – | 39 | 2 | 7 | – | – |
| Palmer | 167 | 76 | 91 | – | 98 | 38 | 31 | – | – |
| Paxton | 2 | – | 2 | – | 1 | – | 1 | – | – |
| PEABODY | 363 | 181 | 182 | – | 164 | 141 | 58 | – | 17.0 |
| Pelham | 19 | 8 | 11 | – | 18 | – | 1 | – | – |
| Pembroke | 7 | 3 | 4 | – | 5 | – | 2 | – | – |
| Pepperell | 37 | 16 | 21 | – | 31 | 1 | 5 | – | – |
| Peru | – | – | – | – | – | – | – | – | – |
| Petersham | 11 | 6 | 5 | – | 10 | 1 | – | – | – |
| Phillipston | 8 | 4 | 4 | – | 8 | – | – | – | – |
| PITTSFIELD | 1,209 | 622 | 587 | – | 850 | 195 | 163 | 1 | 24.3 |
| Plainfield | 3 | 1 | 2 | – | 3 | – | – | – | – |
| Plainville | 9 | 3 | 6 | – | 7 | – | 2 | – | – |
| Plymouth | 250 | 124 | 126 | – | 148 | 51 | 51 | – | – |
| Plympton | 4 | 2 | 2 | – | 2 | 2 | – | – | – |
| Prescott | – | – | – | – | – | – | – | – | – |
| Princeton | 4 | 2 | 2 | – | 4 | – | – | – | – |
| Provincetown | 58 | 34 | 24 | – | 43 | 5 | 10 | – | – |
| QUINCY | 1,144 | 585 | 559 | – | 616 | 262 | 266 | – | 15.9 |
| Randolph | 79 | 41 | 38 | – | 54 | 9 | 16 | – | – |
| Raynham | 16 | 5 | 11 | – | 8 | – | 8 | – | – |
| Reading | 68 | 32 | 36 | – | 36 | 18 | 14 | – | – |
| Rehoboth | 33 | 22 | 11 | – | 19 | 7 | 7 | – | – |
| REVERE | 289 | 156 | 133 | – | 126 | 93 | 70 | – | 8.0 |
| Richmond | 1 | – | 1 | – | 1 | – | – | – | – |
| Rochester | 17 | 7 | 10 | – | 13 | 3 | 1 | – | – |
| Rockland | 60 | 36 | 24 | – | 51 | 3 | 6 | – | – |
| Rockport | 24 | 15 | 9 | – | 15 | 3 | 6 | – | – |
| Rowe | 2 | 1 | 1 | – | 2 | – | – | – | – |
| Rowley | 9 | 4 | 5 | – | 9 | – | – | – | – |
| Royalston | 1 | 1 | – | – | – | – | 1 | – | – |
| Russell | 6 | 6 | – | – | 4 | 1 | 1 | – | – |
| Rutland | 9 | 7 | 2 | – | 5 | 4 | – | – | – |
| SALEM | 812 | 415 | 397 | – | 486 | 145 | 181 | – | 18.7 |
| Salisbury | 11 | 4 | 7 | – | 7 | 2 | 2 | – | – |
| Sandisfield | 4 | 1 | 3 | – | 3 | – | 1 | – | – |
| Sandwich | 12 | 9 | 3 | – | 8 | 2 | 2 | – | – |
| Saugus | 165 | 90 | 75 | – | 90 | 37 | 38 | – | 11.2 |
| Savoy | – | – | – | – | – | – | – | – | – |
| Scituate | 36 | 18 | 18 | – | 29 | 4 | 3 | – | – |
| Seekonk | 60 | 33 | 27 | – | 33 | 12 | 15 | – | – |
| Sharon | 19 | 12 | 7 | – | 14 | 3 | 2 | – | – |
| Sheffield | 15 | 5 | 10 | – | 11 | 3 | 1 | – | – |
| Shelburne | 11 | 4 | 7 | – | 9 | – | 2 | – | – |
| Sherborn | 4 | 1 | 3 | – | 2 | 1 | 1 | – | – |
| Shirley | 29 | 16 | 13 | – | 16 | 8 | 5 | – | – |
| Shrewsbury | 45 | 30 | 15 | – | 17 | 16 | 12 | – | – |
| Shutesbury | 4 | 3 | 1 | – | – | 3 | 1 | – | – |
| Somerset | 76 | 39 | 37 | – | 40 | 18 | 18 | – | – |
| SOMERVILLE | 1,677 | 844 | 833 | – | 786 | 554 | 337 | – | 16.1 |
| South Hadley | 45 | 16 | 29 | – | 19 | 9 | 17 | – | – |
| Southampton | 6 | 3 | 3 | – | 1 | 4 | 1 | – | – |
| Southborough | 11 | 7 | 4 | – | 3 | 6 | 2 | – | – |
| Southbridge | 230 | 125 | 105 | – | 123 | 51 | 56 | – | 16.1 |
| Southwick | 14 | 4 | 10 | – | 10 | 3 | 1 | – | – |
| Spencer | 85 | 42 | 43 | – | 69 | 5 | 11 | – | – |
| SPRINGFIELD | 3,106 | 1,628 | 1,478 | – | 1,909 | 612 | 585 | – | 20.7 |
| Sterling | 12 | 8 | 4 | – | 8 | 2 | 2 | 2 | – |
| Stockbridge | 10 | 3 | 7 | – | 9 | 1 | – | – | – |
| Stoneham | 297 | 145 | 152 | – | 187 | 49 | 61 | – | – |
| Stoughton | 107 | 58 | 49 | – | 64 | 29 | 14 | – | – |
| Stow | 5 | 4 | 1 | – | 2 | 1 | 2 | – | – |
| Sturbridge | 19 | 9 | 10 | – | 16 | 1 | 2 | – | – |

[1] See footnote on page 129.

**Table 35**

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1930.

| MUNICIPALITIES.[1] | Total number. | SEX. | | | PARENT NATIVITY. | | | | Birth rate per 1,000 population. |
|---|---|---|---|---|---|---|---|---|---|
| | | Male. | Female. | Unknown. | Native. | Foreign. | Mixed. | Unknown. | |
| Sudbury | 6 | 4 | 2 | – | 3 | – | 3 | – | – |
| Sunderland | 14 | 9 | 5 | – | 4 | 6 | 4 | – | – |
| Sutton | 17 | 8 | 9 | – | 12 | 1 | 4 | – | – |
| Swampscott | 180 | 98 | 82 | – | 120 | 25 | 35 | – | 17.4 |
| Swansea | 45 | 24 | 21 | – | 29 | 7 | 9 | – | – |
| TAUNTON | 579 | 295 | 284 | – | 320 | 137 | 122 | – | 15.5 |
| Templeton | 30 | 12 | 18 | – | 16 | 8 | 6 | – | – |
| Tewksbury | 25 | 15 | 10 | – | 19 | 2 | 4 | – | – |
| State Infirmary | 144 | 77 | 67 | – | 105 | 30 | 9 | – | – |
| Tisbury | 11 | 8 | 3 | – | 5 | 3 | 3 | – | – |
| Tolland | 2 | 2 | – | – | 2 | – | – | – | – |
| Topsfield | 7 | 4 | 3 | – | 2 | 3 | 2 | – | – |
| Townsend | 11 | 4 | 7 | – | 8 | 1 | 2 | – | – |
| Truro | 10 | 5 | 5 | – | 10 | – | – | – | – |
| Tyngsborough | 14 | 8 | 6 | – | 11 | – | 3 | – | – |
| Tyringham | 3 | 2 | 1 | – | 2 | 1 | – | – | – |
| Upton | 20 | 12 | 8 | – | 12 | 5 | 3 | – | – |
| Uxbridge | 90 | 48 | 42 | – | 43 | 22 | 25 | – | – |
| Wakefield | 167 | 84 | 83 | – | 74 | 48 | 45 | – | 10.2 |
| Wales | 2 | 1 | 1 | – | 1 | – | 1 | – | – |
| Walpole | 62 | 32 | 30 | – | 29 | 20 | 13 | – | – |
| WALTHAM | 958 | 477 | 481 | – | 452 | 300 | 206 | – | 24.4 |
| Ware | 249 | 113 | 136 | – | 171 | 34 | 44 | – | – |
| Wareham | 54 | 30 | 24 | – | 21 | 16 | 17 | – | – |
| Warren | 29 | 14 | 15 | – | 13 | 15 | 1 | – | – |
| Warwick | 1 | 1 | – | – | 1 | – | – | – | – |
| Washington | 1 | 1 | – | – | 1 | – | – | – | – |
| Watertown | 256 | 140 | 116 | – | 70 | 132 | 54 | – | 7.3 |
| Wayland | 21 | 9 | 12 | – | 13 | 2 | 6 | – | – |
| Webster | 224 | 117 | 107 | – | 155 | 29 | 40 | – | 17.2 |
| Wellesley | 34 | 13 | 21 | – | 10 | 13 | 11 | – | – |
| Wellfleet | 4 | 1 | 3 | – | 4 | – | – | – | – |
| Wendell | 5 | 4 | 1 | – | 5 | – | – | – | – |
| Wenham | 2 | 2 | – | – | 2 | – | – | – | – |
| West Boylston | 17 | 14 | 3 | – | 9 | 6 | 2 | – | – |
| West Bridgewater | 21 | 9 | 12 | – | 11 | 3 | 7 | – | – |
| West Brookfield | 11 | 4 | 7 | – | 10 | 1 | – | – | – |
| West Newbury | 10 | 4 | 6 | – | 9 | – | 1 | – | – |
| West Springfield | 138 | 69 | 69 | – | 69 | 41 | 28 | – | 8.3 |
| West Stockbridge | 9 | 4 | 5 | – | 1 | 8 | – | – | – |
| West Tisbury | 1 | – | 1 | – | – | – | 1 | – | – |
| Westborough | 18 | 9 | 9 | – | 15 | 2 | 1 | – | – |
| WESTFIELD | 371 | 188 | 183 | – | 253 | 80 | 38 | – | 18.8 |
| Westford | 50 | 25 | 25 | – | 15 | 21 | 14 | – | – |
| Westhampton | 2 | 1 | 1 | – | 2 | – | – | – | – |
| Westminster | 5 | 2 | 3 | – | 3 | 1 | 1 | – | – |
| Weston | 3 | 2 | 1 | – | 1 | 2 | – | – | – |
| Westport | 50 | 26 | 24 | – | 31 | 10 | 9 | – | – |
| Westwood | 11 | 7 | 4 | – | 7 | 2 | 2 | – | – |
| Weymouth | 447 | 219 | 228 | – | 322 | 42 | 83 | – | 21.4 |
| Whately | 15 | 5 | 10 | – | 5 | 9 | 1 | – | – |
| Whitman | 52 | 19 | 33 | – | 43 | 3 | 6 | – | – |
| Wilbraham | 12 | 3 | 9 | – | 1 | 9 | 2 | – | – |
| Williamsburg | 19 | 9 | 10 | – | 16 | 2 | 1 | – | – |
| Williamstown | 24 | 7 | 17 | – | 20 | – | 4 | – | – |
| Wilmington | 50 | 26 | 24 | – | 35 | 5 | 10 | – | – |
| Winchendon | 143 | 78 | 65 | – | 89 | 24 | 30 | – | – |
| Winchester | 260 | 130 | 130 | – | 154 | 56 | 50 | – | 20.4 |
| Windsor | 2 | 2 | – | – | 2 | – | – | – | – |
| Winthrop | 273 | 131 | 142 | – | 159 | 55 | 59 | – | 16.1 |
| WOBURN | 446 | 247 | 199 | – | 274 | 99 | 73 | – | 22.9 |
| WORCESTER | 3,638 | 1,859 | 1,779 | – | 2,128 | 814 | 695 | 1 | 18.6 |
| Worthington | 7 | 1 | 6 | – | 7 | – | – | – | – |
| Wrentham | 20 | 11 | 9 | – | 12 | 2 | 6 | – | – |
| Yarmouth | 16 | 7 | 9 | – | 13 | 2 | 1 | – | – |

[1] See footnote on page 129.

**Table 36**

| Counties and Cities having over 50,000 Inhabitants in 1930. (Grouped in order of population.) | Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1930. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | The Year. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
| **The State.** | **73,690** | **6,223** | **5,796** | **6,146** | **6,063** | **6,618** | **6,347** | **6,507** | **6,457** | **6,163** | **6,059** | **5,607** | **5,704** |
| Average daily number of births | | | | | | | | | | | | | |
| Counties | | | | | | | | | | | | | |
| Middlesex | 15,579 | 1,331 | 1,268 | 1,278 | 1,274 | 1,417 | 1,321 | 1,313 | 1,321 | 1,306 | 1,331 | 1,188 | 1,231 |
| Suffolk | 19,535 | 1,626 | 1,467 | 1,639 | 1,607 | 1,814 | 1,676 | 1,750 | 1,720 | 1,692 | 1,585 | 1,503 | 1,456 |
| Essex | 8,009 | 659 | 633 | 724 | 683 | 687 | 684 | 703 | 713 | 653 | 662 | 595 | 613 |
| Worcester | 8,068 | 678 | 674 | 630 | 658 | 714 | 730 | 743 | 728 | 644 | 629 | 591 | 649 |
| Bristol | 6,214 | 571 | 475 | 529 | 507 | 534 | 534 | 519 | 538 | 508 | 521 | 494 | 484 |
| Hampden | 5,791 | 480 | 456 | 481 | 456 | 511 | 511 | 543 | 520 | 488 | 474 | 416 | 455 |
| Norfolk | 3,554 | 315 | 291 | 290 | 298 | 325 | 284 | 310 | 294 | 314 | 286 | 285 | 262 |
| Plymouth | 2,171 | 185 | 179 | 185 | 170 | 208 | 188 | 178 | 205 | 161 | 176 | 159 | 177 |
| Berkshire | 2,192 | 173 | 171 | 174 | 194 | 187 | 197 | 217 | 183 | 178 | 174 | 171 | 173 |
| Hampshire | 1,091 | 88 | 84 | 91 | 102 | 84 | 99 | 98 | 103 | 89 | 97 | 76 | 80 |
| Franklin | 762 | 61 | 48 | 63 | 64 | 71 | 70 | 65 | 65 | 64 | 58 | 75 | 58 |
| Barnstable | 575 | 40 | 38 | 52 | 42 | 54 | 40 | 49 | 52 | 58 | 53 | 46 | 51 |
| Dukes | 81 | 7 | 7 | 6 | 3 | 7 | 7 | 7 | 11 | 6 | 10 | 3 | 7 |
| Nantucket | 68 | 9 | 5 | 4 | 5 | 5 | 6 | 12 | 4 | 2 | 3 | 5 | 8 |
| Cities over 100,000 | | | | | | | | | | | | | |
| Boston | 18,057 | 1,518 | 1,382 | 1,505 | 1,467 | 1,660 | 1,537 | 1,613 | 1,594 | 1,575 | 1,471 | 1,400 | 1,335 |
| Worcester | 3,638 | 310 | 301 | 276 | 303 | 321 | 330 | 332 | 330 | 288 | 271 | 281 | 295 |
| Springfield | 3,106 | 254 | 258 | 240 | 264 | 280 | 282 | 296 | 283 | 248 | 252 | 211 | 238 |
| Fall River | 2,201 | 200 | 174 | 195 | 186 | 197 | 205 | 178 | 180 | 173 | 191 | 162 | 160 |
| Cambridge | 2,524 | 218 | 187 | 201 | 195 | 219 | 261 | 217 | 213 | 226 | 218 | 168 | 201 |
| New Bedford | 1,988 | 173 | 139 | 178 | 146 | 180 | 151 | 163 | 187 | 175 | 166 | 170 | 160 |
| Somerville | 1,677 | 134 | 140 | 146 | 132 | 163 | 135 | 128 | 148 | 149 | 143 | 133 | 126 |
| Lynn | 1,813 | 157 | 145 | 173 | 142 | 165 | 145 | 168 | 152 | 152 | 144 | 118 | 152 |
| Lowell | 1,999 | 166 | 160 | 149 | 160 | 175 | 181 | 175 | 179 | 169 | 156 | 151 | 178 |
| Cities 50,000 to 100,000 | | | | | | | | | | | | | |
| Lawrence | 1,482 | 108 | 137 | 132 | 131 | 126 | 125 | 117 | 145 | 125 | 133 | 96 | 107 |
| Quincy | 1,144 | 94 | 86 | 92 | 94 | 103 | 93 | 106 | 111 | 94 | 91 | 89 | 91 |
| Newton | 875 | 65 | 90 | 47 | 70 | 83 | 75 | 80 | 80 | 78 | 80 | 62 | 65 |
| Brockton | 1,224 | 97 | 106 | 104 | 88 | 121 | 118 | 101 | 123 | 85 | 103 | 72 | 106 |
| Medford | 1,109 | 107 | 92 | 97 | 85 | 118 | 90 | 75 | 97 | 85 | 94 | 76 | 93 |
| Malden | 815 | 68 | 62 | 75 | 67 | 77 | 67 | 75 | 62 | 56 | 78 | 64 | 64 |
| Holyoke | 1,040 | 92 | 72 | 92 | 76 | 87 | 85 | 100 | 97 | 86 | 87 | 72 | 94 |

**Table 37**

| Counties and Cities having over 50,000 Inhabitants in 1930. (Grouped in order of population.) | Plural Births, by Sex, and Stillbirths, in Counties and in Cities having over 50,000 Inhabitants: 1930. | | | | | | |
|---|---|---|---|---|---|---|---|
| | Plural Births. | | | | | | Stillbirths. |
| | Twins. | | | Triplets. | | | |
| | Total. | Males. | Females. | Total. | Males. | Females. | |
| **The State.** | **1,566** | **817** | **749** | **45** | **27** | **18** | **2,597** |
| Counties. | | | | | | | |
| Middlesex | 378 | 200 | 178 | 6 | – | 6 | 573 |
| Suffolk | 358 | 189 | 169 | 24 | 17 | 7 | 563 |
| Essex | 204 | 112 | 92 | 9 | 4 | 5 | 317 |
| Worcester | 160 | 80 | 80 | 3 | 3 | – | 328 |
| Bristol | 124 | 57 | 67 | – | – | – | 238 |
| Hampden | 118 | 60 | 58 | – | – | – | 231 |
| Norfolk | 84 | 36 | 48 | – | – | – | 104 |
| Plymouth | 46 | 34 | 12 | 3 | 3 | – | 84 |
| Berkshire | 34 | 22 | 12 | – | – | – | 76 |
| Hampshire | 24 | 13 | 11 | – | – | – | 33 |
| Franklin | 18 | 7 | 11 | – | – | – | 23 |
| Barnstable | 18 | 7 | 11 | – | – | – | 23 |
| Dukes | – | – | – | – | – | – | 3 |
| Nantucket | – | – | – | – | – | – | 1 |
| Cities over 100,000. | | | | | | | |
| Boston | 336 | 179 | 157 | 24 | 17 | 7 | 521 |
| Worcester | 80 | 36 | 44 | 3 | 3 | – | 158 |
| Springfield | 58 | 31 | 27 | – | – | – | 125 |
| Fall River | 56 | 26 | 30 | – | – | – | 91 |
| Cambridge | 82 | 43 | 39 | 3 | – | 3 | 90 |
| New Bedford | 40 | 20 | 20 | – | – | – | 83 |
| Somerville | 44 | 28 | 16 | – | – | – | 56 |
| Lynn | 58 | 35 | 23 | – | – | – | 59 |
| Lowell | 46 | 27 | 19 | 3 | – | 3 | 88 |
| Cities 50,000 to 100,000. | | | | | | | |
| Lawrence | 50 | 24 | 26 | 3 | 1 | 2 | 74 |
| Quincy | 28 | 12 | 16 | – | – | – | 42 |
| Newton | 18 | 9 | 9 | – | – | – | 38 |
| Brockton | 28 | 4 | 24 | – | – | – | 53 |
| Medford | 14 | 5 | 9 | – | – | – | 40 |
| Malden | 12 | 5 | 7 | – | – | – | 22 |
| Holyoke | 18 | 8 | 10 | – | – | – | 43 |

**Table 38** — Live Births and Birth Rates for the State and Cities having over 100,000 Inhabitants in 1930: **1906 to 1930.**

| Years. | The State. | Cities having over 100,000 Inhabitants in 1930. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Boston. | Worcester. | Springfield. | Fall River. | Cambridge. | New Bedford. | Somerville. | Lowell. | Lynn. |
| | Live Births. | | | | | | | | | |
| 1906 | 80,237 | 17,062 | 3,743 | 1,816 | 4,333 | 2,768 | 2,949 | – | 2,547 | 2,065 |
| 1907 | 85,001 | 18,229 | 3,998 | 2,019 | 4,622 | 2,826 | 3,272 | – | 2,704 | 2,110 |
| 1908 | 86,911 | 18,359 | 3,978 | 2,184 | 4,838 | 2,887 | 3,580 | – | 2,743 | 2,139 |
| 1909 | 84,039 | 17,584 | 3,645 | 2,258 | 4,692 | 2,643 | 3,836 | – | 2,648 | 2,037 |
| 1910 | 86,539 | 17,672 | 3,923 | 2,445 | 4,591 | 2,436 | 3,863 | – | 2,632 | 2,212 |
| 1911 | 88,327 | 17,844 | 4,122 | 2,512 | 4,617 | 2,621 | 4,160 | – | 2,580 | 2,136 |
| 1912 | 89,882 | 18,745 | 4,167 | 2,779 | 4,714 | 2,605 | 3,594 | – | 2,748 | 2,111 |
| 1913 | 91,644 | 19,109 | 4,520 | 2,866 | 4,664 | 2,713 | 3,647 | – | 2,794 | 2,087 |
| 1914 | 93,399 | 19,467 | 4,667 | 2,986 | 4,703 | 2,745 | 3,574 | – | 2,914 | 2,083 |
| 1915 | 93,155 | 19,713 | 4,504 | 3,099 | 3,910 | 2,610 | 3,533 | – | 2,944 | 2,108 |
| 1916 | 93,487 | 19,604 | 4,941 | 3,281 | 3,690 | 2,691 | 3,497 | – | 3,289 | 2,205 |
| 1917 | 95,731 | 19,950 | 5,276 | 3,614 | 3,807 | 2,764 | 3,664 | – | 3,289 | 2,176 |
| 1918 | 95,607 | 20,092 | 5,239 | 3,770 | 3,645 | 2,672 | 3,920 | – | 3,279 | 2,143 |
| 1919 | 87,827 | 18,799 | 4,596 | 3,268 | 3,421 | 2,757 | 3,386 | – | 3,064 | 1,935 |
| 1920 | 91,859 | 19,573 | 4,812 | 3,419 | 3,537 | 2,862 | 3,507 | – | 3,154 | 2,024 |
| 1921 | 92,207 | 19,397 | 4,838 | 3,392 | 3,710 | 3,048 | 3,649 | – | 3,157 | 2,064 |
| 1922 | 87,636 | 18,536 | 4,357 | 3,089 | 3,537 | 3,007 | 3,344 | – | 2,923 | 2,057 |
| 1923 | 89,210 | 19,056 | 4,517 | 3,358 | 3,645 | 3,033 | 3,295 | – | 2,902 | 1,964 |
| 1924 | 91,463 | 19,776 | 4,551 | 3,520 | 3,594 | 3,144 | 3,170 | – | 3,011 | 2,077 |
| 1925 | 86,014 | 18,636 | 4,340 | 3,385 | 3,324 | 2,932 | 3,009 | – | 2,705 | 1,972 |
| 1926 | 83,502 | 18,731 | 4,312 | 3,298 | 3,050 | 2,933 | 2,762 | – | 2,466 | 1,887 |
| 1927 | 82,273 | 19,079 | 4,310 | 3,158 | 2,872 | 2,902 | 2,432 | – | 2,404 | 1,903 |
| 1928 | 79,054 | 18,781 | 3,997 | 2,991 | 2,707 | 2,724 | 2,394 | – | 2,177 | 1,912 |
| 1929 | 74,122 | 17,942 | 3,759 | 3,040 | 2,255 | 2,597 | 2,033 | – | 1,968 | 1,866 |
| 1930 | 73,690 | 18,057 | 3,638 | 3,106 | 2,201 | 2,524 | 1,988 | 1,677 | 1,999 | 1,813 |
| | Birth Rates per 1,000 Population: Census Years **1910 to 1930.** | | | | | | | | | |
| 1910 | 25.6 | 26.4 | 26.9 | 27.5 | 38.5 | 23.2 | 40.0 | – | 24.8 | 24.8 |
| 1915 | 25.2 | 26.4 | 27.7 | 30.1 | 31.3 | 24.0 | 32.2 | – | 27.3 | 22.0 |
| 1920 | 23.8 | 26.2 | 26.8 | 26.4 | 29.4 | 26.1 | 28.9 | – | 28.0 | 20.4 |
| 1925 | 20.8 | 23.9 | 22.8 | 23.8 | 25.8 | 24.5 | 25.2 | – | 24.5 | 19.1 |
| 1930 | 17.3 | 23.1 | 18.6 | 20.7 | 19.1 | 22.2 | 17.7 | 16.1 | 19.9 | 17.7 |

**Table 39** — Live Births by Sex and Parent Nativity: **1906 to 1930.**

| Years. | Population. | Sex. | | | | | Parent Nativity. | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Total number. | Males. | Females. | Unknown. | Males to 1,000 females. | Native. | Foreign. | Mixed. | Unknown. |
| 1906 | 3,089,029 | 80,237 | 41,217 | 39,020 | – | 1,056 | 25,748 | 39,446 | 14,899 | 144 |
| 1907 | 3,162,186 | 85,001 | 43,486 | 41,515 | – | 1,047 | 26,561 | 43,004 | 15,324 | 112 |
| 1908 | 3,235,343 | 86,911 | 44,796 | 42,090 | 25 | 1,064 | 27,016 | 43,901 | 15,861 | 133 |
| 1909 | 3,308,500 | 84,039 | 43,339 | 40,679 | 21 | 1,061 | 26,525 | 42,596 | 14,785 | 133 |
| 1910 | 3,380,151 | 86,539 | 44,243 | 42,276 | 20 | 1,047 | 26,749 | 44,398 | 15,260 | 132 |
| 1911 | 3,446,079 | 88,327 | 45,352 | 42,961 | 14 | 1,056 | 27,390 | 45,741 | 15,054 | 142 |
| 1912 | 3,512,007 | 89,882 | 46,436 | 43,440 | 6 | 1,069 | 28,424 | 45,861 | 15,497 | 100 |
| 1913 | 3,577,935 | 91,644 | 47,099 | 44,541 | 4 | 1,057 | 29,387 | 46,737 | 15,430 | 90 |
| 1914 | 3,643,863 | 93,399 | 47,671 | 45,725 | 3 | 1,043 | 30,127 | 47,824 | 15,378 | 70 |
| 1915 | 3,709,792 | 93,155 | 47,786 | 45,363 | 6 | 1,053 | 31,325 | 46,347 | 15,401 | 82 |
| 1916 | 3,775,720 | 93,487 | 48,256 | 45,227 | 4 | 1,067 | 31,971 | 45,920 | 15,525 | 71 |
| 1917 | 3,841,648 | 95,731 | 49,017 | 46,714 | – | 1,049 | 34,129 | 45,753 | 15,786 | 63 |
| 1918 | 3,907,576 | 95,607 | 49,138 | 46,465 | 4 | 1,058 | 35,913 | 43,419 | 16,222 | 53 |
| 1919 | 3,835,614 | 87,827 | 44,713 | 43,113 | 1 | 1,037 | 33,295 | 39,194 | 15,302 | 36 |
| 1920 | 3,852,356 | 91,859 | 47,288 | 44,569 | 2 | 1,061 | 38,395 | 37,236 | 16,207 | 21 |
| 1921 | 3,885,836 | 92,207 | 47,414 | 44,791 | 2 | 1,059 | 39,254 | 36,553 | 16,378 | 22 |
| 1922 | 3,936,056 | 87,636 | 45,035 | 42,595 | 6 | 1,057 | 38,355 | 33,701 | 15,551 | 29 |
| 1923 | 3,969,536 | 89,210 | 45,631 | 43,572 | 7 | 1,047 | 40,035 | 33,049 | 16,106 | 20 |
| 1924 | 4,003,016 | 91,463 | 46,957 | 44,500 | 6 | 1,055 | 42,393 | 32,380 | 16,653 | 37 |
| 1925 | 4,144,205 | 86,014 | 44,082 | 41,930 | 2 | 1,051 | 40,905 | 28,968 | 16,112 | 29 |
| 1926 | 4,213,700 | 83,502 | 42,681 | 40,821 | – | 1,046 | 40,898 | 26,229 | 16,345 | 30 |
| 1927 | 4,269,296 | 82,273 | 42,270 | 40,003 | – | 1,057 | 41,722 | 24,294 | 16,214 | 43 |
| 1928 | 4,324,892 | 79,054 | 40,518 | 38,536 | – | 1,051 | 41,552 | 21,818 | 15,657 | 27 |
| 1929 | 4,380,488 | 74,122 | 38,125 | 35,994 | – | 1,059 | 39,783 | 19,299 | 15,026 | 14 |
| 1930 | 4,249,614 | 73,690 | 37,687 | 36,002 | 1 | 1,047 | 41,140 | 17,621 | 14,913 | 16 |

**Table 40**

| Years. | Live Births: 1906 to 1930. | | | | | Stillbirths: 1906 to 1930. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Birth rate per 1,000 population. | Excess of births over deaths.[1] | Excess of births over deaths per 1,000 population. | Cases of plural births.[2] | | Total number. | Per 1,000 live births. | Sex. | | | |
| | | | | Twins. | Triplets. | | | Males. | Females. | Unknown. | Males. to 1,000 females. |
| 1906 . . | 26.0 | 29,613 | 9.6 | 878 | 10 | 2,760 | | 1,586 | 1,134 | 40 | 1,452 |
| 1907 . . | 26.9 | 30,767 | 9.7 | 928 | 10 | 3,079 | | 1,757 | 1,274 | 48 | 1,379 |
| 1908 . . | 26.9 | 35,123 | 10.9 | 965 | 6 | 3,179 | 36 | 1,863 | 1,278 | 38 | 1,457 |
| 1909 . . | 25.4 | 32,803 | 9.9 | 881 | 4 | 3,102 | | 1,834 | 1,219 | 49 | 1,505 |
| 1910 . . | 25.6 | 32,132 | 9.5 | 940 | 17 | 3,158 | | 1,829 | 1,263 | 66 | 1,448 |
| 1911 . . | 25.6 | 35,265 | 10.2 | 915 | 14 | 3,280 | | 1,825 | 1,408 | 47 | 1,296 |
| 1912 . . | 25.6 | 37,482 | 10.7 | 996 | 8 | 3,188 | | 1,871 | 1,263 | 29 | 1,456 |
| 1913 . . | 25.6 | 38,242 | 10.7 | 996 | 13 | 3,175 | 35 | 1,872 | 1,275 | 28 | 1,468 |
| 1914 . . | 25.6 | 40,426 | 11.1 | 1,008 | 15 | 3,349 | | 1,936 | 1,369 | 44 | 1,414 |
| 1915 . . | 25.2 | 40,045 | 10.8 | 952 | 9 | 3,161 | | 1,815 | 1,312 | 34 | 1,383 |
| 1916 . . | 24.8 | 37,121 | 9.9 | 942 | 13 | 3,300 | | 1,916 | 1,334 | 50 | 1,436 |
| 1917 . . | 24.9 | 39,103 | 10.2 | 1,065 | 7 | 3,324 | | 1,937 | 1,330 | 57 | 1,456 |
| 1918 . . | 24.5 | 16,765 | 4.3 | 1,054 | 10 | 3,779 | 36 | 2,173 | 1,570 | 36 | 1,384 |
| 1919 . . | 22.9 | 35,482 | 9.3 | 986 | 7 | 3,092 | | 1,750 | 1,332 | 10 | 1,314 |
| 1920 . . | 23.8 | 38,227 | 9.9 | 1,006 | 6 | 3,336 | | 1,948 | 1,374 | 14 | 1,418 |
| 1921 . . | 23.7 | 44,427 | 11.4 | 1,059 | 13 | 3,428 | | 1,983 | 1,429 | 16 | 1,388 |
| 1922 . . | 22.3 | 36,521 | 9.3 | 916 | 11 | 3,268 | | 1,886 | 1,373 | 9 | 1,374 |
| 1923 . . | 22.5 | 36,830 | 9.3 | 976 | 8 | 3,332 | 37 | 1,891 | 1,413 | 28 | 1,338 |
| 1924 . . | 22.8 | 41,997 | 10.4 | 1,003 | 13 | 3,548 | | 1,965 | 1,490 | 93 | 1,319 |
| 1925 . . | 20.8 | 34,124 | 8.3 | 869 | 17 | 3,141 | | 1,807 | 1,317 | 17 | 1,372 |
| 1926 . . | 19.8 | 30,614 | 7.2 | 898 | 10 | 2,997 | | 1,675 | 1,313 | 9 | 1,276 |
| 1927 . . | 19.3 | 32,949 | 7.7 | 894 | 10 | 2,969 | | 1,606 | 1,356 | 7 | 1,184 |
| 1928 . . | 18.3 | 27,612 | 6.4 | 857 | 9 | 2,821 | 35 | 1,605 | 1,207 | 9 | 1,330 |
| 1929 . . | 16.9 | 21,951 | 5.0 | 804 | 4 | 2,540 | | 1,414 | 1,123 | 3 | 1,259 |
| 1930 . . | 17.3 | 24,187 | 5.7 | 783 | 15 | 2,597 | | 1,442 | 1,148 | 7 | 1,256 |

[1] Exclusive of stillbirths.

[2] There was one case of quadruplets in 1926.

# PART II. B.
# MARRIAGE STATISTICS

PAGE
Introduction . . . . . 137, 138
Marriage registration . . . . . 137
Accuracy . . . . . 137
Source of data . . . . . 137
Purpose, marriage requirements . . . . . 138
Statistical tables . . . . . 139–149

## INTRODUCTION.

**Marriage Registration.** — As in the case of births and deaths the public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1930, inclusive, there have been 4,760,305 marriages reported, recorded and tabulated in this department.

**Accuracy.** — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

**Source of Data.** — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by one of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license or licenses must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license is issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where he resides a certificate of the establishment of the synagogue, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace; and it may be solemnized among Friends or Quakers according to the usage of their societies; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

**Purpose.** — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

Every precaution has been taken to see that all the statutes pertaining to the solemnization of marriage are strictly enforced, but because there is no public registration of ministers of the gospel required in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks together with posters setting forth the legal impediments to marriage which are posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

A marriage license is valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The following tables contain the number of marriages solemnized:

## Statistical Tables.

**Table 41**

| Counties and Municipalities.[1] | Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1930. Nativity. Total couples. | Bride and groom both — Native. | Bride and groom both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. | Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1930. Groom and bride residents. | Groom a resident. | Bride a resident. | Groom and bride non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| **The State.** | **27,431** | **17,942** | **3,463** | **2,472** | **3,554** | **13,745** | **1,713** | **7,132** | **4,841** |
| Counties. | | | | | | | | | |
| Barnstable | 246 | 199 | 8 | 13 | 26 | 107 | 18 | 37 | 84 |
| Berkshire | 621 | 502 | 39 | 29 | 51 | 329 | 33 | 134 | 125 |
| Bristol | 2,463 | 1,635 | 253 | 199 | 376 | 1,354 | 98 | 558 | 453 |
| Dukes | 39 | 28 | – | 6 | 5 | 16 | 3 | 7 | 13 |
| Essex | 2,909 | 1,948 | 307 | 281 | 373 | 1,457 | 200 | 775 | 477 |
| Franklin | 294 | 250 | 6 | 13 | 25 | 91 | 28 | 79 | 96 |
| Hampden | 1,892 | 1,314 | 205 | 125 | 248 | 1,014 | 96 | 530 | 252 |
| Hampshire | 396 | 318 | 15 | 27 | 36 | 172 | 20 | 138 | 66 |
| Middlesex | 6,061 | 3,905 | 792 | 605 | 759 | 2,401 | 417 | 2,102 | 1,141 |
| Nantucket | 29 | 25 | 2 | 1 | 1 | 20 | 2 | 2 | 5 |
| Norfolk | 1,915 | 1,256 | 230 | 202 | 227 | 628 | 139 | 610 | 538 |
| Plymouth | 1,029 | 760 | 68 | 70 | 131 | 458 | 79 | 268 | 224 |
| Suffolk | 6,852 | 3,953 | 1,252 | 694 | 953 | 4,220 | 426 | 1,239 | 967 |
| Worcester | 2,685 | 1,849 | 286 | 207 | 343 | 1,478 | 154 | 653 | 400 |
| Municipalities.[1] | | | | | | | | | |
| Abington | 27 | 27 | – | – | – | 6 | 3 | 9 | 9 |
| Acton | 10 | 9 | 1 | – | – | 4 | – | 3 | 3 |
| Acushnet | 19 | 10 | 2 | 3 | 4 | 2 | 1 | 10 | 6 |
| Adams | 65 | 54 | – | 3 | 8 | 39 | 4 | 17 | 5 |
| Agawam | 39 | 28 | 2 | 3 | 6 | 13 | 2 | 14 | 10 |
| Alford | – | – | – | – | – | – | – | – | – |
| Amesbury | 57 | 35 | 8 | 6 | 8 | 31 | 7 | 14 | 5 |
| Amherst | 31 | 25 | 2 | 1 | 3 | 10 | 4 | 13 | 4 |
| Andover | 48 | 28 | 8 | 7 | 5 | 17 | 3 | 16 | 12 |
| Arlington | 181 | 127 | 21 | 11 | 22 | 53 | 12 | 93 | 23 |
| Ashburnham | 13 | 10 | 1 | 1 | 1 | 5 | – | 4 | 4 |
| Ashby | 5 | 5 | – | – | – | 1 | 1 | 2 | 1 |
| Ashfield | 3 | 3 | – | – | – | – | 1 | – | 2 |
| Ashland | 13 | 12 | – | – | 1 | 4 | – | 7 | 2 |
| Athol | 67 | 48 | 6 | 5 | 8 | 42 | 3 | 10 | 12 |
| Attleboro | 181 | 133 | 15 | 14 | 19 | 77 | 11 | 37 | 56 |
| Auburn | 31 | 24 | 1 | 1 | 5 | 6 | 5 | 14 | 6 |
| Avon | 11 | 7 | 1 | 1 | 2 | 4 | – | 4 | 3 |
| Ayer | 26 | 20 | 3 | 2 | 1 | 6 | 3 | 9 | 8 |
| Barnstable | 70 | 56 | 1 | 6 | 7 | 41 | 5 | 6 | 18 |
| Barre | 16 | 9 | 4 | 1 | 2 | 9 | 2 | 3 | 2 |
| Becket | – | – | – | – | – | – | – | – | – |
| Bedford | 11 | 6 | 1 | 2 | 2 | – | 1 | 3 | 7 |
| Belchertown | 15 | 8 | 2 | 1 | 4 | 2 | 1 | 2 | 10 |
| Bellingham | 19 | 12 | – | 3 | 4 | 4 | 1 | 9 | 5 |
| Belmont | 94 | 56 | 16 | 8 | 14 | 21 | 4 | 43 | 26 |
| Berkley | 6 | 5 | – | – | 1 | 3 | – | – | 3 |
| Berlin | 4 | 3 | – | – | 1 | 1 | 1 | 1 | 1 |
| Bernardston | 8 | 7 | – | – | 1 | 1 | 2 | 2 | 3 |
| Beverly | 116 | 85 | 7 | 14 | 10 | 56 | 11 | 35 | 14 |
| Billerica | 36 | 28 | 3 | 3 | 2 | 17 | 1 | 9 | 9 |
| Blackstone | 24 | 20 | 1 | 1 | 2 | 8 | – | 10 | 6 |
| Blandford | 1 | 1 | – | – | – | – | – | 1 | – |
| Bolton | 1 | 1 | – | – | – | – | – | – | 1 |
| Boston | 6,238 | 3,588 | 1,161 | 634 | 855 | 3,944 | 381 | 1,061 | 852 |
| Bourne | 22 | 15 | 1 | 2 | 4 | 7 | – | 5 | 10 |
| Boxborough | 3 | 1 | – | – | 2 | – | 1 | 1 | 1 |
| Boxford | 7 | 7 | – | – | – | – | 1 | 3 | 3 |
| Boylston | 5 | 4 | 1 | – | – | – | 1 | 3 | 1 |
| Braintree | 69 | 50 | 4 | 2 | 13 | 21 | 9 | 24 | 15 |
| Brewster | 5 | 4 | – | 1 | – | 2 | 1 | – | 2 |
| Bridgewater | 37 | 27 | 1 | 4 | 5 | 7 | 5 | 12 | 13 |
| Brimfield | 3 | 2 | 1 | – | – | – | 1 | – | 2 |
| Brockton | 412 | 290 | 36 | 32 | 54 | 235 | 27 | 99 | 51 |
| Brookfield | 7 | 6 | – | 1 | – | 2 | – | 2 | 3 |
| Brookline | 524 | 301 | 99 | 72 | 52 | 77 | 32 | 165 | 250 |
| Buckland | 16 | 15 | 1 | – | – | 7 | 1 | – | 8 |
| Burlington | 11 | 9 | – | – | 2 | 2 | – | 7 | 2 |
| Cambridge | 1,008 | 581 | 199 | 108 | 120 | 393 | 78 | 319 | 218 |
| Canton | 16 | 11 | 2 | 2 | 1 | 7 | – | 8 | 1 |
| Carlisle | 5 | 4 | – | 1 | – | 2 | – | 1 | 2 |
| Carver | 4 | 4 | – | – | – | 2 | – | – | 2 |
| Charlemont | 1 | 1 | – | – | – | – | – | – | 1 |
| Charlton | 6 | 5 | – | – | 1 | 5 | – | 1 | – |
| Chatham | 16 | 14 | – | 1 | 1 | 4 | 3 | 5 | 4 |
| Chelmsford | 55 | 45 | 3 | 5 | 2 | 13 | 8 | 13 | 21 |
| Chelsea | 314 | 160 | 61 | 40 | 53 | 158 | 25 | 77 | 54 |
| Cheshire | 10 | 7 | – | 1 | 2 | 1 | 1 | 6 | 2 |
| Chester | 2 | 1 | – | – | – | 1 | – | – | 1 |
| Chesterfield | 4 | 4 | – | – | – | 1 | – | 2 | 1 |
| Chicopee | 227 | 154 | 22 | 19 | 32 | 119 | 8 | 87 | 13 |
| Chilmark | 1 | 1 | – | – | – | – | 1 | – | – |

[1] Cities are printed in small capitals.

Table 41

| Municipalities.[1] | Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1930. | | | | | Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1930. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Nativity. | | | | | | | | |
| | Total couples. | Bride and groom both — Native. | Bride and groom both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. | Groom and bride residents. | Groom a resident. | Bride a resident. | Groom and bride non-residents. |
| Clarksburg | – | – | – | – | – | – | – | – | – |
| Clinton | 54 | 39 | 4 | 2 | 9 | 19 | 2 | 29 | 4 |
| Cohasset | 30 | 24 | 3 | 3 | – | 6 | 4 | 8 | 12 |
| Colrain | 6 | 6 | – | – | – | 1 | – | 1 | 4 |
| Concord | 49 | 35 | 4 | 1 | 9 | 8 | 6 | 16 | 19 |
| Conway | 3 | 3 | – | – | – | 2 | 1 | – | – |
| Cummington | 2 | 2 | – | – | – | – | – | – | 2 |
| Dalton | 23 | 20 | 1 | 1 | 1 | 9 | 1 | 8 | 5 |
| Dana | 2 | 2 | – | – | – | – | 1 | – | 1 |
| Danvers | 48 | 34 | 3 | 1 | 10 | 15 | 5 | 20 | 8 |
| Dartmouth | 20 | 14 | 1 | – | 5 | 7 | 2 | 3 | 8 |
| Dedham | 90 | 58 | 13 | 11 | 8 | 30 | 4 | 34 | 22 |
| Deerfield | 19 | 17 | 1 | – | 1 | 1 | 1 | 8 | 9 |
| Dennis | 7 | 6 | – | – | 1 | 3 | – | 3 | 1 |
| Dighton | 23 | 14 | 1 | 3 | 5 | 7 | 3 | 9 | 4 |
| Douglas | 9 | 9 | – | – | – | 5 | – | 3 | 1 |
| Dover | 1 | 1 | – | – | – | – | – | 1 | – |
| Dracut | 14 | 11 | 1 | – | 2 | 4 | 4 | 4 | 2 |
| Dudley | 6 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 1 |
| Dunstable | 4 | 3 | – | – | 1 | – | – | 1 | 3 |
| Duxbury | 4 | 3 | – | – | 1 | 1 | – | 1 | 2 |
| East Bridgewater | 22 | 17 | 2 | 1 | 2 | 9 | 1 | 9 | 3 |
| East Brookfield | 6 | 5 | – | – | 1 | 4 | – | – | 2 |
| East Longmeadow | 17 | 13 | 3 | – | 1 | 3 | – | 10 | 4 |
| Eastham | 1 | 1 | – | – | – | – | 1 | – | – |
| Easthampton | 72 | 60 | 3 | 5 | 4 | 42 | 2 | 24 | 4 |
| Easton | 30 | 25 | – | 1 | 4 | 10 | 1 | 13 | 6 |
| Edgartown | 7 | 5 | – | 2 | – | 3 | – | 3 | 1 |
| Egremont | 6 | 6 | – | – | – | 1 | – | – | 5 |
| Enfield | 1 | 1 | – | – | – | – | 1 | – | – |
| Erving | 3 | 3 | – | – | – | 2 | – | 1 | – |
| Essex | 3 | 2 | – | – | 1 | 1 | – | 1 | 1 |
| EVERETT | 331 | 183 | 53 | 39 | 56 | 168 | 21 | 108 | 34 |
| Fairhaven | 63 | 42 | 8 | 7 | 6 | 16 | 4 | 28 | 15 |
| FALL RIVER | 831 | 561 | 83 | 68 | 119 | 550 | 26 | 168 | 87 |
| Falmouth | 49 | 35 | 2 | 2 | 10 | 28 | 4 | 9 | 8 |
| FITCHBURG | 241 | 151 | 36 | 22 | 32 | 143 | 10 | 58 | 30 |
| Florida | 1 | 1 | – | – | – | – | – | – | 1 |
| Foxborough | 22 | 17 | – | 1 | 4 | 10 | – | 7 | 5 |
| Framingham | 143 | 91 | 11 | 21 | 20 | 69 | 6 | 45 | 23 |
| Franklin | 46 | 38 | 2 | 1 | 5 | 18 | 5 | 12 | 11 |
| Freetown | 13 | 12 | – | – | 1 | 4 | 1 | 5 | 3 |
| GARDNER | 117 | 72 | 19 | 7 | 19 | 77 | 5 | 24 | 11 |
| Gay Head | – | – | – | – | – | – | – | – | – |
| Georgetown | 9 | 6 | 1 | 1 | 1 | 1 | – | – | 8 |
| Gill | 1 | 1 | – | – | – | – | – | 1 | – |
| GLOUCESTER | 154 | 108 | 9 | 17 | 20 | 101 | 6 | 26 | 21 |
| Goshen | – | – | – | – | – | – | – | – | – |
| Gosnold | 2 | 1 | – | – | 1 | – | – | – | 2 |
| Grafton | 34 | 24 | 1 | 3 | 6 | 6 | 1 | 17 | 10 |
| Granby | 7 | 7 | – | – | – | – | 1 | 1 | 5 |
| Granville | 3 | 3 | – | – | – | 2 | 1 | – | – |
| Great Barrington | 33 | 30 | 1 | 1 | 1 | 10 | 1 | 16 | 6 |
| Greenfield | 118 | 99 | 3 | 6 | 10 | 45 | 9 | 32 | 32 |
| Greenwich | 1 | 1 | – | – | – | – | – | 1 | – |
| Groton | 17 | 15 | – | – | 2 | 7 | – | 6 | 4 |
| Groveland | 7 | 5 | – | – | 2 | – | 1 | 2 | 4 |
| Hadley | 17 | 11 | 1 | 1 | 4 | 5 | – | 9 | 3 |
| Halifax | 4 | 3 | – | – | 1 | – | 1 | 1 | 2 |
| Hamilton | 11 | 6 | 1 | 3 | 1 | 3 | 2 | 2 | 4 |
| Hampden | 2 | 2 | – | – | – | – | – | – | 2 |
| Hancock | – | – | – | – | – | – | – | – | – |
| Hanover | 15 | 12 | 1 | 1 | 1 | 4 | 2 | – | 9 |
| Hanson | 7 | 6 | 1 | – | – | 4 | 1 | 1 | 1 |
| Hardwick | 10 | 7 | – | 1 | 2 | 5 | 1 | 3 | 1 |
| Harvard | 4 | 3 | – | 1 | – | 1 | – | – | 3 |
| Harwich | 18 | 17 | 1 | – | – | 5 | – | 3 | 10 |
| Hatfield | 13 | 11 | – | – | 2 | 5 | – | 8 | – |
| HAVERHILL | 232 | 171 | 15 | 18 | 28 | 134 | 6 | 68 | 24 |
| Hawley | – | – | – | – | – | – | – | – | – |
| Heath | – | – | – | – | – | – | – | – | – |
| Hingham | 33 | 21 | 4 | 3 | 5 | 16 | – | 9 | 8 |
| Hinsdale | 3 | 3 | – | – | – | 1 | – | 2 | – |
| Holbrook | 28 | 19 | 4 | 1 | 4 | 8 | 3 | 11 | 6 |
| Holden | 21 | 18 | – | 3 | – | 3 | 2 | 5 | 11 |
| Holland | – | – | – | – | – | – | – | – | – |
| Holliston | 17 | 14 | – | 2 | 1 | 4 | 2 | 7 | 4 |
| HOLYOKE | 320 | 216 | 38 | 25 | 41 | 178 | 13 | 108 | 21 |

[1] Cities are printed in small capitals.

**Table 41**

| Municipalities.[1] | Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1930. Nativity. Total couples. | Bride and groom both — Native. | Bride and groom both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. | Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1930. Groom and bride residents. | Groom a resident. | Bride a resident. | Groom and bride non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| Hopedale | 9 | 6 | – | 3 | – | 1 | 4 | 2 | 2 |
| Hopkinton | 13 | 10 | – | 1 | 2 | 3 | 1 | 6 | 3 |
| Hubbardston | 5 | 4 | 1 | – | – | – | 2 | – | 3 |
| Hudson | 55 | 39 | 4 | 6 | 6 | 24 | 5 | 20 | 6 |
| Hull | 20 | 14 | 1 | 2 | 3 | 4 | 1 | 6 | 9 |
| Huntington | 13 | 10 | – | 1 | 2 | 3 | – | 5 | 5 |
| Ipswich | 40 | 26 | 7 | 1 | 6 | 13 | 2 | 12 | 13 |
| Kingston | 24 | 16 | 1 | – | 7 | 5 | 3 | 8 | 8 |
| Lakeville | 3 | 2 | 1 | – | – | – | 1 | 2 | – |
| Lancaster | 14 | 9 | 1 | 1 | 3 | 1 | 2 | 9 | 2 |
| Lanesborough | 2 | 2 | – | – | – | – | – | 1 | 1 |
| LAWRENCE | 540 | 329 | 78 | 41 | 92 | 298 | 51 | 119 | 72 |
| Lee | 19 | 15 | 3 | 1 | – | 5 | 1 | 9 | 4 |
| Leicester | 13 | 11 | 1 | 1 | – | 3 | 1 | 8 | 1 |
| Lenox | 20 | 13 | 3 | 2 | 2 | 10 | 2 | 5 | 3 |
| LEOMINSTER | 105 | 69 | 12 | 14 | 10 | 62 | 4 | 29 | 10 |
| Leverett | 2 | 1 | – | – | 1 | – | – | – | 2 |
| Lexington | 57 | 40 | 7 | 7 | 3 | 16 | 2 | 23 | 16 |
| Leyden | – | – | – | – | – | – | – | – | – |
| Lincoln | 2 | 2 | – | – | – | – | – | – | 2 |
| Littleton | 15 | 11 | 1 | 2 | 1 | – | 1 | 2 | 12 |
| Longmeadow | 21 | 14 | 6 | – | 1 | 1 | 2 | 14 | 4 |
| LOWELL | 648 | 449 | 54 | 44 | 101 | 387 | 37 | 150 | 74 |
| Ludlow | 33 | 17 | 8 | 2 | 6 | 16 | 3 | 12 | 2 |
| Lunenburg | 9 | 6 | 1 | 1 | 1 | 2 | 2 | 2 | 3 |
| LYNN | 747 | 476 | 88 | 79 | 104 | 473 | 38 | 168 | 68 |
| Lynnfield | 9 | 9 | – | – | – | – | 3 | 1 | 5 |
| MALDEN | 421 | 260 | 52 | 60 | 49 | 144 | 33 | 142 | 102 |
| Manchester | 12 | 8 | – | 4 | – | 2 | 1 | 6 | 3 |
| Mansfield | 35 | 27 | 1 | 3 | 4 | 14 | 4 | 8 | 9 |
| Marblehead | 44 | 38 | – | 4 | 2 | 13 | 3 | 17 | 11 |
| Marion | 12 | 8 | – | 1 | 3 | 4 | 2 | 2 | 4 |
| MARLBOROUGH | 98 | 80 | 4 | 4 | 10 | 49 | 4 | 33 | 12 |
| Marshfield | 9 | 8 | – | 1 | – | 5 | 1 | 2 | 1 |
| Mashpee | – | – | – | – | – | – | – | – | – |
| Mattapoisett | 9 | 7 | – | – | 2 | 3 | 1 | 4 | 1 |
| Maynard | 39 | 21 | 4 | 2 | 12 | 14 | 2 | 14 | 9 |
| Medfield | 11 | 5 | 2 | 4 | – | 4 | 2 | 1 | 4 |
| MEDFORD | 339 | 247 | 34 | 26 | 32 | 113 | 21 | 126 | 79 |
| Medway | 24 | 17 | 3 | 3 | 1 | 10 | 1 | 9 | 4 |
| MELROSE | 138 | 100 | 11 | 10 | 17 | 59 | 10 | 49 | 20 |
| Mendon | 4 | 1 | 1 | – | 2 | – | 1 | 2 | 1 |
| Merrimac | 11 | 10 | – | 1 | – | 3 | 1 | 3 | 4 |
| Methuen | 78 | 41 | 10 | 14 | 13 | 35 | 6 | 24 | 13 |
| Middleborough | 56 | 53 | 2 | – | 1 | 26 | 5 | 10 | 15 |
| Middlefield | – | – | – | – | – | – | – | – | – |
| Middleton | 3 | 2 | – | – | 1 | – | 2 | – | 1 |
| Milford | 81 | 51 | 7 | 5 | 18 | 40 | 7 | 20 | 14 |
| Millbury | 47 | 32 | 5 | 2 | 8 | 19 | 3 | 18 | 7 |
| Millis | 10 | 5 | 3 | – | 2 | 2 | – | 1 | 7 |
| Millville | 5 | 5 | – | – | – | 1 | 1 | 3 | – |
| Milton | 83 | 64 | 4 | 7 | 8 | 20 | 6 | 32 | 25 |
| Monroe | – | – | – | – | – | – | – | – | – |
| Monson | 21 | 19 | 1 | – | 1 | 6 | 3 | 6 | 6 |
| Montague | 53 | 46 | – | 1 | 6 | 19 | 6 | 18 | 10 |
| Monterey | 3 | 3 | – | – | – | 2 | 1 | – | – |
| Montgomery | – | – | – | – | – | – | – | – | – |
| Mount Washington | – | – | – | – | – | – | – | – | – |
| Nahant | 22 | 13 | 1 | 4 | 4 | 3 | 2 | 6 | 11 |
| Nantucket | 29 | 25 | 2 | 1 | 1 | 20 | 2 | 2 | 5 |
| Natick | 82 | 61 | 5 | 6 | 10 | 29 | 10 | 34 | 9 |
| Needham | 59 | 36 | 8 | 11 | 4 | 26 | 4 | 18 | 11 |
| New Ashford | – | – | – | – | – | – | – | – | – |
| NEW BEDFORD | 698 | 383 | 115 | 70 | 130 | 452 | 19 | 168 | 59 |
| New Braintree | 1 | 1 | – | – | – | 1 | – | – | – |
| New Marlborough | 3 | 3 | – | – | – | – | – | 1 | 2 |
| New Salem | 1 | 1 | – | – | – | – | 1 | – | – |
| Newbury | 10 | 9 | – | 1 | – | 1 | 2 | 3 | 4 |
| NEWBURYPORT | 79 | 65 | 5 | 3 | 6 | 31 | 3 | 19 | 26 |
| NEWTON | 387 | 248 | 57 | 48 | 34 | 104 | 30 | 166 | 87 |
| Norfolk | 5 | 5 | – | – | – | – | 1 | 2 | 2 |
| NORTH ADAMS | 108 | 80 | 8 | 4 | 16 | 64 | 8 | 25 | 11 |
| North Andover | 32 | 29 | 1 | 1 | 1 | 7 | 2 | 19 | 4 |
| North Attleborough | 86 | 62 | 4 | 5 | 15 | 27 | 5 | 19 | 35 |
| North Brookfield | 9 | 7 | – | 1 | 1 | 5 | – | 2 | 2 |
| North Reading | 11 | 9 | – | 1 | 1 | 6 | 2 | 2 | 1 |
| NORTHAMPTON | 115 | 92 | 3 | 11 | 9 | 63 | 7 | 36 | 9 |
| Northborough | 12 | 11 | – | – | 1 | 5 | – | 3 | 4 |

[1] Cities are printed in small CAPITALS.

Table 41

| Municipalities.[1] | Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1930. Nativity. Total couples. | Bride and groom both — Native. | Bride and groom both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. | Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1930. Groom and bride residents. | Groom a resident. | Bride a resident. | Groom and bride non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| Northbridge | 42 | 22 | 5 | 4 | 11 | 33 | 3 | 4 | 2 |
| Northfield | 13 | 9 | 1 | 1 | 2 | 2 | 2 | 4 | 5 |
| Norton | 19 | 15 | – | 1 | 3 | 8 | – | 4 | 7 |
| Norwell | 4 | 2 | 1 | – | 1 | 1 | – | 2 | 1 |
| Norwood | 72 | 49 | 9 | 4 | 10 | 22 | 3 | 30 | 17 |
| Oak Bluffs | 15 | 9 | – | 3 | 3 | 9 | – | 2 | 4 |
| Oakham | 4 | 4 | – | – | – | – | 1 | 1 | 2 |
| Orange | 25 | 19 | – | 3 | 3 | 10 | 2 | 7 | 6 |
| Orleans | 9 | 8 | – | 1 | – | 3 | – | 1 | 5 |
| Otis | 6 | 5 | – | – | 1 | 2 | – | – | 4 |
| Oxford | 13 | 12 | – | – | 1 | 4 | – | 7 | 2 |
| Palmer | 50 | 43 | – | 1 | 6 | 20 | 2 | 14 | 14 |
| Paxton | 2 | 1 | – | 1 | – | – | – | – | 2 |
| PEABODY | 120 | 79 | 14 | 13 | 14 | 36 | 13 | 51 | 20 |
| Pelham | – | – | – | – | – | – | – | – | – |
| Pembroke | 3 | 3 | – | – | – | 1 | – | 2 | – |
| Pepperell | 23 | 19 | 2 | 1 | 1 | 12 | 2 | 4 | 5 |
| Peru | 1 | 1 | – | – | – | – | – | 1 | – |
| Petersham | 8 | 7 | – | 1 | – | – | – | 1 | 7 |
| Phillipston | 2 | 1 | 1 | – | – | 1 | – | – | 1 |
| PITTSFIELD | 279 | 230 | 21 | 13 | 15 | 177 | 13 | 29 | 60 |
| Plainfield | – | – | – | – | – | – | – | – | – |
| Plainville | 9 | 8 | – | – | 1 | – | 2 | 3 | 4 |
| Plymouth | 113 | 71 | 9 | 10 | 23 | 59 | 10 | 22 | 22 |
| Plympton | 4 | 4 | – | – | – | 2 | – | 1 | 1 |
| Prescott | – | – | – | – | – | – | – | – | – |
| Princeton | 6 | 5 | – | – | 1 | 2 | 1 | 1 | 2 |
| Provincetown | 21 | 18 | 1 | – | 2 | 9 | 4 | 2 | 6 |
| QUINCY | 451 | 286 | 51 | 50 | 64 | 245 | 37 | 125 | 44 |
| Randolph | 22 | 15 | 1 | 2 | 4 | 7 | 2 | 9 | 4 |
| Raynham | 7 | 6 | – | 1 | – | 3 | – | 2 | 2 |
| Reading | 62 | 44 | 1 | 7 | 10 | 21 | 6 | 19 | 16 |
| Rehoboth | 17 | 14 | – | 1 | 2 | 1 | 2 | 4 | 10 |
| REVERE | 215 | 140 | 22 | 15 | 38 | 77 | 17 | 71 | 50 |
| Richmond | 5 | 3 | – | – | 2 | 1 | – | 2 | 2 |
| Rochester | 5 | 5 | – | – | – | 2 | – | – | 3 |
| Rockland | 55 | 44 | 2 | 4 | 5 | 18 | 3 | 20 | 14 |
| Rockport | 21 | 15 | 2 | 2 | 2 | 6 | 1 | 6 | 8 |
| Rowe | 1 | 1 | – | – | – | – | – | – | 1 |
| Rowley | 4 | 3 | – | – | 1 | 1 | – | 1 | 2 |
| Royalston | 3 | 2 | – | 1 | – | – | – | 1 | 2 |
| Russell | 3 | 1 | 1 | – | 1 | – | – | 1 | 2 |
| Rutland | 5 | 4 | – | – | 1 | 1 | 1 | 1 | 2 |
| SALEM | 293 | 204 | 34 | 24 | 31 | 140 | 15 | 84 | 54 |
| Salisbury | 8 | 8 | – | – | – | 2 | 2 | 1 | 3 |
| Sandisfield | – | – | – | – | – | – | – | – | – |
| Sandwich | 10 | 9 | – | – | 1 | 1 | – | 2 | 7 |
| Saugus | 68 | 44 | 5 | 13 | 6 | 22 | 6 | 20 | 20 |
| Savoy | – | – | – | – | – | – | – | – | – |
| Scituate | 24 | 18 | 1 | 2 | 3 | 8 | 3 | 4 | 9 |
| Seekonk | 78 | 60 | 4 | 3 | 11 | 16 | 3 | 8 | 51 |
| Sharon | 37 | 24 | 5 | – | 8 | 5 | 2 | 6 | 24 |
| Sheffield | 7 | 6 | – | – | 1 | 2 | – | 3 | 2 |
| Shelburne | 16 | 14 | – | 2 | – | – | 2 | 2 | 12 |
| Sherborn | 4 | 3 | – | – | 1 | 2 | – | 2 | – |
| Shirley | 19 | 13 | 4 | – | 2 | 11 | 4 | 2 | 2 |
| Shrewsbury | 26 | 22 | 1 | 2 | 1 | 6 | 4 | 5 | 11 |
| Shutesbury | – | – | – | – | – | – | – | – | – |
| Somerset | 18 | 10 | 1 | 2 | 5 | 5 | – | 8 | 5 |
| SOMERVILLE | 666 | 376 | 113 | 75 | 102 | 281 | 50 | 236 | 99 |
| South Hadley | 33 | 29 | 1 | 1 | 2 | 11 | 1 | 14 | 7 |
| Southampton | 2 | 2 | – | – | – | – | – | – | 2 |
| Southborough | 8 | 7 | – | – | 1 | 2 | 1 | 5 | – |
| Southbridge | 95 | 58 | 13 | 11 | 13 | 54 | 4 | 29 | 8 |
| Southwick | 3 | 3 | – | – | – | 1 | – | 1 | 1 |
| Spencer | 40 | 39 | – | – | 1 | 22 | – | 14 | 4 |
| SPRINGFIELD | 983 | 667 | 112 | 64 | 140 | 576 | 50 | 207 | 150 |
| Sterling | 5 | 4 | – | – | 1 | 1 | – | 1 | 3 |
| Stockbridge | 8 | 5 | 1 | 1 | 1 | 1 | – | 5 | 2 |
| Stoneham | 49 | 36 | – | 4 | 9 | 11 | 2 | 24 | 12 |
| Stoughton | 47 | 35 | 1 | 5 | 6 | 23 | 4 | 18 | 2 |
| Stow | 3 | 3 | – | – | – | – | 2 | – | 1 |
| Sturbridge | 12 | 10 | – | 1 | 1 | 2 | – | 5 | 5 |
| Sudbury | 10 | 8 | 1 | 1 | – | 3 | 1 | 3 | 3 |
| Sunderland | 2 | 1 | – | – | 1 | – | – | 2 | – |
| Sutton | 7 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 3 |
| Swampscott | 65 | 45 | 9 | 7 | 4 | 10 | 5 | 26 | 24 |
| Swansea | 45 | 34 | 7 | 1 | 3 | 5 | 5 | 8 | 27 |

[1] Cities are printed in small capitals.

**Table 41**

| Municipalities.[1] | Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1930. Nativity. Total couples. | Bride and groom both — Native. | Bride and groom both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. | Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1930. Groom and bride residents. | Groom a resident. | Bride a resident. | Groom and bride non-residents. |
|---|---|---|---|---|---|---|---|---|---|
| TAUNTON | 256 | 190 | 11 | 16 | 39 | 143 | 9 | 52 | 52 |
| Templeton | 22 | 18 | – | – | 4 | 5 | 3 | 4 | 10 |
| Tewksbury | 17 | 12 | 1 | 3 | 1 | 6 | – | 8 | 3 |
| Tisbury | 13 | 11 | – | 1 | 1 | 4 | 2 | 2 | 5 |
| Tolland | – | – | – | – | – | – | – | – | – |
| Topsfield | 4 | 3 | – | 1 | – | – | – | 2 | 2 |
| Townsend | 11 | 8 | 2 | 1 | – | 2 | – | 2 | 7 |
| Truro | 1 | 1 | – | – | – | 1 | – | – | – |
| Tyngsborough | 10 | 8 | 1 | – | 1 | 3 | – | – | 7 |
| Tyringham | – | – | – | – | – | – | – | – | – |
| Upton | 7 | 6 | – | – | 1 | 2 | 1 | 3 | 1 |
| Uxbridge | 42 | 34 | 2 | 1 | 5 | 8 | 1 | 18 | 15 |
| Wakefield | 99 | 64 | 11 | 11 | 13 | 32 | 6 | 44 | 17 |
| Wales | – | – | – | – | – | – | – | – | – |
| Walpole | 28 | 19 | 2 | 3 | 4 | 9 | 3 | 8 | 8 |
| WALTHAM | 237 | 135 | 33 | 38 | 31 | 114 | 10 | 83 | 30 |
| Ware | 50 | 36 | 2 | 6 | 6 | 23 | 1 | 16 | 10 |
| Wareham | 49 | 35 | 4 | 3 | 7 | 22 | 1 | 12 | 14 |
| Warren | 28 | 25 | 2 | – | 1 | 9 | – | 9 | 10 |
| Warwick | 2 | 2 | – | – | – | – | – | 1 | 1 |
| Washington | – | – | – | – | – | – | – | – | – |
| Watertown | 226 | 138 | 46 | 21 | 21 | 84 | 12 | 89 | 41 |
| Wayland | 14 | 12 | – | 1 | 1 | 4 | – | 4 | 6 |
| Webster | 118 | 99 | 6 | 3 | 10 | 43 | 12 | 32 | 31 |
| Wellesley | 52 | 28 | 9 | 8 | 7 | 15 | – | 26 | 11 |
| Wellfleet | 10 | 9 | 1 | – | – | 1 | – | – | 9 |
| Wendell | 1 | 1 | – | – | – | 1 | – | – | – |
| Wenham | 2 | 1 | – | 1 | – | 2 | – | – | – |
| West Boylston | 13 | 9 | 1 | – | 3 | 2 | – | 4 | 7 |
| West Bridgewater | 9 | 7 | – | 1 | 1 | 1 | 2 | 2 | 4 |
| West Brookfield | 3 | 2 | – | 1 | – | 1 | – | 2 | – |
| West Newbury | 5 | 4 | 1 | – | – | – | – | – | 5 |
| West Springfield | 89 | 70 | 5 | 5 | 9 | 42 | 7 | 30 | 10 |
| West Stockbridge | 5 | 4 | 1 | – | – | – | – | 1 | 4 |
| West Tisbury | 1 | 1 | – | – | – | – | – | – | 1 |
| Westborough | 22 | 16 | – | 4 | 2 | 8 | – | 8 | 6 |
| WESTFIELD | 70 | 54 | 6 | 6 | 4 | 32 | 6 | 22 | 10 |
| Westford | 18 | 10 | 2 | 1 | 5 | 7 | 2 | 7 | 2 |
| Westhampton | 2 | 2 | – | – | – | 1 | – | 1 | – |
| Westminster | 3 | 2 | 1 | – | – | – | – | 1 | 2 |
| Weston | 21 | 13 | 2 | 3 | 3 | 3 | 5 | 8 | 5 |
| Westport | 18 | 18 | – | – | – | 4 | 2 | 4 | 8 |
| Westwood | 8 | 5 | 1 | 2 | – | 2 | 2 | 1 | 3 |
| Weymouth | 118 | 98 | 2 | 5 | 13 | 48 | 11 | 33 | 26 |
| Whately | – | – | – | – | – | – | – | – | – |
| Whitman | 65 | 53 | 1 | 5 | 6 | 13 | 6 | 28 | 18 |
| Wilbraham | 5 | 5 | – | – | – | 2 | – | 1 | 2 |
| Williamsburg | 14 | 13 | 1 | – | – | 5 | 2 | 5 | 2 |
| Williamstown | 14 | 11 | – | 2 | 1 | 4 | 1 | 3 | 6 |
| Wilmington | 40 | 29 | 2 | 6 | 3 | 16 | 1 | 6 | 17 |
| Winchendon | 35 | 33 | – | 1 | 1 | 17 | 4 | 5 | 9 |
| Winchester | 79 | 59 | 9 | 3 | 8 | 16 | 3 | 50 | 10 |
| Windsor | – | – | – | – | – | – | – | – | – |
| Winthrop | 85 | 65 | 8 | 5 | 7 | 41 | 3 | 30 | 11 |
| WOBURN | 115 | 83 | 13 | 9 | 10 | 49 | 5 | 47 | 14 |
| WORCESTER | 1,122 | 727 | 149 | 97 | 149 | 771 | 55 | 203 | 93 |
| Worthington | 4 | 4 | – | – | – | 1 | – | 1 | 2 |
| Wrentham | 23 | 19 | 1 | 1 | 2 | 5 | 1 | 5 | 12 |
| Yarmouth | 7 | 6 | 1 | – | – | 2 | – | 1 | 4 |

[1] Cities are printed in small capitals.

**Table 42**

| Age at Marriage. | Marriages, by Sex, Age, and Marital Condition: 1930. Both sexes. | Males. Total. | Males. Single. | Males. Widowed. | Males. Divorced. | Females. Total. | Females. Single. | Females. Widowed. | Females. Divorced. |
|---|---|---|---|---|---|---|---|---|---|
| **The State.** | | | | | | | | | |
| **13 Years and Over.** | **54,862** | **27,431** | **24,098** | **2,262** | **1,071** | **27,431** | **24,599** | **1,543** | **1,289** |
| Under 20 years | 5,979 | 869 | 869 | – | – | 5,110 | 5,103 | 3 | 4 |
| 20 to 29 years | 35,076 | 17,996 | 17,670 | 155 | 171 | 17,080 | 16,507 | 159 | 414 |
| 30 to 39 years | 9,022 | 5,632 | 4,647 | 518 | 467 | 3,390 | 2,414 | 430 | 546 |
| 40 to 49 years | 2,843 | 1,655 | 738 | 637 | 280 | 1,188 | 449 | 483 | 256 |
| 50 to 59 years | 1,272 | 796 | 144 | 527 | 125 | 476 | 103 | 313 | 60 |
| 60 to 69 years | 557 | 392 | 25 | 339 | 28 | 165 | 19 | 138 | 8 |
| 70 to 79 years | 107 | 85 | 5 | 80 | – | 22 | 4 | 17 | 1 |
| 80 years and over | 6 | 6 | – | 6 | – | – | – | – | – |

| Line No. | Table 43 — Months. | Marriages, by Months in Counties — The State. Total number. | Average daily number. | Counties. Barnstable. | Berkshire. | Bristol. | Dukes. | Essex. | Franklin. | Hampden. | Hampshire. | Middlesex. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | **The Year.** | **27,431** | **75** | **246** | **621** | **2,463** | **39** | **2,909** | **294** | **1,892** | **396** | **6,061** |
| 2 | January . | 1,626 | 52 | 9 | 25 | 132 | – | 151 | 18 | 98 | 20 | 375 |
| 3 | February . | 1,660 | 59 | 13 | 34 | 161 | 1 | 169 | 11 | 104 | 21 | 336 |
| 4 | March . | 1,226 | 40 | 12 | 22 | 86 | 3 | 116 | 24 | 92 | 8 | 257 |
| 5 | April . . | 2,056 | 69 | 11 | 43 | 171 | 2 | 208 | 17 | 131 | 21 | 463 |
| 6 | May . . | 1,748 | 56 | 14 | 33 | 192 | 3 | 207 | 25 | 135 | 37 | 359 |
| 7 | June . . | 4,518 | 151 | 30 | 114 | 424 | 4 | 448 | 46 | 311 | 84 | 1,037 |
| 8 | July . . | 2,099 | 68 | 22 | 49 | 232 | 3 | 221 | 25 | 141 | 24 | 463 |
| 9 | August . | 2,659 | 86 | 30 | 66 | 190 | 3 | 329 | 27 | 160 | 38 | 558 |
| 10 | September . | 2,932 | 98 | 38 | 71 | 257 | 10 | 303 | 28 | 242 | 44 | 648 |
| 11 | October . | 2,977 | 96 | 33 | 87 | 250 | 6 | 334 | 24 | 209 | 36 | 723 |
| 12 | November . | 2,512 | 84 | 22 | 60 | 246 | 2 | 276 | 30 | 196 | 46 | 540 |
| 13 | December . | 1,418 | 46 | 12 | 17 | 122 | 2 | 147 | 19 | 73 | 17 | 302 |

| Line No. | Table 44 — Counties and Sex. | Marriages in Each County — All ages. | 13 years. | 14 years. | 15 years. | 16 years. | 17 years. | 18 years. | 19 years. | 20 to 24 years. |
|---|---|---|---|---|---|---|---|---|---|---|
| | **The State.** | | | | | | | | | |
| 1 | **Grooms . .** | **27,431** | – | – | **2** | **8** | **63** | **236** | **560** | **9,653** |
| 2 | **Brides . .** | **27,431** | – | **13** | **75** | **404** | **813** | **1,769** | **2,036** | **11,316** |
| | Barnstable: | | | | | | | | | |
| 3 | Grooms . . | 246 | – | – | – | – | 2 | 4 | 7 | 96 |
| 4 | Brides . . | 246 | – | 2 | 1 | 8 | 10 | 26 | 22 | 78 |
| | Berkshire: | | | | | | | | | |
| 5 | Grooms . . | 621 | – | – | – | – | 1 | 2 | 10 | 210 |
| 6 | Brides . . | 621 | – | – | 1 | 10 | 25 | 34 | 49 | 259 |
| | Bristol: | | | | | | | | | |
| 7 | Grooms . . | 2,463 | – | – | – | – | 6 | 29 | 58 | 1,012 |
| 8 | Brides . . | 2,463 | – | – | 5 | 50 | 94 | 200 | 250 | 1,045 |
| | Dukes: | | | | | | | | | |
| 9 | Grooms . . | 39 | – | – | – | – | – | 1 | – | 16 |
| 10 | Brides . . | 39 | – | – | – | 2 | 3 | 5 | 2 | 11 |
| | Essex: | | | | | | | | | |
| 11 | Grooms . . | 2,909 | – | – | 1 | 1 | 8 | 38 | 87 | 1,030 |
| 12 | Brides . . | 2,909 | – | 2 | 11 | 45 | 105 | 177 | 215 | 1,211 |
| | Franklin: | | | | | | | | | |
| 13 | Grooms . . | 294 | – | – | – | 1 | 2 | 4 | 7 | 122 |
| 14 | Brides . . | 294 | – | 1 | 2 | 7 | 12 | 34 | 31 | 105 |
| | Hampden: | | | | | | | | | |
| 15 | Grooms . . | 1,892 | – | – | – | – | 3 | 16 | 40 | 690 |
| 16 | Brides . . | 1,892 | – | – | 5 | 32 | 59 | 148 | 142 | 809 |
| | Hampshire: | | | | | | | | | |
| 17 | Grooms . . | 396 | – | – | – | – | 1 | 3 | 10 | 169 |
| 18 | Brides . . | 396 | – | – | 2 | 11 | 16 | 29 | 30 | 171 |
| | Middlesex: | | | | | | | | | |
| 19 | Grooms . . | 6,061 | – | – | 1 | 2 | 11 | 46 | 107 | 2,079 |
| 20 | Brides . . | 6,061 | – | 2 | 21 | 70 | 161 | 332 | 420 | 2,502 |
| | Nantucket: | | | | | | | | | |
| 21 | Grooms . . | 29 | – | – | – | – | – | 2 | 5 | 9 |
| 22 | Brides . . | 29 | – | – | 1 | – | 4 | 4 | 3 | 8 |
| | Norfolk: | | | | | | | | | |
| 23 | Grooms . . | 1,915 | – | – | – | – | 2 | 8 | 26 | 633 |
| 24 | Brides . . | 1,915 | – | – | – | 23 | 41 | 79 | 109 | 799 |
| | Plymouth: | | | | | | | | | |
| 25 | Grooms . . | 1,029 | – | – | – | – | 2 | 14 | 22 | 415 |
| 26 | Brides . . | 1,029 | – | – | 3 | 24 | 37 | 94 | 80 | 412 |
| | Suffolk: . . | | | | | | | | | |
| 27 | Grooms . . | 6,852 | – | – | – | 2 | 12 | 48 | 107 | 2,188 |
| 28 | Brides . . | 6,852 | – | 4 | 13 | 77 | 162 | 370 | 476 | 2,822 |
| | Worcester: | | | | | | | | | |
| 29 | Grooms . . | 2,685 | – | – | – | 2 | 13 | 21 | 74 | 984 |
| 30 | Brides . . | 2,685 | – | 2 | 10 | 45 | 84 | 237 | 207 | 1,084 |

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1930.

| Line No. | COUNTIES — Con. | | | | | CITIES HAVING OVER 100,000 INHABITANTS. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nantucket. | Norfolk. | Plymouth. | Suffolk. | Worcester. | Boston. | Worcester. | Springfield. | Fall River. | Cambridge. | New Bedford. | Somerville. | Lynn. | Lowell. |
| 1 | **29** | **1,915** | **1,029** | **6,852** | **2,685** | **6,238** | **1,122** | **983** | **831** | **1,008** | **698** | **666** | **747** | **648** |
| 2 | – | 130 | 67 | 444 | 157 | 403 | 71 | 54 | 51 | 64 | 39 | 50 | 33 | 44 |
| 3 | 1 | 106 | 58 | 516 | 129 | 468 | 58 | 51 | 56 | 71 | 52 | 49 | 45 | 23 |
| 4 | – | 88 | 42 | 359 | 117 | 329 | 50 | 56 | 28 | 39 | 23 | 24 | 33 | 31 |
| 5 | 2 | 145 | 93 | 529 | 220 | 491 | 91 | 64 | 54 | 81 | 60 | 57 | 59 | 56 |
| 6 | 3 | 106 | 64 | 382 | 188 | 357 | 70 | 66 | 65 | 61 | 57 | 41 | 58 | 36 |
| 7 | – | 338 | 166 | 1,083 | 433 | 979 | 183 | 148 | 156 | 174 | 100 | 94 | 125 | 106 |
| 8 | 4 | 137 | 81 | 503 | 194 | 450 | 86 | 73 | 91 | 78 | 63 | 58 | 64 | 56 |
| 9 | 4 | 197 | 102 | 680 | 275 | 624 | 123 | 83 | 56 | 96 | 48 | 53 | 85 | 52 |
| 10 | 5 | 201 | 99 | 696 | 290 | 627 | 128 | 126 | 80 | 102 | 84 | 77 | 61 | 67 |
| 11 | 6 | 192 | 102 | 692 | 283 | 636 | 104 | 112 | 80 | 108 | 66 | 78 | 82 | 82 |
| 12 | 3 | 157 | 96 | 566 | 272 | 511 | 108 | 104 | 79 | 91 | 72 | 48 | 55 | 64 |
| 13 | 1 | 118 | 59 | 402 | 127 | 363 | 50 | 46 | 35 | 43 | 34 | 37 | 47 | 31 |

| Line No. | BY SEX AND AGE: 1930. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 25 to 29 years. | 30 to 34 years. | 35 to 39 years. | 40 to 44 years. | 45 to 49 years. | 50 to 54 years. | 55 to 59 years. | 60 to 64 years. | 65 to 69 years. | 70 to 74 years. | 75 to 79 years. | 80 yrs. and over. |
| 1 | **8,343** | **3,823** | **1,809** | **1,017** | **638** | **449** | **347** | **248** | **144** | **61** | **24** | **6** |
| 2 | **5,764** | **2,214** | **1,176** | **724** | **464** | **275** | **201** | **121** | **44** | **18** | **4** | – |
| 3 | 64 | 25 | 12 | 8 | 3 | 7 | 4 | 7 | 2 | 3 | 2 | – |
| 4 | 50 | 12 | 8 | 2 | 7 | 5 | 5 | 3 | 5 | 2 | – | – |
| 5 | 203 | 84 | 37 | 28 | 19 | 8 | 9 | 5 | 4 | 1 | – | – |
| 6 | 127 | 43 | 32 | 12 | 13 | 7 | 6 | 2 | – | 1 | – | – |
| 7 | 695 | 289 | 141 | 78 | 47 | 39 | 31 | 16 | 16 | 4 | 1 | 1 |
| 8 | 437 | 149 | 89 | 53 | 33 | 30 | 15 | 9 | 2 | 2 | – | – |
| 9 | 10 | 3 | 4 | 2 | 1 | – | – | 2 | – | – | – | – |
| 10 | 7 | 4 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| 11 | 827 | 377 | 223 | 109 | 78 | 48 | 32 | 26 | 15 | 6 | 3 | – |
| 12 | 558 | 243 | 134 | 83 | 56 | 21 | 27 | 15 | 4 | 1 | 1 | – |
| 13 | 70 | 26 | 17 | 14 | 13 | 6 | 5 | 3 | 2 | 2 | – | – |
| 14 | 46 | 18 | 16 | 9 | 4 | 4 | – | 3 | 1 | 1 | – | – |
| 15 | 601 | 255 | 118 | 66 | 37 | 20 | 20 | 15 | 6 | 3 | 2 | – |
| 16 | 367 | 150 | 79 | 42 | 27 | 11 | 13 | 7 | 1 | – | – | – |
| 17 | 111 | 46 | 18 | 10 | 4 | 7 | 7 | 1 | 4 | 5 | – | – |
| 18 | 75 | 22 | 11 | 8 | 6 | 3 | 5 | 1 | 3 | 2 | 1 | – |
| 19 | 1,933 | 883 | 392 | 199 | 136 | 95 | 70 | 57 | 31 | 13 | 4 | 2 |
| 20 | 1,383 | 519 | 268 | 155 | 88 | 59 | 41 | 30 | 6 | 2 | 2 | – |
| 21 | 5 | 5 | – | 1 | – | – | – | – | – | – | 2 | – |
| 22 | 3 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| 23 | 639 | 269 | 117 | 83 | 39 | 36 | 25 | 20 | 10 | 5 | 3 | – |
| 24 | 494 | 164 | 78 | 51 | 37 | 15 | 13 | 6 | 5 | 1 | – | – |
| 25 | 278 | 114 | 57 | 31 | 23 | 24 | 19 | 17 | 9 | 3 | 1 | – |
| 26 | 185 | 61 | 48 | 27 | 21 | 13 | 14 | 7 | 2 | 1 | – | – |
| 27 | 2,126 | 1,095 | 512 | 283 | 174 | 123 | 87 | 53 | 27 | 11 | 2 | 2 |
| 28 | 1,524 | 630 | 313 | 204 | 113 | 68 | 45 | 20 | 10 | 1 | – | – |
| 29 | 781 | 352 | 161 | 105 | 64 | 36 | 38 | 26 | 18 | 5 | 4 | 1 |
| 30 | 508 | 197 | 98 | 75 | 58 | 38 | 17 | 16 | 5 | 4 | – | – |

**Table 45** — MARRIAGES, BY SEX AND AGE: 1930.

| Age of Grooms. | All ages. | Under 20. | 20 to 24. | 25 to 29. | 30 to 34. | 35 to 39. | 40 to 44. | 45 to 49. | 50 to 54. | 55 to 59. | 60 to 64. | 65 to 69. | 70 to 74. | 75 to 79. | 80 and over. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Age of brides. | | | | | | | | | | | | | | |
| **All Ages.** | **27,431** | **5,110** | **11,316** | **5,764** | **2,214** | **1,176** | **724** | **464** | **275** | **201** | **121** | **44** | **18** | **4** | – |
| Under 20 | 869 | 620 | 234 | 14 | 1 | – | – | – | – | – | – | – | – | – | – |
| 20 to 24 | 9,653 | 3,219 | 5,535 | 809 | 74 | 12 | 1 | – | 3 | – | – | – | – | – | – |
| 25 to 29 | 8,343 | 991 | 4,041 | 2,749 | 468 | 78 | 14 | 1 | – | 1 | – | – | – | – | – |
| 30 to 34 | 3,823 | 221 | 1,114 | 1,436 | 819 | 192 | 33 | 6 | 1 | 1 | – | – | – | – | – |
| 35 to 39 | 1,809 | 42 | 294 | 489 | 480 | 362 | 105 | 33 | 4 | – | – | – | – | – | – |
| 40 to 44 | 1,017 | 10 | 59 | 174 | 233 | 267 | 187 | 66 | 15 | 4 | 2 | – | – | – | – |
| 45 to 49 | 638 | 3 | 23 | 66 | 84 | 140 | 159 | 114 | 29 | 17 | 3 | – | – | – | – |
| 50 to 54 | 449 | 4 | 11 | 17 | 33 | 72 | 107 | 103 | 62 | 28 | 10 | 1 | 1 | – | – |
| 55 to 59 | 347 | – | 2 | 7 | 16 | 31 | 68 | 68 | 74 | 61 | 19 | 1 | – | – | – |
| 60 to 64 | 248 | – | 1 | 2 | 5 | 14 | 33 | 41 | 56 | 48 | 39 | 7 | 2 | – | – |
| 65 to 69 | 144 | – | 1 | – | 1 | 5 | 9 | 24 | 22 | 29 | 27 | 18 | 8 | – | – |
| 70 to 74 | 61 | – | 1 | 1 | – | 3 | 5 | 6 | 7 | 7 | 13 | 11 | 5 | 2 | – |
| 75 to 79 | 24 | – | – | – | – | – | 2 | 2 | 2 | 4 | 8 | 3 | 2 | 1 | – |
| 80 and over | 6 | – | – | – | – | – | 1 | – | – | 1 | – | 3 | – | 1 | – |

**Table 46** — FIRST MARRIAGES, BY SEX AND AGE: 1930.

| Age of Grooms (Bachelors). | All ages. | Under 20. | 20 to 24. | 25 to 29. | 30 to 34. | 35 to 39. | 40 to 44. | 45 to 49. | 50 to 54. | 55 to 59. | 60 to 64. | 65 to 69. | 70 to 74. | 75 to 79. | 80 and over. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Age of brides (maids). | | | | | | | | | | | | | | |
| **All Ages.** | **22,840** | **4,982** | **10,726** | **4,991** | **1,473** | **431** | **153** | **47** | **23** | **10** | **3** | **1** | – | – | – |
| Under 20 | 862 | 620 | 230 | 12 | – | – | – | – | – | – | – | – | – | – | – |
| 20 to 24 | 9,463 | 3,201 | 5,450 | 751 | 57 | 4 | – | – | – | – | – | – | – | – | – |
| 25 to 29 | 7,781 | 950 | 3,860 | 2,564 | 364 | 37 | 6 | – | – | – | – | – | – | – | – |
| 30 to 34 | 3,078 | 178 | 953 | 1,221 | 624 | 87 | 12 | 3 | – | – | – | – | – | – | – |
| 35 to 39 | 1,067 | 30 | 191 | 333 | 306 | 171 | 32 | 3 | 1 | – | – | – | – | – | – |
| 40 to 44 | 368 | 2 | 31 | 87 | 99 | 86 | 43 | 16 | 3 | 1 | – | – | – | – | – |
| 45 to 49 | 137 | – | 7 | 21 | 16 | 31 | 42 | 13 | 7 | – | – | – | – | – | – |
| 50 to 54 | 49 | 1 | 3 | 2 | 5 | 11 | 14 | 6 | 5 | 2 | – | – | – | – | – |
| 55 to 59 | 21 | – | – | – | 2 | 3 | 3 | 3 | 3 | 7 | – | – | – | – | – |
| 60 to 64 | 8 | – | – | – | – | 1 | 1 | 3 | 2 | – | 1 | – | – | – | – |
| 65 to 69 | 4 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – |
| 70 to 74 | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| 75 to 79 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 80 and over | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

**Table 47** — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1930.

| Age of Grooms (Bachelors). | All ages. | Under 20. | 20 to 24. | 25 to 29. | 30 to 34. | 35 to 39. | 40 to 44. | 45 to 49. | 50 to 54. | 55 to 59. | 60 to 64. | 65 to 69. | 70 to 74. | 75 to 79. | 80 and over. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Age of brides (widows).[1] | | | | | | | | | | | | | | |
| **All Ages.** | **1,258** | **6** | **157** | **260** | **278** | **265** | **143** | **74** | **34** | **25** | **11** | **2** | **3** | – | – |
| Under 20 | 7 | – | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| 20 to 24 | 133 | 3 | 53 | 49 | 17 | 7 | 1 | – | 3 | – | – | – | – | – | – |
| 25 to 29 | 293 | 3 | 62 | 108 | 78 | 34 | 7 | – | – | 1 | – | – | – | – | – |
| 30 to 34 | 288 | – | 28 | 70 | 103 | 69 | 13 | 3 | 1 | 1 | – | – | – | – | – |
| 35 to 39 | 214 | – | 7 | 23 | 51 | 76 | 39 | 16 | 2 | – | – | – | – | – | – |
| 40 to 44 | 158 | – | 3 | 7 | 20 | 48 | 47 | 24 | 6 | 2 | 1 | – | – | – | – |
| 45 to 49 | 75 | – | – | 1 | 7 | 20 | 21 | 14 | 6 | 5 | 1 | – | – | – | – |
| 50 to 54 | 46 | – | – | – | – | 8 | 11 | 11 | 7 | 6 | 2 | – | 1 | – | – |
| 55 to 59 | 28 | – | – | – | 1 | 3 | 4 | 5 | 7 | 5 | 3 | – | – | – | – |
| 60 to 64 | 13 | – | – | – | – | – | – | 1 | 1 | 5 | 4 | 1 | 1 | – | – |
| 65 to 69 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 70 to 74 | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| 75 to 79 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 80 and over | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

[1] Includes divorced.

**Table 48**

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1930.

| Age of Grooms (Widowers).[1] | Age of brides (maids). All ages. | Under 20. | 20 to 24. | 25 to 29. | 30 to 34. | 35 to 39. | 40 to 44. | 45 to 49. | 50 to 54. | 55 to 59. | 60 to 64. | 65 to 69. | 70 to 74. | 75 to 79. | 80 and over. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **All Ages.** | **1,759** | **120** | **395** | **395** | **291** | **219** | **148** | **102** | **43** | **27** | **9** | **6** | **3** | **1** | – |
| Under 20 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 to 24 | 52 | 15 | 30 | 7 | – | – | – | – | – | – | – | – | – | – | – |
| 25 to 29 | 224 | 38 | 112 | 58 | 14 | 2 | – | – | – | – | – | – | – | – | – |
| 30 to 34 | 345 | 43 | 119 | 104 | 57 | 18 | 4 | – | – | – | – | – | – | – | – |
| 35 to 39 | 356 | 11 | 88 | 112 | 78 | 50 | 10 | 7 | – | – | – | – | – | – | – |
| 40 to 44 | 247 | 8 | 20 | 62 | 68 | 56 | 21 | 11 | 1 | – | – | – | – | – | – |
| 45 to 49 | 190 | 3 | 14 | 33 | 39 | 43 | 34 | 22 | 1 | 1 | – | – | – | – | – |
| 50 to 54 | 131 | 2 | 8 | 11 | 22 | 22 | 33 | 18 | 9 | 5 | 1 | – | – | – | – |
| 55 to 59 | 92 | – | 2 | 5 | 9 | 14 | 25 | 17 | 13 | 6 | 1 | – | – | – | – |
| 60 to 64 | 61 | – | 1 | 2 | 3 | 7 | 12 | 11 | 12 | 8 | 4 | 1 | – | – | – |
| 65 to 69 | 40 | – | 1 | – | 1 | 4 | 4 | 12 | 6 | 3 | 1 | 5 | 3 | – | – |
| 70 to 74 | 14 | – | – | 1 | – | 3 | 3 | 3 | – | 2 | 2 | – | – | – | – |
| 75 to 79 | 4 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| 80 and over | 3 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – |

[1] Includes divorced.

**Table 49**

REMARRIAGES OF BOTH PARTIES, BY AGE: 1930.

| Age of Grooms (Widowers).[1] | Age of brides (widows).[1] All ages. | Under 20. | 20 to 24. | 25 to 29. | 30 to 34. | 35 to 39. | 40 to 44. | 45 to 49. | 50 to 54. | 55 to 59. | 60 to 64. | 65 to 69. | 70 to 74. | 75 to 79. | 80 and over. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **All Ages.** | **1,574** | **2** | **38** | **118** | **172** | **261** | **280** | **241** | **175** | **139** | **98** | **35** | **12** | **3** | – |
| Under 20 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 20 to 24 | 5 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| 25 to 29 | 45 | – | 7 | 19 | 12 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| 30 to 34 | 112 | – | 14 | 41 | 35 | 18 | 4 | – | – | – | – | – | – | – | – |
| 35 to 39 | 172 | 1 | 8 | 21 | 45 | 65 | 24 | 7 | 1 | – | – | – | – | – | – |
| 40 to 44 | 244 | – | 5 | 18 | 46 | 77 | 76 | 15 | 5 | 1 | 1 | – | – | – | – |
| 45 to 49 | 236 | – | 2 | 11 | 22 | 46 | 62 | 65 | 15 | 11 | 2 | – | – | – | – |
| 50 to 54 | 223 | 1 | – | 4 | 6 | 31 | 49 | 68 | 41 | 15 | 7 | 1 | – | – | – |
| 55 to 59 | 206 | – | – | 2 | 4 | 11 | 36 | 43 | 51 | 43 | 15 | 1 | – | – | – |
| 60 to 64 | 166 | – | – | – | 2 | 6 | 20 | 27 | 41 | 35 | 30 | 5 | – | – | – |
| 65 to 69 | 100 | – | – | – | – | 1 | 5 | 11 | 15 | 26 | 24 | 12 | 6 | – | – |
| 70 to 74 | 42 | – | – | – | – | – | 2 | 3 | 5 | 5 | 11 | 10 | 4 | 2 | – |
| 75 to 79 | 20 | – | – | – | – | – | 1 | 1 | 1 | 3 | 8 | 3 | 2 | 1 | – |
| 80 and over | 3 | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – |

[1] Includes divorced.

**Table 50**

FIRST MARRIAGES AND REMARRIAGES: 1930.

| Grooms. | Brides. Total number of marriages. | First marriage. | Second marriage. | Third marriage. | Fourth marriage. | Fifth marriage. |
|---|---|---|---|---|---|---|
| **Total Number.** | **27,431** | **24,599** | **2,621** | **198** | **12** | **1** |
| First marriage | 24,098 | 22,840 | 1,193 | 64 | 1 | – |
| Second marriage | 3,094 | 1,681 | 1,295 | 109 | 8 | 1 |
| Third marriage | 227 | 76 | 124 | 24 | 3 | – |
| Fourth marriage | 12 | 2 | 9 | 1 | – | – |
| Fifth marriage | – | – | – | – | – | – |

**Table 51**

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1906 TO 1930.

| Years. | Total Number. | Rates — Persons married per 1,000 population. | | Nativity — Percentages. | | | |
|---|---|---|---|---|---|---|---|
| | | Annual. | Five-year averages. | Bride and groom — both — Native. | Bride and groom — both — Foreign. | Native groom and foreign bride. | Foreign groom and native bride. |
| 1906 | 29,654 | 19.5 | | 43.6 | 34.6 | 11.3 | 10.5 |
| 1907 | 31,055 | 20.1 | | 42.4 | 37.0 | 10.7 | 9.9 |
| 1908 | 27,071 | 17.3 | 18.3 | 42.9 | 36.6 | 10.9 | 9.6 |
| 1909 | 29,002 | 16.2 | | 43.1 | 35.8 | 10.5 | 10.6 |
| 1910 | 30,710 | 18.2 | | 43.2 | 35.8 | 10.6 | 10.5 |
| 1911 | 32,051 | 18.6 | | 44.5 | 35.1 | 9.8 | 10.6 |
| 1912 | 30,898 | 17.6 | | 43.5 | 36.2 | 9.6 | 10.6 |
| 1913 | 31,403 | 17.6 | 17.7 | 43.4 | 36.4 | 9.6 | 10.6 |
| 1914 | 32,588 | 17.9 | | 44.4 | 36.4 | 9.2 | 10.0 |
| 1915 | 31,301 | 17.0 | | 45.3 | 35.0 | 9.1 | 10.6 |
| 1916 | 34,386 | 18.2 | | 47.0 | 33.3 | 9.3 | 10.3 |
| 1917 | 37,945 | 19.8 | | 50.8 | 28.6 | 9.8 | 10.8 |
| 1918 | 29,163 | 14.9 | 18.1 | 52.3 | 26.6 | 9.8 | 11.3 |
| 1919 | 34,329 | 17.9 | | 54.8 | 23.9 | 9.9 | 11.6 |
| 1920 | 38,048 | 19.7 | | 56.8 | 21.7 | 9.8 | 11.7 |
| 1921 | 33,590 | 17.3 | | 55.5 | 24.0 | 9.1 | 11.4 |
| 1922 | 32,683 | 16.6 | | 57.3 | 21.5 | 9.3 | 11.9 |
| 1923 | 35,200 | 17.7 | 16.5 | 57.2 | 20.7 | 9.8 | 12.3 |
| 1924 | 32,080 | 16.0 | | 57.4 | 20.0 | 9.6 | 13.0 |
| 1925 | 31,238 | 15.1 | | 58.0 | 19.0 | 9.7 | 13.3 |
| 1926 | 30,584 | 14.5 | | 59.2 | 17.6 | 9.8 | 13.4 |
| 1927 | 30,408 | 14.2 | | 60.7 | 16.6 | 9.2 | 13.5 |
| 1928 | 29,082 | 13.4 | 13.8 | 62.3 | 14.7 | 9.2 | 13.8 |
| 1929 | 30,568 | 14.0 | | 63.3 | 13.9 | 9.6 | 13.2 |
| 1930 | 27,431 | 12.9 | | 65.4 | 12.6 | 9.0 | 13.0 |

**Table 52**

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1906 TO 1930.

| Years. | Males. | | Females. | | Bachelors who married — | | Widowers[1] who married — | |
|---|---|---|---|---|---|---|---|---|
| | Bachelors. | Widowers.[1] | Maids. | Widows.[1] | Maids. | Widows.[1] | Maids. | Widows.[1] |
| 1906 | 88.7 | 11.3 | 91.2 | 8.8 | 84.1 | 4.6 | 7.1 | 4.2 |
| 1907 | 88.9 | 11.1 | 91.2 | 8.8 | 84.3 | 4.5 | 6.8 | 4.3 |
| 1908 | 88.0 | 12.0 | 90.4 | 9.6 | 83.0 | 4.9 | 7.4 | 4.6 |
| 1909 | 88.4 | 11.6 | 90.9 | 9.1 | 83.8 | 4.6 | 7.1 | 4.5 |
| 1910 | 88.3 | 11.7 | 90.4 | 9.6 | 83.5 | 4.9 | 7.0 | 4.7 |
| 1911 | 89.0 | 11.0 | 90.5 | 9.5 | 84.0 | 5.0 | 6.5 | 4.5 |
| 1912 | 89.7 | 10.3 | 91.8 | 8.2 | 85.4 | 4.2 | 6.4 | 4.0 |
| 1913 | 89.5 | 10.5 | 91.7 | 8.3 | 85.4 | 4.1 | 6.3 | 4.2 |
| 1914 | 89.6 | 10.4 | 91.7 | 8.3 | 85.3 | 4.2 | 6.4 | 4.1 |
| 1915 | 89.6 | 10.4 | 91.7 | 8.3 | 85.3 | 4.2 | 6.4 | 4.1 |
| 1916 | 89.8 | 10.2 | 91.3 | 8.7 | 85.3 | 4.6 | 6.1 | 4.1 |
| 1917 | 89.8 | 10.2 | 90.9 | 9.1 | 84.9 | 4.9 | 6.0 | 4.2 |
| 1918 | 86.7 | 13.3 | 88.0 | 12.0 | 80.6 | 6.1 | 7.4 | 5.9 |
| 1919 | 85.9 | 14.1 | 88.0 | 12.0 | 80.2 | 5.7 | 7.9 | 6.2 |
| 1920 | 86.1 | 13.9 | 88.0 | 12.0 | 80.3 | 5.9 | 7.7 | 6.1 |
| 1921 | 85.2 | 14.8 | 87.3 | 12.7 | 79.2 | 6.0 | 8.1 | 6.7 |
| 1922 | 86.4 | 13.6 | 88.0 | 12.0 | 80.5 | 5.9 | 7.5 | 6.1 |
| 1923 | 86.9 | 13.1 | 88.4 | 11.6 | 81.2 | 5.7 | 7.2 | 5.9 |
| 1924 | 86.9 | 13.1 | 88.3 | 11.7 | 81.3 | 5.6 | 7.1 | 6.0 |
| 1925 | 87.4 | 12.6 | 88.8 | 11.2 | 82.1 | 5.4 | 6.7 | 5.8 |
| 1926 | 87.5 | 12.5 | 89.0 | 11.0 | 82.3 | 5.2 | 6.8 | 5.7 |
| 1927 | 87.6 | 12.4 | 89.1 | 10.9 | 82.5 | 5.1 | 6.6 | 5.8 |
| 1928 | 87.9 | 12.1 | 89.2 | 10.8 | 83.0 | 5.0 | 6.2 | 5.8 |
| 1929 | 87.8 | 12.2 | 89.8 | 10.2 | 83.2 | 4.5 | 6.6 | 5.7 |
| 1930 | 87.8 | 12.2 | 89.7 | 10.3 | 83.3 | 4.6 | 6.4 | 5.7 |

[1] Includes divorced.

**Table 53**

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1930: 1906 TO 1930.

| YEARS. | The State. | CITIES HAVING OVER 100,000 INHABITANTS IN 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Boston. | Worcester. | Springfield. | Fall River. | Cambridge. | New Bedford. | Somerville. | Lynn. | Lowell. |
| 1906 . . | 29,654 | 7,374 | 1,330 | 727 | 872 | 1,342 | 1,033 | – | 960 | 944 |
| 1907 . . | 31,055 | 7,761 | 1,343 | 883 | 944 | 1,327 | 1,066 | – | 973 | 950 |
| 1908 . . | 27,071 | 6,993 | 1,064 | 720 | 889 | 1,174 | 872 | – | 775 | 815 |
| 1909 . . | 29,002 | 7,165 | 1,233 | 827 | 981 | 1,186 | 1,030 | – | 836 | 819 |
| 1910 . . | 30,710 | 7,596 | 1,395 | 904 | 1,092 | 1,241 | 999 | – | 890 | 934 |
| 1911 . . | 32,051 | 8,110 | 1,457 | 986 | 1,193 | 1,230 | 955 | – | 983 | 983 |
| 1912 . . | 30,898 | 7,896 | 1,404 | 732 | 1,056 | 1,146 | 997 | – | 966 | 1,003 |
| 1913 . . | 31,403 | 8,130 | 1,495 | 887 | 1,166 | 1,126 | 1,023 | – | 959 | 1,016 |
| 1914 . . | 32,588 | 8,522 | 1,411 | 871 | 1,229 | 1,141 | 1,017 | – | 856 | 1,058 |
| 1915 . . | 31,301 | 8,141 | 1,408 | 828 | 1,118 | 1,121 | 1,035 | – | 832 | 986 |
| 1916 . . | 34,386 | 8,552 | 1,687 | 1,062 | 1,207 | 1,163 | 1,166 | – | 1,043 | 1,113 |
| 1917 . . | 37,945 | 9,191 | 1,836 | 1,265 | 1,451 | 1,297 | 1,280 | – | 1,044 | 1,243 |
| 1918 . . | 29,163 | 7,396 | 1,325 | 1,081 | 1,102 | 973 | 1,091 | – | 837 | 1,111 |
| 1919 . . | 34,329 | 8,122 | 1,569 | 1,257 | 1,248 | 1,296 | 1,206 | – | 1,036 | 1,132 |
| 1920 . . | 38,048 | 8,545 | 1,811 | 1,403 | 1,565 | 1,372 | 1,238 | – | 1,092 | 1,271 |
| 1921 . . | 33,590 | 8,241 | 1,466 | 1,136 | 1,211 | 1,221 | 996 | – | 954 | 1,051 |
| 1922 . . | 32,683 | 7,816 | 1,414 | 1,104 | 1,176 | 1,350 | 895 | – | 897 | 1,070 |
| 1923 . . | 35,200 | 8,243 | 1,505 | 1,181 | 1,255 | 1,340 | 1,004 | – | 1,001 | 1,164 |
| 1924 . . | 32,080 | 7,688 | 1,375 | 1,148 | 978 | 1,114 | 880 | – | 894 | 1,093 |
| 1925 . . | 31,238 | 7,263 | 1,420 | 1,080 | 1,052 | 1,015 | 1,028 | – | 808 | 843 |
| 1926 . . | 30,584 | 7,151 | 1,287 | 1,024 | 1,027 | 1,062 | 912 | – | 879 | 795 |
| 1927 . . | 30,408 | 6,944 | 1,240 | 904 | 1,106 | 963 | 842 | – | 848 | 771 |
| 1928 . . | 29,082 | 6,691 | 1,195 | 1,012 | 848 | 986 | 659 | – | 827 | 737 |
| 1929 . . | 30,568 | 6,828 | 1,378 | 1,044 | 925 | 1,039 | 860 | – | 878 | 767 |
| 1930 . . | 27,431 | 6,238 | 1,122 | 983 | 831 | 1,008 | 698 | 666 | 747 | 648 |
| | MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS 1905 TO 1930. | | | | | | | | | |
| 1905 . . | 18.1 | 22.8 | 18.5 | 17.8 | 21.7 | 22.0 | 19.7 | – | 22.0 | 17.1 |
| 1910 . . | 18.2 | 22.1 | 19.1 | 20.3 | 22.6 | 20.8 | 18.8 | – | 19.9 | 17.8 |
| 1915 . . | 17.0 | 21.8 | 17.3 | 16.1 | 20.4 | 18.0 | 19.2 | – | 17.4 | 18.1 |
| 1920 . . | 19.8 | 22.8 | 20.1 | 21.7 | 25.8 | 22.8 | 21.9 | – | 22.0 | 23.2 |
| 1925 . . | 15.1 | 18.6 | 14.9 | 15.2 | 16.3 | 17.0 | 17.2 | – | 15.7 | 15.3 |
| 1930 . . | 12.9 | 16.0 | 11.5 | 13.1 | 14.4 | 17.7 | 12.4 | 12.8 | 14.6 | 12.9 |

# PART II. C.
# DIVORCE STATISTICS


| | PAGE |
|---|---|
| Introduction | 150, 151 |
| Causes for divorce | 150 |
| Source of data | 150 |
| Applications for divorce | 150 |
| Contested cases | 150 |
| Number of divorces | 150 |
| Divorce rates | 150, 151 |
| Party to which granted | 151 |
| Divorces classified by causes | 151 |
| Annulment classified as divorce | 151 |
| Duration of marriages | 151 |
| Statistical tables | 152–170 |


## INTRODUCTION.

**Causes for Divorce.** — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

**Source of Data.** — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters, and the filing of returns was in compliance with chapter 208, Sections 46 and 47 of the General Laws. By the provisions of chapter 465 of the Acts of 1921, it was provided in Section 2 that any divorce case in which the libellee has not filed appearance within the time limited should be transferred to the probate court of the county where such case was entered. By chapter 532 of the Acts of 1922 the probate court was given concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner. This Act took effect on *October 1, 1922*.

**Applications for Divorce.** — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1906 to 1930, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1906 (67.1 per cent). During this entire period 81.6 per cent of all applications were granted, .8 per cent were refused, and 17.6 per cent were dismissed.

**Contested Cases.** — Of the total number of applications for divorces during the twenty-five years from 1906 to 1930, only 14.7 per cent were contested. In 1930, of the 4,560 applications for divorce, only 1,209, or 26.5 per cent, were contested, and of the 3,746 divorces granted, 868, or 23.2 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (24.0 per cent) than for those granted to the husband (20.9 per cent).

**Number of Divorces.** — Divorces granted in 1930 numbered 3,746, an increase of 172, or 4.8 per cent more than the number granted in 1929, and 248 more than the average number granted for the five-year period 1925 to 1929.

**Divorce Rates.** — The number of divorces granted per 100,000 population was 88.1, as compared with 81.6 in 1929, 84.7 in 1928, 81.8 in 1927, and 79.8 in 1926.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, page 167, for the census years 1900 to 1925. In this table the number of divorces shown for the census years 1900 to 1925 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce, and makes the figures more typical of the period as a whole.

**Party to Which Granted.** — Over two-thirds (72.4 per cent) of the total number of divorces in the period 1906 to 1930 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. This difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has tangible ground for divorce more frequently than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, cruelty, in so far as it is physical cruelty, is not ordinarily an available ground for a husband, although men are sometimes granted divorces on this ground.

The proportion of divorces granted to the wife fluctuated between 69.3 per cent in 1913, and 74.4 in 1928, as compared with 72.4 per cent for the entire period of 1906 to 1930.

**Divorces Classified by Causes.** — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five-year period 1906 to 1930, while the increase in the number of divorces granted for adultery has been very slight.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 47.0 per cent of all the divorces granted in the period 1906 to 1930, for 38.5 per cent of all those granted to the husband in this period, and for 61.5 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1906 to 1930, are shown in Table 60, page 168.

**Annulled Cases.** — Among the less important classes of cases appears the term "nullity of marriage." In 637 cases, or .9 per cent of the total number of divorces granted during the period 1906 to 1930, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

**Duration of Marriages.** — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.6 years in 1930, and 11.2 years in 1907. The average number of years the libellants were married in 1930 was 10.6.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1930, 57.1 per cent made application for divorce before they had been married ten years, as compared with 56 in 1929, 57 in 1928, 57.3 in 1927, 57.2 in 1926, and 54.3 for the twenty-five-year period 1906 to 1930.

**Table 54**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES AND SEX OF LIBELLANT: **The State — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **The State.** | **4 560**[1] | **1 772** | **2 098** | **305** | **146** | **152** | **14** | **6** | **67** |
| Husband | 1,356 | 746 | 351 | 204 | 23 | – | 3 | – | 29 |
| Wife | 3,204 | 1,026 | 1,747 | 101 | 123 | 152 | 11 | 6 | 38 |
| Granted | 3,746 | 1,581 | 1,647 | 235 | 126 | 100 | 10 | 6 | 41 |
| Husband | 988 | 622 | 188 | 150 | 17 | – | 1 | – | 10 |
| Wife | 2,758 | 959 | 1,459 | 85 | 109 | 100 | 9 | 6 | 31 |
| Refused | 12 | 3 | 8 | 1 | – | – | – | – | – |
| Husband | 8 | 2 | 5 | 1 | – | – | – | – | – |
| Wife | 4 | 1 | 3 | – | – | – | – | – | – |
| Dismissed | 802 | 188 | 443 | 69 | 20 | 52 | 4 | – | 26 |
| Husband | 360 | 122 | 158 | 53 | 6 | – | 2 | – | 19 |
| Wife | 442 | 66 | 285 | 16 | 14 | 52 | 2 | – | 7 |
| Contested | 1,209 | 279 | 739 | 106 | 43 | 24 | 2 | – | 16 |
| Husband | 399 | 149 | 154 | 75 | 10 | – | 1 | – | 10 |
| Wife | 810 | 130 | 585 | 31 | 33 | 24 | 1 | – | 6 |
| Not contested | 3,351 | 1,493 | 1,359 | 199 | 103 | 128 | 12 | 6 | 51 |
| Husband | 957 | 597 | 197 | 129 | 13 | – | 2 | – | 19 |
| Wife | 2,394 | 896 | 1,162 | 70 | 90 | 128 | 10 | 6 | 32 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 55 | 1 | 41 | – | 1 | 2 | – | – | 10 |
| Husband | 19 | – | 15 | – | – | – | – | – | 4 |
| Wife | 36 | 1 | 26 | – | 1 | 2 | – | – | 6 |
| 6 to 11 months | 75 | 1 | 51 | 5 | 4 | 5 | 2 | – | 7 |
| Husband | 17 | – | 10 | 2 | 1 | – | 1 | – | 3 |
| Wife | 58 | 1 | 41 | 3 | 3 | 5 | 1 | – | 4 |
| 1 to 4 years | 1,070 | 207 | 665 | 81 | 30 | 52 | 6 | 2 | 27 |
| Husband | 290 | 97 | 108 | 68 | 5 | – | – | – | 12 |
| Wife | 780 | 110 | 557 | 13 | 25 | 52 | 6 | 2 | 15 |
| 5 to 9 years | 1,403 | 588 | 611 | 91 | 41 | 50 | 4 | 3 | 15 |
| Husband | 418 | 243 | 101 | 58 | 8 | – | 1 | – | 7 |
| Wife | 985 | 345 | 510 | 33 | 33 | 50 | 3 | 3 | 8 |
| 10 to 19 years | 1,346 | 630 | 539 | 98 | 39 | 31 | 1 | 1 | 7 |
| Husband | 415 | 267 | 75 | 63 | 6 | – | 1 | – | 3 |
| Wife | 931 | 363 | 464 | 35 | 33 | 31 | – | 1 | 4 |
| 20 to 29 years | 493 | 270 | 163 | 24 | 23 | 11 | 1 | – | 1 |
| Husband | 153 | 107 | 32 | 12 | 2 | – | – | – | – |
| Wife | 340 | 163 | 131 | 12 | 21 | 11 | 1 | – | 1 |
| 30 years and over | 116 | 74 | 27 | 6 | 8 | 1 | – | – | – |
| Husband | 43 | 31 | 10 | 1 | 1 | – | – | – | – |
| Wife | 73 | 43 | 17 | 5 | 7 | 1 | – | – | – |
| Unknown | 2 | 1 | 1 | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| Average number of years | 10.6 | 13.0 | 8.9 | 10.1 | 12.2 | 8.1 | 6.4 | 5.5 | 4.0 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 9,889 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 1,851 |
| Number of libels for divorce filed during the year 1930 | 4,970 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 3,672 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 3,714 |
| Number of cases finally determined in 1930 | 4,593 |

[1] Five hundred and twenty libels were received from the Superior Court; four thousand and seventy-three from the Probate Court. Ten libels transferred. Sixteen libels discontinued. One decree revoked. One decree vacated. Three petitions to vacate decree of divorce. One petition to modify decree of divorce. One petition to restore case to docket.

**Table 54a**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Barnstable County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Barnstable County.** | **46**[1] | **15** | **26** | **4** | – | **1** | – | – | – |
| Husband | 15 | 8 | 4 | 3 | – | – | – | – | – |
| Wife | 31 | 7 | 22 | 1 | – | 1 | – | – | – |
| Granted | 39 | 13 | 21 | 4 | – | 1 | – | – | – |
| Husband | 12 | 7 | 2 | 3 | – | – | – | – | – |
| Wife | 27 | 6 | 19 | 1 | – | 1 | – | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 7 | 2 | 5 | – | – | – | – | – | – |
| Husband | 3 | 1 | 2 | – | – | – | – | – | – |
| Wife | 4 | 1 | 3 | – | – | – | – | – | – |
| Contested | 9 | 2 | 4 | 2 | – | 1 | – | – | – |
| Husband | 6 | 2 | 2 | 2 | – | – | – | – | – |
| Wife | 3 | – | 2 | – | – | 1 | – | – | – |
| Not contested | 37 | 13 | 22 | 2 | – | – | – | – | – |
| Husband | 9 | 6 | 2 | 1 | – | – | – | – | – |
| Wife | 28 | 7 | 20 | 1 | – | – | – | – | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 8 | 3 | 4 | 1 | – | – | – | – | – |
| Husband | 2 | 1 | 1 | – | – | – | – | – | – |
| Wife | 6 | 2 | 3 | 1 | – | – | – | – | – |
| 5 to 9 years | 15 | 5 | 7 | 3 | – | – | – | – | – |
| Husband | 5 | – | 2 | 3 | – | – | – | – | – |
| Wife | 10 | 5 | 5 | – | – | – | – | – | – |
| 10 to 19 years | 15 | 3 | 11 | – | – | 1 | – | – | – |
| Husband | 3 | 3 | – | – | – | – | – | – | – |
| Wife | 12 | – | 11 | – | – | 1 | – | – | – |
| 20 to 29 years | 7 | 3 | 4 | – | – | – | – | – | – |
| Husband | 4 | 3 | 1 | – | – | – | – | – | – |
| Wife | 3 | – | 3 | – | – | – | – | – | – |
| 30 years and over | 1 | 1 | – | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 11.7 | 12.4 | 12.4 | 4.8 | – | 10.4 | – | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 104 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 17 |
| Number of libels for divorce filed during the year 1930 | 64 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 44 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 39 |
| Number of cases finally determined in 1930 | 46 |

[1] One libel was received from the Superior Court; forty-five from the Probate Court.

**Table 54b**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Berkshire County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Berkshire County.** | **128** [1] | **38** | **58** | **5** | **2** | **21** | **1** | – | **3** |
| Husband | 32 | 20 | 7 | 4 | – | – | – | – | 1 |
| Wife | 96 | 18 | 51 | 1 | 2 | 21 | 1 | – | 2 |
| Granted | 121 | 37 | 53 | 4 | 2 | 21 | 1 | – | 3 |
| Husband | 28 | 19 | 5 | 3 | – | – | – | – | 1 |
| Wife | 93 | 18 | 48 | 1 | 2 | 21 | 1 | – | 2 |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 7 | 1 | 5 | 1 | – | – | – | – | – |
| Husband | 4 | 1 | 2 | 1 | – | – | – | – | – |
| Wife | 3 | – | 3 | – | – | – | – | – | – |
| Contested | 8 | 3 | 4 | 1 | – | – | – | – | – |
| Husband | 3 | 2 | – | 1 | – | – | – | – | – |
| Wife | 5 | 1 | 4 | – | – | – | – | – | – |
| Not contested | 120 | 35 | 54 | 4 | 2 | 21 | 1 | – | 3 |
| Husband | 29 | 18 | 7 | 3 | – | – | – | – | 1 |
| Wife | 91 | 17 | 47 | 1 | 2 | 21 | 1 | – | 2 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 1 | – | 1 | – | – | – | – | – | – |
| Husband | 1 | – | 1 | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | 2 | – | 1 | – | – | – | – | – | 1 |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 2 | – | 1 | – | – | – | – | – | 1 |
| 1 to 4 years | 25 | 2 | 15 | 1 | – | 4 | 1 | – | 2 |
| Husband | 6 | 2 | 3 | – | – | – | – | – | 1 |
| Wife | 19 | – | 12 | 1 | – | 4 | 1 | – | 1 |
| 5 to 9 years | 39 | 10 | 16 | – | 2 | 11 | – | – | – |
| Husband | 5 | 5 | – | – | – | – | – | – | – |
| Wife | 34 | 5 | 16 | – | 2 | 11 | – | – | – |
| 10 to 19 years | 42 | 16 | 21 | 3 | – | 2 | – | – | – |
| Husband | 13 | 8 | 2 | 3 | – | – | – | – | – |
| Wife | 29 | 8 | 19 | – | – | 2 | – | – | – |
| 20 to 29 years | 16 | 8 | 4 | 1 | – | 3 | – | – | – |
| Husband | 6 | 4 | 1 | 1 | – | – | – | – | – |
| Wife | 10 | 4 | 3 | – | – | 3 | – | – | – |
| 30 years and over | 3 | 2 | – | – | – | 1 | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 2 | 1 | – | – | – | 1 | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 11.2 | 14.3 | 9.9 | 13.6 | 7.0 | 11.4 | 1.1 | – | 1.2 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 224 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 62 |
| Number of libels for divorce filed during the year 1930 | 152 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 120 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 118 |
| Number of cases finally determined in 1930 | 128 |

[1] No libels were received from the Superior Court; one hundred and twenty-eight from the Probate Court.

**Table 54c**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Bristol County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Bristol County.** | **339**[1] | **157** | **110** | **27** | **13** | **26** | – | – | **6** |
| Husband | 101 | 64 | 13 | 22 | – | – | – | – | 2 |
| Wife | 238 | 93 | 97 | 5 | 13 | 26 | – | – | 4 |
| Granted | 286 | 140 | 82 | 22 | 13 | 24 | – | – | 5 |
| Husband | 74 | 53 | 3 | 17 | – | – | – | – | 1 |
| Wife | 212 | 87 | 79 | 5 | 13 | 24 | – | – | 4 |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 53 | 17 | 28 | 5 | – | 2 | – | – | 1 |
| Husband | 27 | 11 | 10 | 5 | – | – | – | – | 1 |
| Wife | 26 | 6 | 18 | – | – | 2 | – | – | – |
| Contested | 45 | 11 | 25 | 8 | – | 1 | – | – | – |
| Husband | 23 | 6 | 9 | 8 | – | – | – | – | – |
| Wife | 22 | 5 | 16 | – | – | 1 | – | – | – |
| Not contested | 294 | 146 | 85 | 19 | 13 | 25 | – | – | 6 |
| Husband | 78 | 58 | 4 | 14 | – | – | – | – | 2 |
| Wife | 216 | 88 | 81 | 5 | 13 | 25 | – | – | 4 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 1 | – | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| 6 to 11 months | 6 | – | 2 | – | 1 | 1 | – | – | 2 |
| Husband | 2 | – | 1 | – | – | – | – | – | 1 |
| Wife | 4 | – | 1 | – | 1 | 1 | – | – | 1 |
| 1 to 4 years | 70 | 11 | 36 | 8 | 1 | 12 | – | – | 2 |
| Husband | 14 | 3 | 3 | 8 | – | – | – | – | – |
| Wife | 56 | 8 | 33 | – | 1 | 12 | – | – | 2 |
| 5 to 9 years | 115 | 64 | 36 | 7 | 3 | 3 | – | – | 2 |
| Husband | 41 | 32 | 4 | 4 | – | – | – | – | 1 |
| Wife | 74 | 32 | 32 | 3 | 3 | 3 | – | – | 1 |
| 10 to 19 years | 105 | 56 | 28 | 9 | 5 | 7 | – | – | – |
| Husband | 28 | 16 | 4 | 8 | – | – | – | – | – |
| Wife | 77 | 40 | 24 | 1 | 5 | 7 | – | – | – |
| 20 to 29 years | 33 | 20 | 6 | 2 | 2 | 3 | – | – | – |
| Husband | 12 | 10 | 1 | 1 | – | – | – | – | – |
| Wife | 21 | 10 | 5 | 1 | 2 | 3 | – | – | – |
| 30 years and over | 9 | 6 | 1 | 1 | 1 | – | – | – | – |
| Husband | 4 | 3 | – | 1 | – | – | – | – | – |
| Wife | 5 | 3 | 1 | – | 1 | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.9 | 13.1 | 8.6 | 10.2 | 13.7 | 8.5 | – | – | 2.9 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 691 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 132 |
| Number of libels for divorce filed during the year 1930 | 317 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 287 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 286 |
| Number of cases finally determined in 1930 | 339 |

[1] Five libels were received from the Superior Court; three hundred and thirty-four from the Probate Court.

**Table 54d**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Dukes County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Dukes County.** | 10[1] | 6 | 3 | 1 | – | – | – | – | – |
| Husband | 3 | 3 | – | – | – | – | – | – | – |
| Wife | 7 | 3 | 3 | 1 | – | – | – | – | – |
| Granted | 10 | 6 | 3 | 1 | – | – | – | – | – |
| Husband | 3 | 3 | – | – | – | – | – | – | – |
| Wife | 7 | 3 | 3 | 1 | – | – | – | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Contested | 2 | 1 | 1 | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| Not contested | 8 | 5 | 2 | 1 | – | – | – | – | – |
| Husband | 2 | 2 | – | – | – | – | – | – | – |
| Wife | 6 | 3 | 2 | 1 | – | – | – | – | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 2 | 1 | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 2 | 1 | 1 | – | – | – | – | – | – |
| 5 to 9 years | 2 | – | 1 | 1 | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 2 | – | 1 | 1 | – | – | – | – | – |
| 10 to 19 years | 4 | 4 | – | – | – | – | – | – | – |
| Husband | 2 | 2 | – | – | – | – | – | – | – |
| Wife | 2 | 2 | – | – | – | – | – | – | – |
| 20 to 29 years | 1 | – | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| 30 years and over | 1 | 1 | – | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 14.3 | 16.3 | 12.1 | 8.7 | – | – | – | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 23 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 5 |
| Number of libels for divorce filed during the year 1930 | 5 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 6 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 10 |
| Number of cases finally determined in 1930 | 10 |

[1] No libels were received from the Superior Court; ten from the Probate Court.

**Table 54e**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Essex County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Essex County.** | **471**[1] | **225** | **170** | **47** | **19** | **6** | **2** | **2** | – |
| Husband | 137 | 91 | 17 | 28 | – | – | 1 | – | – |
| Wife | 334 | 134 | 153 | 19 | 19 | 6 | 1 | 2 | – |
| Granted | 416 | 206 | 145 | 38 | 18 | 6 | 1 | 2 | – |
| Husband | 108 | 80 | 7 | 21 | – | – | – | – | – |
| Wife | 308 | 126 | 138 | 17 | 18 | 6 | 1 | 2 | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 55 | 19 | 25 | 9 | 1 | – | 1 | – | – |
| Husband | 29 | 11 | 10 | 7 | – | – | 1 | – | – |
| Wife | 26 | 8 | 15 | 2 | 1 | – | – | – | – |
| Contested | 67 | 18 | 32 | 14 | 2 | 1 | – | – | – |
| Husband | 27 | 7 | 9 | 11 | – | – | – | – | – |
| Wife | 40 | 11 | 23 | 3 | 2 | 1 | – | – | – |
| Not contested | 404 | 207 | 138 | 33 | 17 | 5 | 2 | 2 | – |
| Husband | 110 | 84 | 8 | 17 | – | – | 1 | – | – |
| Wife | 294 | 123 | 130 | 16 | 17 | 5 | 1 | 2 | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 3 | – | 3 | – | – | – | – | – | – |
| Husband | 1 | – | 1 | – | – | – | – | – | – |
| Wife | 2 | – | 2 | – | – | – | – | – | – |
| 6 to 11 months | 4 | – | 3 | – | – | – | 1 | – | – |
| Husband | 1 | – | – | – | – | – | 1 | – | – |
| Wife | 3 | – | 3 | – | – | – | – | – | – |
| 1 to 4 years | 102 | 39 | 48 | 10 | 2 | 3 | – | – | – |
| Husband | 32 | 18 | 7 | 7 | – | – | – | – | – |
| Wife | 70 | 21 | 41 | 3 | 2 | 3 | – | – | – |
| 5 to 9 years | 167 | 82 | 56 | 19 | 5 | 2 | 1 | 2 | – |
| Husband | 48 | 30 | 7 | 11 | – | – | – | – | – |
| Wife | 119 | 52 | 49 | 8 | 5 | 2 | 1 | 2 | – |
| 10 to 19 years | 132 | 66 | 47 | 12 | 6 | 1 | – | – | – |
| Husband | 40 | 32 | 1 | 7 | – | – | – | – | – |
| Wife | 92 | 34 | 46 | 5 | 6 | 1 | – | – | – |
| 20 to 29 years | 51 | 28 | 11 | 6 | 6 | – | – | – | – |
| Husband | 12 | 8 | 1 | 3 | – | – | – | – | – |
| Wife | 39 | 20 | 10 | 3 | 6 | – | – | – | – |
| 30 years and over | 12 | 10 | 2 | – | – | – | – | – | – |
| Husband | 3 | 3 | – | – | – | – | – | – | – |
| Wife | 9 | 7 | 2 | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.6 | 12.0 | 8.8 | 9.6 | 13.8 | 6.5 | 8.6 | 3.0 | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 1,147 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 203 |
| Number of libels for divorce filed during the year 1930 | 504 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 384 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 416 |
| Number of cases finally determined in 1930 | 471 |

[1] Seven libels were received from the Superior Court; four hundred and sixty-four from the Probate Court.

**Table 54f**

Libels for Divorces Granted, Refused, Dismissed, Contested, and not Contested, and Number of Years Libellants were Married, by Statutory Causes and Sex of Libellant: **Franklin County — 1930.**

| Libels and Libellants. | Causes. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Franklin County.** | **32**[1] | **9** | **11** | **2** | **7** | **3** | – | – | – |
| Husband | 7 | 4 | – | 2 | 1 | – | – | – | – |
| Wife | 25 | 5 | 11 | – | 6 | 3 | – | – | – |
| Granted | 21 | 6 | 7 | 2 | 3 | 3 | – | – | – |
| Husband | 6 | 4 | – | 2 | – | – | – | – | – |
| Wife | 15 | 2 | 7 | – | 3 | 3 | – | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 11 | 3 | 4 | – | 4 | – | – | – | – |
| Husband | 1 | – | – | – | 1 | – | – | – | – |
| Wife | 10 | 3 | 4 | – | 3 | – | – | – | – |
| Contested | 9 | 1 | 4 | – | 4 | – | – | – | – |
| Husband | 2 | 1 | – | – | 1 | – | – | – | – |
| Wife | 7 | – | 4 | – | 3 | – | – | – | – |
| Not contested | 23 | 8 | 7 | 2 | 3 | 3 | – | – | – |
| Husband | 5 | 3 | – | 2 | – | – | – | – | – |
| Wife | 18 | 5 | 7 | – | 3 | 3 | – | – | – |
| Duration of Marriage. | | | | | | | | | |
| Less than 6 months | 1 | – | – | – | 1 | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | – | – | 1 | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 6 | – | 4 | – | 2 | – | – | – | – |
| Husband | 1 | – | – | – | 1 | – | – | – | – |
| Wife | 5 | – | 4 | – | 1 | – | – | – | – |
| 5 to 9 years | 9 | 3 | 1 | – | 2 | 3 | – | – | – |
| Husband | 2 | 2 | – | – | – | – | – | – | – |
| Wife | 7 | 1 | 1 | – | 2 | 3 | – | – | – |
| 10 to 19 years | 9 | 3 | 4 | 1 | 1 | – | – | – | – |
| Husband | 3 | 2 | – | 1 | – | – | – | – | – |
| Wife | 6 | 1 | 4 | – | 1 | – | – | – | – |
| 20 to 29 years | 7 | 3 | 2 | 1 | 1 | – | – | – | – |
| Husband | 1 | – | – | 1 | – | – | – | – | – |
| Wife | 6 | 3 | 2 | – | 1 | – | – | – | – |
| 30 years and over | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 11.8 | 13.7 | 12.4 | 19.2 | 7.9 | 7.8 | – | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 65 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 12 |
| Number of libels for divorce filed during the year 1930 | 42 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 27 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 23 |
| Number of cases finally determined in 1930 | 32 |

[1] One libel was received from the Superior Court; thirty-one from the Probate Court.

**Table 54g**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampden County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Hampden County.** | 413[1] | 181 | 165 | 25 | 25 | 10 | 1 | – | 6 |
| Husband | 124 | 76 | 22 | 17 | 6 | – | – | – | 3 |
| Wife | 289 | 105 | 143 | 8 | 19 | 10 | 1 | – | 3 |
| Granted | 294 | 152 | 100 | 16 | 18 | 3 | 1 | – | 4 |
| Husband | 88 | 61 | 11 | 9 | 5 | – | – | – | 2 |
| Wife | 206 | 91 | 89 | 7 | 13 | 3 | 1 | – | 2 |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 119 | 29 | 65 | 9 | 7 | 7 | – | – | 2 |
| Husband | 36 | 15 | 11 | 8 | 1 | – | – | – | 1 |
| Wife | 83 | 14 | 54 | 1 | 6 | 7 | – | – | 1 |
| Contested | 67 | 18 | 32 | 6 | 6 | 2 | – | – | 3 |
| Husband | 20 | 8 | 4 | 5 | 1 | – | – | – | 2 |
| Wife | 47 | 10 | 28 | 1 | 5 | 2 | – | – | 1 |
| Not contested | 346 | 163 | 133 | 19 | 19 | 8 | 1 | – | 3 |
| Husband | 104 | 68 | 18 | 12 | 5 | – | – | – | 1 |
| Wife | 242 | 95 | 115 | 7 | 14 | 8 | 1 | – | 2 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 7 | 1 | 4 | – | – | – | – | – | 2 |
| Husband | 4 | – | 3 | – | – | – | – | – | 1 |
| Wife | 3 | 1 | 1 | – | – | – | – | – | 1 |
| 6 to 11 months | 6 | – | 3 | 1 | 1 | – | – | – | 1 |
| Husband | 2 | – | – | 1 | – | – | – | – | 1 |
| Wife | 4 | – | 3 | – | 1 | – | – | – | – |
| 1 to 4 years | 79 | 22 | 41 | 7 | 5 | 2 | – | – | 2 |
| Husband | 21 | 10 | 3 | 7 | – | – | – | – | 1 |
| Wife | 58 | 12 | 38 | – | 5 | 2 | – | – | 1 |
| 5 to 9 years | 133 | 51 | 56 | 8 | 9 | 7 | 1 | – | 1 |
| Husband | 35 | 23 | 4 | 5 | 3 | – | – | – | – |
| Wife | 98 | 28 | 52 | 3 | 6 | 7 | 1 | – | 1 |
| 10 to 19 years | 145 | 82 | 47 | 7 | 8 | 1 | – | – | – |
| Husband | 47 | 31 | 10 | 4 | 2 | – | – | – | – |
| Wife | 98 | 51 | 37 | 3 | 6 | 1 | – | – | – |
| 20 to 29 years | 32 | 18 | 12 | 1 | 1 | – | – | – | – |
| Husband | 10 | 8 | 1 | – | 1 | – | – | – | – |
| Wife | 22 | 10 | 11 | 1 | – | – | – | – | – |
| 30 years and over | 10 | 6 | 2 | 1 | 1 | – | – | – | – |
| Husband | 4 | 3 | 1 | – | – | – | – | – | – |
| Wife | 6 | 3 | 1 | 1 | 1 | – | – | – | – |
| Unknown | 1 | 1 | – | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.4 | 12.1 | 9.3 | 9.3 | 10.0 | 7.2 | 7.7 | – | 1.5 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 970 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 358 |
| Number of libels for divorce filed during the year 1930 | 383 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 291 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 294 |
| Number of cases finally determined in 1930 | 413 |

[1] Two hundred and six libels were received from the Superior Court; two hundred and seven from the Probate Court.

**Table 54h**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampshire County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Hampshire County.** | **39** [1] | **15** | **15** | **3** | **5** | **1** | – | – | – |
| Husband | 12 | 8 | 2 | 2 | – | – | – | – | – |
| Wife | 27 | 7 | 13 | 1 | 5 | 1 | – | – | – |
| Granted | 29 | 11 | 11 | 2 | 5 | – | – | – | – |
| Husband | 6 | 5 | – | 1 | – | – | – | – | – |
| Wife | 23 | 6 | 11 | 1 | 5 | – | – | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 10 | 4 | 4 | 1 | – | 1 | – | – | – |
| Husband | 6 | 3 | 2 | 1 | – | – | – | – | – |
| Wife | 4 | 1 | 2 | – | – | 1 | – | – | – |
| Contested | 11 | 2 | 5 | 2 | 1 | 1 | – | – | – |
| Husband | 4 | 1 | 1 | 2 | – | – | – | – | – |
| Wife | 7 | 1 | 4 | – | 1 | 1 | – | – | – |
| Not contested | 28 | 13 | 10 | 1 | 4 | – | – | – | – |
| Husband | 8 | 7 | 1 | – | – | – | – | – | – |
| Wife | 20 | 6 | 9 | 1 | 4 | – | – | – | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 5 | – | 3 | 1 | 1 | – | – | – | – |
| Husband | 1 | – | – | 1 | – | – | – | – | – |
| Wife | 4 | – | 3 | – | 1 | – | – | – | – |
| 5 to 9 years | 17 | 9 | 4 | 1 | 3 | – | – | – | – |
| Husband | 4 | 4 | – | – | – | – | – | – | – |
| Wife | 13 | 5 | 4 | 1 | 3 | – | – | – | – |
| 10 to 19 years | 12 | 4 | 6 | 1 | – | 1 | – | – | – |
| Husband | 5 | 3 | 1 | 1 | – | – | – | – | – |
| Wife | 7 | 1 | 5 | – | – | 1 | – | – | – |
| 20 to 29 years | 5 | 2 | 2 | – | 1 | – | – | – | – |
| Husband | 2 | 1 | 1 | – | – | – | – | – | – |
| Wife | 3 | 1 | 1 | – | 1 | – | – | – | – |
| 30 years and over | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.7 | 11.2 | 10.8 | 6.9 | 11.0 | 11.8 | – | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 95 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 13 |
| Number of libels for divorce filed during the year 1930 | 42 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 33 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 29 |
| Number of cases finally determined in 1930 | 39 |

[1] Eight libels were received from the Superior Court; thirty-one from the Probate Court.

**Table 54i**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Middlesex County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Middlesex County.** | **968**[1] | **354** | **518** | **59** | **19** | **14** | **3** | **1** | – |
| Husband | 279 | 144 | 93 | 37 | 4 | – | 1 | – | – |
| Wife | 689 | 210 | 425 | 22 | 15 | 14 | 2 | 1 | – |
| Granted | 828 | 326 | 428 | 44 | 17 | 12 | – | 1 | – |
| Husband | 210 | 122 | 59 | 27 | 2 | – | – | – | – |
| Wife | 618 | 204 | 369 | 17 | 15 | 12 | – | 1 | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 140 | 28 | 90 | 15 | 2 | 2 | 3 | – | – |
| Husband | 69 | 22 | 34 | 10 | 2 | – | 1 | – | – |
| Wife | 71 | 6 | 56 | 5 | – | 2 | 2 | – | – |
| Contested | 372 | 82 | 253 | 19 | 11 | 5 | 2 | – | – |
| Husband | 105 | 42 | 49 | 9 | 4 | – | 1 | – | – |
| Wife | 267 | 40 | 204 | 10 | 7 | 5 | 1 | – | – |
| Not contested | 596 | 272 | 265 | 40 | 8 | 9 | 1 | 1 | – |
| Husband | 174 | 102 | 44 | 28 | – | – | – | – | – |
| Wife | 422 | 170 | 221 | 12 | 8 | 9 | 1 | 1 | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 6 | – | 5 | – | – | 1 | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 6 | – | 5 | – | – | 1 | – | – | – |
| 6 to 11 months | 11 | – | 9 | 1 | – | – | 1 | – | – |
| Husband | 4 | – | 4 | – | – | – | – | – | – |
| Wife | 7 | – | 5 | 1 | – | – | 1 | – | – |
| 1 to 4 years | 232 | 37 | 165 | 18 | 5 | 5 | 1 | 1 | – |
| Husband | 63 | 15 | 31 | 17 | – | – | – | – | – |
| Wife | 169 | 22 | 134 | 1 | 5 | 5 | 1 | 1 | – |
| 5 to 9 years | 284 | 118 | 144 | 15 | 3 | 4 | – | – | – |
| Husband | 81 | 47 | 25 | 9 | – | – | – | – | – |
| Wife | 203 | 71 | 119 | 6 | 3 | 4 | – | – | – |
| 10 to 19 years | 303 | 130 | 143 | 20 | 7 | 2 | 1 | – | – |
| Husband | 90 | 55 | 21 | 10 | 3 | – | 1 | – | – |
| Wife | 213 | 75 | 122 | 10 | 4 | 2 | – | – | – |
| 20 to 29 years | 115 | 62 | 46 | 3 | 2 | 2 | – | – | – |
| Husband | 35 | 25 | 9 | 1 | – | – | – | – | – |
| Wife | 80 | 37 | 37 | 2 | 2 | 2 | – | – | – |
| 30 years and over | 17 | 7 | 6 | 2 | 2 | – | – | – | – |
| Husband | 6 | 2 | 3 | – | 1 | – | – | – | – |
| Wife | 11 | 5 | 3 | 2 | 1 | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.8 | 13.0 | 9.3 | 10.0 | 13.6 | 8.7 | 5.0 | 3.0 | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 1,798 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 333 |
| Number of libels for divorce filed during the year 1930 | 1,053 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 816 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 822 |
| Number of cases finally determined in 1930 | 976 |

[1] Twenty-one libels were received from the Superior Court; nine hundred and fifty-five from the Probate Court. Eight libels transferred.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Nantucket County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Nantucket County.** | 3[1] | 1 | 1 | – | 1 | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 2 | – | 1 | – | 1 | – | – | – | – |
| Granted | 2 | 1 | – | – | 1 | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 1 | – | – | – | 1 | – | – | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 1 | – | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| Contested | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Not contested | 3 | 1 | 1 | – | 1 | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | 2 | – | 1 | – | 1 | – | – | – | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 1 | – | – | – | 1 | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | – | – | 1 | – | – | – | – |
| 5 to 9 years | 1 | – | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| 10 to 19 years | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 20 to 29 years | 1 | 1 | – | – | – | – | – | – | – |
| Husband | 1 | 1 | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 30 years and over | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.0 | 21.0 | 7.0 | – | 2.0 | – | – | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 4 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 2 |
| Number of libels for divorce filed during the year 1930 | 6 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 3 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 2 |
| Number of cases finally determined in 1930 | 3 |

[1] One libel was received from the Superior Court; two from the Probate Court.

**Table 54k**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Norfolk County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Norfolk County.** | **242**[1] | **83** | **131** | **17** | **2** | **6** | **3** | – | – |
| Husband | 78 | 40 | 23 | 13 | 1 | – | 1 | – | – |
| Wife | 164 | 43 | 108 | 4 | 1 | 6 | 2 | – | – |
| Granted | 216 | 77 | 113 | 16 | 2 | 5 | 3 | – | – |
| Husband | 63 | 35 | 14 | 12 | 1 | – | 1 | – | – |
| Wife | 153 | 42 | 99 | 4 | 1 | 5 | 2 | – | – |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 26 | 6 | 18 | 1 | – | 1 | – | – | – |
| Husband | 15 | 5 | 9 | 1 | – | – | – | – | – |
| Wife | 11 | 1 | 9 | – | – | 1 | – | – | – |
| Contested | 100 | 21 | 66 | 9 | 1 | 3 | – | – | – |
| Husband | 29 | 12 | 12 | 5 | – | – | – | – | – |
| Wife | 71 | 9 | 54 | 4 | 1 | 3 | – | – | – |
| Not contested | 142 | 62 | 65 | 8 | 1 | 3 | 3 | – | – |
| Husband | 49 | 28 | 11 | 8 | 1 | – | 1 | – | – |
| Wife | 93 | 34 | 54 | – | – | 3 | 2 | – | – |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 3 | – | 3 | – | – | – | – | – | – |
| Husband | 1 | – | 1 | – | – | – | – | – | – |
| Wife | 2 | – | 2 | – | – | – | – | – | – |
| 6 to 11 months | 4 | – | 3 | – | 1 | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 4 | – | 3 | – | 1 | – | – | – | – |
| 1 to 4 years | 65 | 14 | 39 | 8 | 1 | 2 | 1 | – | – |
| Husband | 27 | 12 | 6 | 8 | 1 | – | – | – | – |
| Wife | 38 | 2 | 33 | – | – | 2 | 1 | – | – |
| 5 to 9 years | 65 | 19 | 39 | 3 | – | 3 | 1 | – | – |
| Husband | 15 | 8 | 3 | 3 | – | – | 1 | – | – |
| Wife | 50 | 11 | 36 | – | – | 3 | – | – | – |
| 10 to 19 years | 68 | 33 | 31 | 3 | – | 1 | – | – | – |
| Husband | 25 | 13 | 10 | 2 | – | – | – | – | – |
| Wife | 43 | 20 | 21 | 1 | – | 1 | – | – | – |
| 20 to 29 years | 26 | 12 | 11 | 2 | – | – | 1 | – | – |
| Husband | 7 | 5 | 2 | – | – | – | – | – | – |
| Wife | 19 | 7 | 9 | 2 | – | – | 1 | – | – |
| 30 years and over | 11 | 5 | 5 | 1 | – | – | – | – | – |
| Husband | 3 | 2 | 1 | – | – | – | – | – | – |
| Wife | 8 | 3 | 4 | 1 | – | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 10.8 | 13.7 | 9.2 | 10.8 | 7.0 | 6.7 | 12.3 | – | – |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 523 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 87 |
| Number of libels for divorce filed during the year 1930 | 349 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 214 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 216 |
| Number of cases finally determined in 1930 | 242 |

[1] Four libels were received from the Superior Court; two hundred and thirty-eight from the Probate Court.

**Table 541**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Plymouth County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Plymouth County.** | **159** [1] | **62** | **76** | **9** | **4** | **4** | – | – | **4** |
| Husband | 51 | 33 | 8 | 6 | 1 | – | – | – | 3 |
| Wife | 108 | 29 | 68 | 3 | 3 | 4 | – | – | 1 |
| Granted | 134 | 56 | 62 | 8 | 2 | 4 | – | – | 2 |
| Husband | 37 | 27 | 3 | 6 | – | – | – | – | 1 |
| Wife | 97 | 29 | 59 | 2 | 2 | 4 | – | – | 1 |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 25 | 6 | 14 | 1 | 2 | – | – | – | 2 |
| Husband | 14 | 6 | 5 | – | 1 | – | – | – | 2 |
| Wife | 11 | – | 9 | 1 | 1 | – | – | – | – |
| Contested | 33 | 7 | 20 | 4 | 1 | – | – | – | 1 |
| Husband | 13 | 5 | 4 | 3 | – | – | – | – | 1 |
| Wife | 20 | 2 | 16 | 1 | 1 | – | – | – | – |
| Not contested | 126 | 55 | 56 | 5 | 3 | 4 | – | – | 3 |
| Husband | 38 | 28 | 4 | 3 | 1 | – | – | – | 2 |
| Wife | 88 | 27 | 52 | 2 | 2 | 4 | – | – | 1 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 1 | – | 1 | – | – | – | – | – | – |
| Husband | 1 | – | 1 | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 6 to 11 months | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| 1 to 4 years | 25 | 10 | 13 | – | 1 | 1 | – | – | – |
| Husband | 6 | 5 | 1 | – | – | – | – | – | – |
| Wife | 19 | 5 | 12 | – | 1 | 1 | – | – | – |
| 5 to 9 years | 44 | 16 | 22 | – | 2 | 2 | – | – | 2 |
| Husband | 9 | 7 | – | – | 1 | – | – | – | 1 |
| Wife | 35 | 9 | 22 | – | 1 | 2 | – | – | 1 |
| 10 to 19 years | 60 | 23 | 27 | 7 | – | 1 | – | – | 2 |
| Husband | 21 | 12 | 3 | 4 | – | – | – | – | 2 |
| Wife | 39 | 11 | 24 | 3 | – | 1 | – | – | – |
| 20 to 29 years | 24 | 12 | 9 | 2 | 1 | – | – | – | – |
| Husband | 12 | 8 | 2 | 2 | – | – | – | – | – |
| Wife | 12 | 4 | 7 | – | 1 | – | – | – | – |
| 30 years and over | 4 | 1 | 3 | – | – | – | – | – | – |
| Husband | 2 | 1 | 1 | – | – | – | – | – | – |
| Wife | 2 | – | 2 | – | – | – | – | – | – |
| Unknown | 1 | – | 1 | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | 1 | – | 1 | – | – | – | – | – | – |
| Average number of years | 12.5 | 12.9 | 12.2 | 15.8 | 11.7 | 7.7 | – | – | 10.5 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 285 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 54 |
| Number of libels for divorce filed during the year 1930 | 164 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 137 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 132 |
| Number of cases finally determined in 1930 | 159 |

[1] Eighty-eight libels were received from the Superior Court; seventy-one from the Probate Court.

**Table 54m**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Suffolk County — 1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Suffolk County.** | **1,280**[1] | **451** | **634** | **77** | **20** | **55** | **3** | **2** | **38** |
| Husband | 380 | 175 | 132 | 53 | 6 | – | – | – | 14 |
| Wife | 900 | 276 | 502 | 24 | 14 | 55 | 3 | 2 | 24 |
| Granted | 1,002 | 394 | 491 | 54 | 18 | 17 | 3 | 2 | 23 |
| Husband | 257 | 138 | 73 | 37 | 5 | – | – | – | 4 |
| Wife | 745 | 256 | 418 | 17 | 13 | 17 | 3 | 2 | 19 |
| Refused | 12 | 3 | 8 | 1 | – | – | – | – | – |
| Husband | 8 | 2 | 5 | 1 | – | – | – | – | – |
| Wife | 4 | 1 | 3 | – | – | – | – | – | – |
| Dismissed | 266 | 54 | 135 | 22 | 2 | 38 | – | – | 15 |
| Husband | 115 | 35 | 54 | 15 | 1 | – | – | – | 10 |
| Wife | 151 | 19 | 81 | 7 | 1 | 38 | – | – | 5 |
| Contested | 301 | 70 | 187 | 26 | 5 | 7 | – | – | 6 |
| Husband | 103 | 37 | 44 | 19 | 1 | – | – | – | 2 |
| Wife | 198 | 33 | 143 | 7 | 4 | 7 | – | – | 4 |
| Not contested | 979 | 381 | 447 | 51 | 15 | 48 | 3 | 2 | 32 |
| Husband | 277 | 138 | 88 | 34 | 5 | – | – | – | 12 |
| Wife | 702 | 243 | 359 | 17 | 10 | 48 | 3 | 2 | 20 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 27 | – | 20 | – | – | 1 | – | – | 6 |
| Husband | 9 | – | 7 | – | – | – | – | – | 2 |
| Wife | 18 | – | 13 | – | – | 1 | – | – | 4 |
| 6 to 11 months | 33 | – | 26 | 1 | 1 | 3 | – | – | 2 |
| Husband | 5 | – | 4 | – | 1 | – | – | – | – |
| Wife | 28 | – | 22 | 1 | – | 3 | – | – | 2 |
| 1 to 4 years | 351 | 49 | 238 | 19 | 4 | 23 | 2 | – | 16 |
| Husband | 89 | 20 | 45 | 15 | 2 | – | – | – | 7 |
| Wife | 262 | 29 | 193 | 4 | 2 | 23 | 2 | – | 9 |
| 5 to 9 years | 381 | 154 | 169 | 30 | 4 | 14 | 1 | 1 | 8 |
| Husband | 129 | 57 | 45 | 21 | 2 | – | – | – | 4 |
| Wife | 252 | 97 | 124 | 9 | 2 | 14 | 1 | 1 | 4 |
| 10 to 19 years | 331 | 150 | 135 | 24 | 5 | 11 | – | 1 | 5 |
| Husband | 102 | 65 | 20 | 16 | – | – | – | – | 1 |
| Wife | 229 | 85 | 115 | 8 | 5 | 11 | – | 1 | 4 |
| 20 to 29 years | 126 | 73 | 42 | 3 | 4 | 3 | – | – | 1 |
| Husband | 36 | 25 | 9 | 1 | 1 | – | – | – | – |
| Wife | 90 | 48 | 33 | 2 | 3 | 3 | – | – | 1 |
| 30 years and over | 31 | 25 | 4 | – | 2 | – | – | – | – |
| Husband | 10 | 8 | 2 | – | – | – | – | – | – |
| Wife | 21 | 17 | 2 | – | 2 | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 9.8 | 13.3 | 7.8 | 9.2 | 13.3 | 6.9 | 3.7 | 10.5 | 4.5 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 2,994 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 417 |
| Number of libels for divorce filed during the year 1930 | 1,386 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 975 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 979 |
| Number of cases finally determined in 1930 | 1,286 |

[1] One hundred and seventy-four libels were received from the Superior Court; one thousand, one hundred and twelve from the Probate Court. One libel transferred. Three petitions to vacate decree of divorce. One petition to modify decree of divorce. One petition to restore case to docket.

**Table 54n**

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Worcester County —1930.**

| LIBELS AND LIBELLANTS. | CAUSES. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Cruel and abusive treatment. | Adultery. | Intoxication. | Non-support. | Impotency. | Imprisonment. | Nullity of marriage. |
| **Worcester County.** | **430**[1] | **175** | **180** | **29** | **29** | **5** | **1** | **1** | **10** |
| Husband | 136 | 79 | 30 | 17 | 4 | – | – | – | 6 |
| Wife | 294 | 96 | 150 | 12 | 25 | 5 | 1 | 1 | 4 |
| Granted | 348 | 156 | 131 | 24 | 27 | 4 | 1 | 1 | 4 |
| Husband | 95 | 67 | 11 | 12 | 4 | – | – | – | 1 |
| Wife | 253 | 89 | 120 | 12 | 23 | 4 | 1 | 1 | 3 |
| Refused | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Dismissed | 82 | 19 | 49 | 5 | 2 | 1 | – | – | 6 |
| Husband | 41 | 12 | 19 | 5 | – | – | – | – | 5 |
| Wife | 41 | 7 | 30 | – | 2 | 1 | – | – | 1 |
| Contested | 185 | 43 | 106 | 15 | 12 | 3 | – | – | 6 |
| Husband | 63 | 25 | 20 | 10 | 3 | – | – | – | 5 |
| Wife | 122 | 18 | 86 | 5 | 9 | 3 | – | – | 1 |
| Not contested | 245 | 132 | 74 | 14 | 17 | 2 | 1 | 1 | 4 |
| Husband | 73 | 54 | 10 | 7 | 1 | – | – | – | 1 |
| Wife | 172 | 78 | 64 | 7 | 16 | 2 | 1 | 1 | 3 |
| DURATION OF MARRIAGE. | | | | | | | | | |
| Less than 6 months | 5 | – | 3 | – | – | – | – | – | 2 |
| Husband | 2 | – | 1 | – | – | – | – | – | 1 |
| Wife | 3 | – | 2 | – | – | – | – | – | 1 |
| 6 to 11 months | 9 | 1 | 4 | 2 | – | 1 | – | – | 1 |
| Husband | 3 | – | 1 | 1 | – | – | – | – | 1 |
| Wife | 6 | 1 | 3 | 1 | – | 1 | – | – | – |
| 1 to 4 years | 99 | 19 | 58 | 8 | 7 | – | 1 | 1 | 5 |
| Husband | 28 | 11 | 8 | 5 | 1 | – | – | – | 3 |
| Wife | 71 | 8 | 50 | 3 | 6 | – | 1 | 1 | 2 |
| 5 to 9 years | 131 | 57 | 59 | 4 | 8 | 1 | – | – | 2 |
| Husband | 44 | 28 | 11 | 2 | 2 | – | – | – | 1 |
| Wife | 87 | 29 | 48 | 2 | 6 | 1 | – | – | 1 |
| 10 to 19 years | 120 | 60 | 39 | 11 | 7 | 3 | – | – | – |
| Husband | 36 | 25 | 3 | 7 | 1 | – | – | – | – |
| Wife | 84 | 35 | 36 | 4 | 6 | 3 | – | – | – |
| 20 to 29 years | 49 | 28 | 13 | 3 | 5 | – | – | – | – |
| Husband | 15 | 9 | 4 | 2 | – | – | – | – | – |
| Wife | 34 | 19 | 9 | 1 | 5 | – | – | – | – |
| 30 years and over | 17 | 10 | 4 | 1 | 2 | – | – | – | – |
| Husband | 8 | 6 | 2 | – | – | – | – | – | – |
| Wife | 9 | 4 | 2 | 1 | 2 | – | – | – | – |
| Unknown | – | – | – | – | – | – | – | – | – |
| Husband | – | – | – | – | – | – | – | – | – |
| Wife | – | – | – | – | – | – | – | – | – |
| Average number of years | 11.2 | 13.6 | 9.1 | 10.9 | 13.1 | 11.2 | 1.0 | 3.0 | 2.3 |

| | |
|---|---|
| Number of libels for divorce pending January 1, 1930 (including all cases, whether decrees *nisi* had been entered or not) | 966 |
| Number of libels for divorce pending January 1, 1930, in which decrees *nisi* had been entered at that date | 156 |
| Number of libels for divorce filed during the year 1930 | 503 |
| Number of libels for divorce in which decrees *nisi* were entered during the year 1930 | 335 |
| Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1930 | 348 |
| Number of cases finally determined in 1930 | 449 |

[1] Four libels were received from the Superior Court; four hundred and forty-five from the Probate Court. One libel transferred. Sixteen libels discontinued. One decree revoked. One decree vacated.

**Table 55**

| Years. | Divorces Granted: 1906 to 1930. | | | | |
|---|---|---|---|---|---|
| | Total number. | Granted to husband. | | Granted to wife. | |
| | | Number. | Per cent. | Number. | Per cent. |
| 1906 to 1930 | 68,982 | 19,064 | 27.6 | 49,918 | 72.4 |
| 1906 | 1,752 | 486 | 27.7 | 1,266 | 72.3 |
| 1907 | 1,932 | 556 | 28.8 | 1,376 | 71.2 |
| 1908 | 1,766 | 497 | 28.1 | 1,269 | 71.9 |
| 1909 | 1,739 | 477 | 27.4 | 1,262 | 72.6 |
| 1910 | 1,929 | 517 | 26.8 | 1,412 | 73.2 |
| 1911 | 2,137 | 597 | 27.9 | 1,540 | 72.1 |
| 1912 | 1,927 | 557 | 28.9 | 1,370 | 71.1 |
| 1913 | 2,126 | 653 | 30.7 | 1,473 | 69.3 |
| 1914 | 2,200 | 591 | 26.9 | 1,609 | 73.1 |
| 1915 | 2,252 | 632 | 28.1 | 1,620 | 71.9 |
| 1916 | 2,301 | 650 | 28.2 | 1,651 | 71.8 |
| 1917 | 2,635 | 771 | 29.3 | 1,864 | 70.7 |
| 1918 | 2,351 | 704 | 29.9 | 1,647 | 70.1 |
| 1919 | 2,536 | 754 | 29.7 | 1,782 | 70.3 |
| 1920 | 3,647 | 1,061 | 29.1 | 2,586 | 70.9 |
| 1921 | 3,803 | 1,081 | 28.4 | 2,722 | 71.6 |
| 1922 | 3,277 | 869 | 26.5 | 2,408 | 73.5 |
| 1923 | 3,593 | 972 | 27.1 | 2,621 | 72.9 |
| 1924 | 3,845 | 1,074 | 27.9 | 2,771 | 72.1 |
| 1925 | 3,395 | 910 | 26.8 | 2,485 | 73.2 |
| 1926 | 3,363 | 908 | 27.0 | 2,455 | 73.0 |
| 1927 | 3,493 | 895 | 25.6 | 2,598 | 74.4 |
| 1928 | 3,663 | 939 | 25.6 | 2,724 | 74.4 |
| 1929 | 3,574 | 925 | 25.9 | 2,649 | 74.1 |
| 1930 | 3,746 | 988 | 26.4 | 2,758 | 73.6 |

**Table 56**

| Period of Years. | Divorces Granted: 1905 to 1929. | | | Per cent increase in total population over preceding census. |
|---|---|---|---|---|
| | Total number. | Increase over preceding period. | | |
| | | Number. | Per cent. | |
| 1905 to 1909 | 8,743 | 1,212 | 16.1 | 12.1 |
| 1910 to 1914 | 10,319 | 1,576 | 18.0 | 8.2 |
| 1915 to 1919 | 12,075 | 1,756 | 17.0 | 3.9 |
| 1920 to 1924 | 18,165 | 6,090 | 50.4 | 3.9 |
| 1925 to 1929 | 17,488 | 677[1] | 3.7[1] | .2[1] |

[1] Decrease.

**Table 57**

| Census Years. | Comparison of Increase in Divorce with Increase in Population: 1905 to 1930. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Divorces. | | | Population. | | | Population to one divorce. | Divorces per 100,000 population. |
| | Total number. | Increase over preceding census year. | | Total. | Increase over preceding census year. | | | |
| | | Number. | Per cent. | | Number. | Per cent. | | |
| 1905 | 1,554 | 296 | 23.5 | 3,003,680 | 198,334 | 7.1 | 1,933 | 51.7 |
| 1910 | 1,929 | 375 | 24.1 | 3,366,416 | 362,736 | 12.1 | 1,745 | 57.3 |
| 1915 | 2,252 | 323 | 16.7 | 3,693,310 | 326,894 | 9.7 | 1,640 | 61.0 |
| 1920 | 3,647 | 1,395 | 61.9 | 3,852,356 | 159,046 | 4.3 | 1,056 | 94.7 |
| 1925 | 3,395 | 252[1] | 6.9[1] | 4,144,205 | 291,849 | 7.6 | 1,221 | 81.9 |
| 1930 | 3,746 | 351 | 10.3 | 4,249,614 | 105,409 | 2.5 | 1,134 | 88.1 |

[1] Decrease.

**Table 58**

| Census Years. | Divorce Rates based on Total Population and on Married Population: Census Years, 1900 to 1925. | | | | | |
|---|---|---|---|---|---|---|
| | Population. | | Divorce: annual average.[1] | | Married population to one divorce. | Divorces per 100,000 married population. |
| | Total. | Married.[2] | Number. | Per 100,000 population. | | |
| 1900 | 2,805,346 | 1,053,898 | 1,292 | 47 | 816 | 123 |
| 1905 | 3,003,680 | 1,134,320 | 1,731 | 58 | 655 | 153 |
| 1910 | 3,366,416 | 1,300,271 | 1,900 | 56 | 684 | 146 |
| 1915 | 3,693,310 | 1,474,590 | 2,303 | 62 | 640 | 156 |
| 1920 | 3,852,356 | 1,534,584 | 3,123 | 81 | 491 | 204 |
| 1925 | 4,144,205 | – | 3,538 | 83 | – | – |

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 not available.

**Table 59**

| Counties. | Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1905 to 1925. | | | | |
|---|---|---|---|---|---|
| | Number. | | | | |
| | 1925. | 1920. | 1915. | 1910. | 1905. |
| **The State.** | **4,064** | **3,123** | **2,303** | **1,900** | **1,731** |
| Barnstable | 36 | 22 | 22 | 16 | 14 |
| Berkshire | 141 | 84 | 65 | 57 | 56 |
| Bristol | 321 | 262 | 184 | 140 | 139 |
| Dukes | 4 | 5 | 3 | 2 | 1 |
| Essex | 496 | 416 | 304 | 268 | 230 |
| Franklin | 42 | 39 | 28 | 27 | 26 |
| Hampden | 332 | 247 | 172 | 130 | 107 |
| Hampshire | 34 | 29 | 22 | 22 | 22 |
| Middlesex | 761 | 491 | 388 | 311 | 313 |
| Nantucket | 5 | 2 | 1 | 1 | – |
| Norfolk | 186 | 118 | 86 | 75 | 52 |
| Plymouth | 160 | 150 | 122 | 108 | 94 |
| Suffolk | 1,129 | 974 | 696 | 544 | 499 |
| Worcester | 417 | 284 | 209 | 200 | 176 |

[1] For the five-year period of which the census year is the median year.

**Table 60**

| Statutory Causes. | Divorces Granted for Specified Causes for 25 Years: 1906 to 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total. | | | Granted to Husband. | | | Granted to Wife. | | |
| | Number. | Per cent. | Per cent distribution. | Number. | Per cent. | Per cent distribution. | Number. | Per cent. | Per cent distribution. |
| **All Causes.** | **68,982** | **100.0** | **100.0** | **19,064** | **27.6** | **100.0** | **49,918** | **72.4** | **100.0** |
| Desertion | 32,422 | 100.0 | 47.0 | 12,491 | 38.5 | 65.5 | 19,931 | 61.5 | 39.9 |
| Adultery | 6,629 | 100.0 | 9.6 | 3,967 | 59.8 | 20.8 | 2,662 | 40.2 | 5.3 |
| Cruel and abusive treatment | 22,213 | 100.0 | 32.2 | 1,595 | 7.2 | 8.4 | 20,618 | 92.8 | 41.3 |
| Intoxication | 4,732 | 100.0 | 6.9 | 713 | 15.1 | 3.8 | 4,019 | 84.9 | 8.1 |
| Non-support | 2,028 | 100.0 | 3.0 | – | – | – | 2,028 | 100.0 | 4.1 |
| Nullity of marriage | 637 | 100.0 | .9 | 253 | 39.7 | 1.3 | 384 | 60.3 | .8 |
| Imprisonment | 152 | 100.0 | .2 | – | – | – | 152 | 100.0 | .3 |
| Impotency | 169 | 100.0 | .2 | 45 | 26.6 | .2 | 124 | 73.4 | .2 |

**Table 61**

| Years Divorces were Granted. | Statutory Causes of Divorce: 1906 to 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | All causes. | Desertion. | Adultery. | Cruel and abusive treatment. | Intoxication. | Non-support. | Nullity of marriage. | Imprisonment. | Impotency. |
| 1906 | 1,752 | 802 | 291 | 337 | 240 | 66 | 7 | 5 | 4 |
| 1907 | 1,932 | 859 | 303 | 395 | 297 | 54 | 15 | 4 | 5 |
| 1908 | 1,766 | 815 | 259 | 382 | 232 | 53 | 16 | 3 | 6 |
| 1909 | 1,739 | 782 | 246 | 426 | 212 | 49 | 8 | 8 | 8 |
| 1910 | 1,929 | 849 | 282 | 445 | 255 | 76 | 13 | 4 | 5 |
| 1911 | 2,137 | 964 | 323 | 478 | 282 | 74 | 8 | 3 | 5 |
| 1912 | 1,927 | 946 | 219 | 474 | 214 | 44 | 20 | 6 | 4 |
| 1913 | 2,126 | 1,002 | 259 | 501 | 260 | 79 | 17 | 4 | 4 |
| 1914 | 2,200 | 1,095 | 224 | 525 | 244 | 83 | 20 | 5 | 4 |
| 1915 | 2,252 | 1,124 | 235 | 571 | 214 | 72 | 21 | 4 | 11 |
| 1916 | 2,301 | 1,157 | 234 | 644 | 193 | 43 | 16 | 9 | 5 |
| 1917 | 2,635 | 1,345 | 268 | 687 | 236 | 68 | 21 | 5 | 5 |
| 1918 | 2,351 | 1,191 | 249 | 619 | 195 | 65 | 23 | 2 | 7 |
| 1919 | 2,536 | 1,328 | 228 | 748 | 158 | 45 | 21 | 3 | 5 |
| 1920 | 3,647 | 1,887 | 394 | 1,093 | 156 | 68 | 33 | 5 | 11 |
| 1921 | 3,803 | 1,970 | 356 | 1,242 | 117 | 71 | 32 | 4 | 11 |
| 1922 | 3,277 | 1,574 | 280 | 1,229 | 90 | 64 | 28 | 5 | 7 |
| 1923 | 3,593 | 1,622 | 271 | 1,442 | 123 | 87 | 30 | 9 | 9 |
| 1924 | 3,845 | 1,776 | 271 | 1,424 | 171 | 157 | 32 | 6 | 8 |
| 1925 | 3,395 | 1,558 | 240 | 1,272 | 146 | 111 | 48 | 11 | 9 |
| 1926 | 3,363 | 1,539 | 232 | 1,220 | 164 | 154 | 44 | 4 | 6 |
| 1927 | 3,493 | 1,580 | 254 | 1,363 | 123 | 119 | 40 | 9 | 5 |
| 1928 | 3,663 | 1,625 | 254 | 1,463 | 146 | 112 | 43 | 17 | 3 |
| 1929 | 3,574 | 1,482 | 222 | 1,555 | 138 | 114 | 40 | 11 | 12 |
| 1930 | 3,746 | 1,581 | 235 | 1,647 | 126 | 100 | 41 | 6 | 10 |

**Table 62**

| Years of Application. | Applications for Divorce: 1906 to 1930. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Granted. | | Refused. | | Dismissed. | | Contested. | | Not contested. | |
| | | Number. | Per cent. | Number. | Per cent. | Number. | Per cent. | Number. | Per cent. | Number. | Per cent. |
| **1906 to 1930.** | **84,624** | **68,982** | **81.5** | **653** | **.8** | **14,989** | **17.7** | **12,422** | **14.7** | **72,202** | **85.3** |
| 1906 | 2,610 | 1,752 | 67.1 | 19 | .7 | 839 | 32.1 | 153 | 6.0 | 2,457 | 94.1 |
| 1907 | 2,259 | 1,932 | 85.5 | 24 | 1.1 | 303 | 13.4 | 184 | 8.1 | 2,075 | 91.9 |
| 1908 | 2,135 | 1,766 | 82.7 | 12 | .6 | 357 | 16.7 | 162 | 7.6 | 1,973 | 92.4 |
| 1909 | 2,366 | 1,739 | 73.5 | 37 | 1.6 | 590 | 24.9 | 248 | 10.5 | 2,118 | 89.5 |
| 1910 | 2,473 | 1,929 | 78.0 | 13 | .5 | 531 | 21.5 | 238 | 9.6 | 2,235 | 90.4 |
| 1911 | 2,909 | 2,137 | 73.5 | – | – | 772 | 26.5 | 290 | 10.0 | 2,619 | 90.0 |
| 1912 | 2,532 | 1,927 | 76.1 | 12 | .5 | 593 | 23.4 | 259 | 10.2 | 2,273 | 90.0 |
| 1913 | 2,640 | 2,126 | 80.5 | 30 | 1.1 | 484 | 18.3 | 237 | 9.0 | 2,403 | 91.0 |
| 1914 | 2,964 | 2,200 | 74.2 | 25 | .8 | 739 | 24.9 | 267 | 9.0 | 2,697 | 91.0 |
| 1915 | 2,728 | 2,252 | 82.6 | – | – | 476 | 17.4 | 203 | 7.4 | 2,525 | 92.6 |
| 1916 | 2,789 | 2,301 | 82.5 | 23 | .8 | 465 | 16.7 | 193 | 6.9 | 2,596 | 93.1 |
| 1917 | 3,221 | 2,635 | 81.8 | 24 | .7 | 562 | 17.5 | 258 | 8.0 | 2,963 | 92.0 |
| 1918 | 3,077 | 2,351 | 76.4 | 31 | 1.0 | 695 | 22.6 | 366 | 11.9 | 2,711 | 88.1 |
| 1919 | 3,121 | 2,536 | 81.2 | 33 | 1.1 | 552 | 17.7 | 388 | 12.4 | 2,733 | 87.6 |
| 1920 | 4,376 | 3,647 | 83.3 | 33 | .8 | 696 | 15.9 | 392 | 9.0 | 3,984 | 91.0 |
| 1921 | 4,556 | 3,803 | 83.5 | 38 | .8 | 715 | 15.7 | 402 | 8.8 | 4,154 | 91.2 |
| 1922 | 3,733 | 3,277 | 87.8 | 28 | .7 | 428 | 11.5 | 328 | 8.8 | 3,405 | 91.2 |
| 1923 | 4,116 | 3,593 | 87.3 | 42 | 1.0 | 481 | 11.7 | 508 | 12.3 | 3,608 | 87.7 |
| 1924 | 4,294 | 3,845 | 89.5 | 32 | .7 | 417 | 9.7 | 895 | 20.8 | 3,399 | 79.1 |
| 1925 | 3,887 | 3,395 | 87.4 | 33 | .8 | 459 | 11.8 | 923 | 23.7 | 2,964 | 76.3 |
| 1926 | 4,044 | 3,363 | 83.2 | 23 | .6 | 658 | 16.2 | 919 | 22.7 | 3,125 | 77.3 |
| 1927 | 4,026 | 3,493 | 86.7 | 34 | .8 | 499 | 12.5 | 1,044 | 26.0 | 2,982 | 74.0 |
| 1928 | 4,180 | 3,663 | 87.6 | 55 | 1.3 | 462 | 11.1 | 1,048 | 25.1 | 3,132 | 74.9 |
| 1929 | 5,028 | 3,574 | 71.1 | 40 | .8 | 1,414 | 28.1 | 1,308 | 26.0 | 3,720 | 74.0 |
| 1930 | 4,560 | 3,746 | 82.1 | 12 | .3 | 802 | 17.6 | 1,209 | 26.5 | 3,351 | 73.5 |

**Table 63**

| Statutory Cause and Party to which Granted. | Divorces Granted classified by Statutory Cause and Party to which Granted: 1930. | | | | |
|---|---|---|---|---|---|
| | Total number. | Cases contested. | | Cases not contested. | |
| | | Number. | Per cent. | Number. | Per cent. |
| **All Causes.** | **3,746** | **868** | **23.2** | **2,878** | **76.8** |
| **Husband** | **988** | **206** | **20.9** | **782** | **79.1** |
| **Wife** | **2,758** | **662** | **24.0** | **2,096** | **76.0** |
| Desertion | 1,581 | 199 | 12.6 | 1,382 | 87.4 |
| Husband | 622 | 85 | 13.7 | 537 | 86.3 |
| Wife | 959 | 114 | 11.9 | 845 | 88.1 |
| Cruel and abusive treatment | 1,647 | 544 | 33.0 | 1,103 | 67.0 |
| Husband | 188 | 67 | 35.6 | 121 | 64.4 |
| Wife | 1,459 | 477 | 32.7 | 982 | 67.3 |
| Adultery | 235 | 69 | 29.4 | 166 | 70.6 |
| Husband | 150 | 46 | 30.7 | 104 | 69.3 |
| Wife | 85 | 23 | 27.1 | 62 | 72.9 |
| Intoxication | 125 | 34 | 27.2 | 91 | 72.8 |
| Husband | 17 | 7 | 41.2 | 10 | 58.8 |
| Wife | 108 | 27 | 25.0 | 81 | 75.0 |
| Non-support | 101 | 18 | 17.8 | 83 | 82.2 |
| Husband | – | – | –[1] | – | –[1] |
| Wife | 101 | 18 | 17.8 | 83 | 82.2 |
| Impotency | 10 | – | –[1] | 10 | –[1] |
| Husband | 1 | – | –[1] | 1 | –[1] |
| Wife | 9 | – | –[1] | 9 | –[1] |
| Imprisonment | 6 | – | –[1] | 6 | –[1] |
| Husband | – | – | –[1] | – | –[1] |
| Wife | 6 | – | –[1] | 6 | –[1] |
| Nullity of marriage | 41 | 4 | –[1] | 37 | –[1] |
| Husband | 10 | 1 | –[1] | 9 | –[1] |
| Wife | 31 | 3 | –[1] | 28 | –[1] |

[1] Per cent not shown where base is less than 100.

**Table 64**

| Party to which Granted. | Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1930. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Total. | | Granted. | | Refused. | | Dismissed. | |
| | Contested. | Not contested. | Contested. | Not contested. | Contested. | Not contested. | Contested. | Not contested. |
| **Total.** | **1,209** | **3,351** | **868** | **2,878** | **9** | **3** | **332** | **470** |
| Husband | 399 | 957 | 206 | 782 | 6 | 2 | 187 | 173 |
| Wife | 810 | 2,394 | 662 | 2,096 | 3 | 1 | 145 | 297 |

**Table 65**

| Years of Application. | Number of Years Libellants were Married at Time of Application for Divorce: 1906 to 1930. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total.[1] | Under 6 months. | 6 to 11 months. | 1 to 4 years. | 5 to 9 years. | 10 to 19 years. | 20 to 29 years. | 30 years and over. | Average. |
| 1906 . . . | 2,610 | 41 | 2 | 485 | 820 | 890 | 303 | 69 | 10.7 |
| 1907 . . . | 2,259 | 22 | 5 | 411 | 715 | 776 | 269 | 61 | 11.2 |
| 1908 . . . | 2,135 | 8 | 12 | 556 | 613 | 665 | 235 | 46 | 11.0 |
| 1909 . . . | 2,366 | 21 | 32 | 406 | 726 | 822 | 283 | 76 | 11.2 |
| 1910 . . . | 2,473 | 30 | – | 526 | 740 | 829 | 285 | 63 | 10.8 |
| 1911 . . . | 2,909 | 20 | 29 | 543 | 880 | 974 | 406 | 57 | 11.2 |
| 1912 . . . | 2,532 | 3 | 21 | 501 | 820 | 823 | 304 | 60 | 10.5 |
| 1913 . . . | 2,640 | 23 | 23 | 479 | 835 | 891 | 318 | 71 | 11.2 |
| 1914 . . . | 2,963 | 20 | 1 | 809 | 910 | 850 | 307 | 66 | 10.9 |
| 1915 . . . | 2,728 | 20 | 23 | 437 | 946 | 940 | 280 | 82 | 10.7 |
| 1916 . . . | 2,789 | 20 | 32 | 548 | 917 | 887 | 316 | 69 | 10.6 |
| 1917 . . . | 3,220 | 13 | 49 | 585 | 1,026 | 1,079 | 375 | 93 | 10.9 |
| 1918 . . . | 3,077 | 26 | 41 | 567 | 937 | 1,035 | 382 | 89 | 11.1 |
| 1919 . . . | 3,117 | 35 | 37 | 551 | 925 | 1,104 | 374 | 91 | 10.9 |
| 1920 . . . | 4,373 | 43 | 48 | 939 | 1,370 | 1,431 | 430 | 112 | 10.7 |
| 1921 . . . | 4,555 | 39 | 79 | 968 | 1,392 | 1,425 | 511 | 141 | 10.9 |
| 1922 . . . | 3,727 | 40 | 57 | 841 | 1,073 | 1,190 | 405 | 121 | 10.9 |
| 1923 . . . | 4,116 | 45 | 80 | 1,027 | 1,166 | 1,276 | 418 | 102 | 10.4 |
| 1924 . . . | 4,286 | 41 | 71 | 990 | 1,287 | 1,351 | 456 | 90 | 10.6 |
| 1925 . . . | 3,883 | 45 | 72 | 919 | 1,181 | 1,154 | 391 | 121 | 10.7 |
| 1926 . . . | 4,044 | 44 | 67 | 979 | 1,225 | 1,195 | 430 | 104 | 10.6 |
| 1927 . . . | 4,026 | 41 | 63 | 900 | 1,305 | 1,213 | 402 | 99 | 10.7 |
| 1928 . . . | 4,180 | 40 | 79 | 975 | 1,371 | 1,232 | 385 | 98 | 10.2 |
| 1929 . . . | 5,028 | 56 | 86 | 1,139 | 1,531 | 1,549 | 509 | 153 | 10.7 |
| 1930 . . . | 4,560 | 55 | 75 | 1,070 | 1,403 | 1,346 | 493 | 116 | 10.6 |

[1] Exclusive of those for which duration of marriage was unknown.

# PART II. D.

## POPULATION STATISTICS


| | PAGE |
|---|---|
| Introductory | 171 |
| Estimated population | 171 |
| Statistical table | 172 |


**Introductory.** — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1930 in this report are based on the Federal census taken as of April 1, 1930.

It is unfortunate for statistical purposes that the census of 1925 did not enumerate the population by sex and age groups. The lack of this information is particularly noticed in the mortality tables numbered 5 and 6.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

The unexpected result of the national census of 1920, in which the State of Massachusetts shows a gain in population of only 159,046 in the five-year period 1916 to 1920, has made the estimated population for the years 1916, 1917, and 1918 based on the censuses of the years 1910 and 1915 appear almost absurd. In fact, the 1918 statistics on births, marriages, divorces, and deaths were based on a higher estimated population (3,907,576) than the estimated population for 1919 (3,835,614) obtained from the censuses of 1915 and 1920.

**Estimated Population.** — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,144,205 at the State census of 1925 (March 31), and of 3,852,356 at the Federal census of 1920 (January 1). The increase during the intercensal period (63 months) was 291,849, and the monthly increase, according to the arithmetical method of estimating population, was —

$$\frac{4{,}144{,}205-3{,}852{,}356}{63}=4{,}633$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1929, is estimated by adding to the population as it existed at the preceding census (March 31, 1925), 4,633 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1929). There being 51 months between these dates, the calculation would be

$$4{,}144{,}205+(51\times4633)=4{,}380{,}488.$$

The census population for each municipality in the Commonwealth for the years 1910, 1915, and 1920, is shown in the Annual Report on Births, Marriages, and Deaths, 1920, pages 216–221, inclusive; and for 1925, in the Annual Report for 1925, pages 165–167, inclusive.

**Table 66**

| Municipalities. | Census Population of Municipalities having over 15,000 Inhabitants in 1930: 1905 to 1930. | | | | | |
|---|---|---|---|---|---|---|
| | April 1, 1930. | March 31, 1925. | January 1, 1920. | April 1, 1915. | April 15, 1910. | May 1, 1905. |
| **The State.** | **4,249,614** | **4,144,205** | **3,852,356** | **3,693,310** | **3,366,416** | **3,003,680** |
| Cities over 100,000. | | | | | | |
| Boston[1] | 781,188 | 779,620 | 748,060 | 745,439 | 670,585 | 595,380 |
| Worcester | 195,311 | 190,757 | 179,754 | 162,697 | 145,986 | 128,135 |
| Springfield | 149,900 | 142,065 | 129,614 | 102,971 | 88,926 | 73,540 |
| Fall River | 115,274 | 128,993 | 120,485 | 124,791 | 119,295 | 105,762 |
| Cambridge | 113,643 | 119,669 | 109,694 | 108,822 | 104,839 | 97,434 |
| New Bedford | 112,597 | 119,539 | 121,217 | 109,568 | 96,652 | 74,362 |
| Somerville | 103,908 | 99,032 | 93,091 | 86,854 | 77,236 | 69,272 |
| Lynn | 102,320 | 103,081 | 99,148 | 95,803 | 89,336 | 77,042 |
| Lowell | 100,234 | 110,296 | 112,759 | 107,978 | 106,294 | 94,889 |
| 50,000 to 100,000. | | | | | | |
| Lawrence | 85,068 | 93,527 | 94,270 | 90,259 | 85,892 | 70,050 |
| Quincy | 71,983 | 60,055 | 47,876 | 40,674 | 32,642 | 28,076 |
| Newton | 65,276 | 53,003 | 46,054 | 43,113 | 39,806 | 36,827 |
| Brockton | 63,797 | 65,343 | 66,254 | 62,288 | 56,878 | 47,794 |
| Medford | 59,714 | 47,627 | 39,038 | 30,509 | 23,150 | 19,686 |
| Malden | 58,036 | 51,789 | 49,103 | 48,907 | 44,404 | 38,037 |
| Holyoke | 56,537 | 60,335 | 60,203 | 60,816 | 57,730 | 49,934 |
| 25,000 to 50,000. | | | | | | |
| Pittsfield | 49,677 | 46,877 | 41,763 | 39,607 | 32,121 | 25,001 |
| Haverhill | 48,710 | 49,232 | 53,884 | 49,450 | 44,115 | 37,830 |
| Everett | 48,424 | 42,072 | 40,120 | 37,718 | 33,484 | 29,111 |
| Brookline (town) | 47,490 | 42,681 | 37,748 | 33,490 | 27,792 | 23,436 |
| Chelsea[2] | 45,816 | 47,247 | 43,184 | 43,426 | 32,452 | 37,289 |
| Chicopee | 43,930 | 41,882 | 36,214 | 30,138 | 25,401 | 20,191 |
| Salem[3] | 43,353 | 42,821 | 42,529 | 37,200 | 43,697 | 37,627 |
| Fitchburg | 40,692 | 43,609 | 41,029 | 39,656 | 37,826 | 33,021 |
| Waltham | 39,247 | 34,746 | 30,915 | 30,154 | 27,834 | 26,282 |
| Taunton | 37,355 | 39,255 | 37,137 | 36,161 | 34,259 | 30,967 |
| Arlington (town) | 36,094 | 24,943 | 18,665 | 14,889 | 11,187 | 9,668 |
| Revere | 35,680 | 33,261 | 28,823 | 25,178 | 18,219 | 12,659 |
| Watertown (town) | 34,913 | 25,480 | 21,457 | 16,515 | 12,875 | 11,258 |
| Beverly | 25,086 | 22,685 | 22,561 | 22,959 | 18,650 | 15,223 |
| 15,000 to 25,000. | | | | | | |
| Northampton | 24,381 | 24,145 | 21,951 | 21,654 | 19,431 | 19,957 |
| Gloucester | 24,204 | 23,375 | 22,947 | 24,478 | 24,398 | 26,011 |
| Melrose | 23,170 | 20,165 | 18,204 | 16,880 | 15,715 | 14,295 |
| Framingham (town) | 22,210 | 21,078 | 17,033 | 15,860 | 12,948 | 11,548 |
| Leominster | 21,810 | 22,120 | 19,744 | 17,646 | 17,580 | 14,297 |
| Attleboro | 21,769 | 20,623 | 19,731 | 18,480 | 16,215 | 12,702 |
| Belmont (town) | 21,748 | 15,256 | 10,749 | 8,081 | 5,542 | 4,360 |
| North Adams | 21,621 | 22,717 | 22,282 | 22,035 | 22,019 | 22,150 |
| Peabody | 21,345 | 19,870 | 19,552 | 18,625 | 15,721 | 13,098 |
| Methuen (town) | 21,069 | 20,606 | 15,189 | 14,007 | 11,448 | 8,676 |
| Weymouth (town) | 20,882 | 17,253 | 15,057 | 13,969 | 12,895 | 11,585 |
| Westfield | 19,775 | 19,342 | 18,604 | 18,411 | 16,044 | 13,611 |
| Woburn | 19,434 | 18,370 | 16,574 | 16,410 | 15,308 | 14,402 |
| Gardner | 19,399 | 18,730 | 16,971 | 16,376 | 14,699 | 12,012 |
| Winthrop (town) | 16,852 | 16,158 | 15,455 | 12,758 | 10,132 | 7,034 |
| W. Springfield (town) | 16,684 | 15,326 | 13,443 | 11,339 | 9,224 | 8,101 |
| Milton (town) | 16,434 | 12,861 | 9,382 | 8,600 | 7,924 | 7,054 |
| Wakefield (town) | 16,318 | 15,611 | 13,025 | 12,781 | 11,404 | 10,268 |
| Braintree (town) | 15,712 | 13,193 | 10,580 | 9,343 | 8,066 | 6,879 |
| Marlborough | 15,587 | 16,236 | 15,028 | 15,250 | 14,579 | 14,073 |
| Greenfield (town) | 15,500 | 15,246 | 15,462 | 12,618 | 10,427 | 9,156 |
| Dedham (town) | 15,136 | 13,918 | 10,792 | 11,043 | 9,284 | 7,774 |
| Newburyport | 15,084 | 15,656 | 15,618 | 15,311 | 14,949 | 14,675 |
| Norwood (town) | 15,049 | 14,151 | 12,627 | 10,977 | 8,014 | 6,731 |

[1] Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910, 14,510 in 1905, and 13,244 in 1900. No other counties have had their boundaries changed since 1874.

[2] Abnormal decrease between 1905 and 1910 due to conflagration of April 12, 1908.

[3] Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

# APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

## INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this the title "Other epidemic diseases" of the detailed list (title No. 25) includes only such epidemic maladies as are not classified separately in titles 1 to 24 of that list; but "Other epidemic diseases" of the abridged list includes titles 3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25 and 42 of the detailed list. These identical expressions, it will be noted, have two different and distinct meanings.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List: —

### 1. Detailed International List.

I. Epidemic, Endemic and Infectious Diseases.

1. Typhoid and paratyphoid fever.*
   - (a) Typhoid fever.
   - (b) Paratyphoid fever.
2. Typhus fever.*
3. Relapsing fever (*spirillum obermeieri*).[2]
4. Malta fever.
5. Malaria.[3]
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    - (a) With pulmonary complications specified.
    - (b) Without pulmonary complications specified.
12. Miliary fever.

I. Epidemic, Endemic and Infectious Diseases — *Con.*

13. Mumps.
14. Asiatic cholera.*
15. Cholera nostras.
16. Dysentery.[4]
    - (a) Amebic.
    - (b) Bacillary.
    - (c) Unspecified or due to other causes.
17. Plague.*
    - (a) Bubonic.
    - (b) Pneumonic.
    - (c) Septicemic.
    - (d) Unspecified.
18. Yellow fever.*
19. Spirochetal hemorrhagic jaundice.
20. Leprosy.*
21. Erysipelas.*

[1] This second decennial revision of the International Classification of Causes of Death was made at Paris July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and is used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochætal*) *obermeieri*, before death.

[3] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *plasmodium malariæ*, was found in the blood before death or at autopsy.

[4] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

## Detailed International List — *Continued.*

### I. Epidemic, Endemic and Infectious Diseases — *Con.*

22. Acute poliomyelitis.*
23. Lethargic encephalitis.
24. Meningococcus meningitis.
25. Other epidemic and endemic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.
26. Glanders.[1]
27. Anthrax.[2]
28. Rabies.[3]
29. Tetanus.[4]
30. Mycoses.[5]
31. Tuberculosis of the respiratory system.*
32. Tuberculosis of the meninges and central nervous system.[6]
33. Tuberculosis of the intestines and peritoneum.[7]
34. Tuberculosis of the vertebral column.*
35. Tuberculosis of the joints.*
36. Tuberculosis of other organs.[8]
    (*a*) Tuberculosis of the skin and subcutaneous cellular tissue.
    (*b*) Tuberculosis of the bones (vertebral column excepted).
    (*c*) Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted).
    (*d*) Tuberculosis of the genito-urinary system.
    (*e*) Tuberculosis of organs other than the above.
37. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
38. Syphilis.[9]
39. Soft chancre.
40. Gonococcus infection.[10]
41. Purulent infection, septicemia.
42. Other infectious diseases.

### II. General Diseases not included above.

43. Cancer and other malignant tumors of the buccal cavity.*
44. Cancer and other malignant tumors of the stomach and liver.[11]
45. Cancer and other malignant tumors of the peritoneum, intestines and rectum.[11]
46. Cancer and other malignant tumors of the female genital organs.[11]
47. Cancer and other malignant tumors of the breast.*
48. Cancer and other malignant tumors of the skin.*

### II. General Diseases not included above — *Con.*

49. Cancer and other malignant tumors of other or unspecified organs.[11]
50. Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).[12]
51. Acute rheumatic fever.*
52. Chronic rheumatism, osteoarthritis, gout.
53. Scurvy.*
54. Pellagra.*
55. Beriberi.*
56. Rickets.*
57. Diabetes mellitus.*
58. Anemia, chlorosis.[13]
    (*a*) Pernicious anemia.
    (*b*) Other anemias and chlorosis.
59. Diseases of the pituitary gland.
60. Diseases of the thyroid gland.
    (*a*) Exophthalmic goiter.
    (*b*) Other diseases of the thyroid gland.
61. Diseases of the parathyroid glands.
62. Diseases of the thymus gland.
63. Diseases of the adrenals (Addison's disease).*
64. Diseases of the spleen.
65. Leukemia and Hodgkin's disease.[13]
    (*a*) Leukemia.
    (*b*) Hodgkin's disease.
66. Alcoholism (acute or chronic).*
67. Chronic poisoning by mineral substances.
    (*a*) Chronic lead poisoning.[14]
    (*b*) Others under this title.[15]
68. Chronic poisoning by organic substances.[16]
69. Other general diseases.

### III. Diseases of the Nervous System and of the Organs of Special Sense.

70. Encephalitis.
71. Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.).
    (*a*) Simple meningitis.
    (*b*) Non-epidemic cerebrospinal meningitis.
72. Tabes dorsalis (locomotor ataxia).*
73. Other diseases of the spinal cord.
74. Cerebral hemorrhage, apoplexy.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral thrombosis and embolism.
75. Paralysis without specified cause.
    (*a*) Hemiplegia.
    (*b*) Others under this title.
76. General paralysis of the insane.*

---

[1] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei.*

[2] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis.*

[3] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[4] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[5] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[6] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[7] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[8] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[9] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[10] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[11] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

[12] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[13] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[14] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[15] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[16] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

## Detailed International List — *Continued.*

### III. Diseases of the Nervous System and of the Organs of Special Sense — *Con.*

77. Other forms of mental alienation.
78. Epilepsy.[1]
79. Convulsions (non-puerperal) five years and over.
80. Infantile convulsions (under five years of age).
81. Chorea.*
82. Neuralgia and neuritis.
83. Softening of the brain.
84. Other diseases of the nervous system.
85. Diseases of the eye and annexa.*
86. Diseases of the ear and of the mastoid process.*
    (*a*) Diseases of the ear.*
    (*b*) Diseases of the mastoid process.*

### IV. Diseases of the Circulatory System.

87. Pericarditis.[2]
88. Endocarditis and myocarditis (acute).*
89. Angina pectoris.*
90. Other diseases of the heart.*
91. Diseases of the arteries.
    (*a*) Aneurysm.
    (*b*) Arteriosclerosis.
    (*c*) Other diseases of the arteries.
92. Embolism and thrombosis (not cerebral).*
93. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[3]
94. Diseases of the lymphatic system (lymphangitis, etc.).*
95. Hemorrhage without specified cause.*
96. Other diseases of the circulatory system.*

### V. Diseases of the Respiratory System.

97. Diseases of the nasal fossæ and their annexa.*
    (*a*) Diseases of the nasal fossæ.
    (*b*) Others under this title.
98. Diseases of the larynx.*
99. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Not otherwise defined (under five years of age).
    (*d*) Not otherwise defined (five years and over).
100. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.*
    (*b*) Capillary bronchitis.*
101. Pneumonia.
    (*a*) Lobar.
    (*b*) Not otherwise defined.
102. Pleurisy.*
103. Congestion and hemorrhagic infarct of the lung.[4]
104. Gangrene of the lung.*
105. Asthma.
106. Pulmonary emphysema.*
107. Other diseases of the respiratory system (tuberculosis excepted).
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.
    (*b*) Diseases of the mediastinum.
    (*c*) Others under this title.*

### VI. Diseases of the Digestive System.

108. Diseases of the mouth and annexa.*
109. Diseases of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Adenoid vegetations.*
    (*b*) Others under this title.*
110. Diseases of the esophagus.*
111. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
112. Other diseases of the stomach (cancer excepted).
113. Diarrhea and enteritis (under two years of age).*
114. Diarrhea and enteritis (two years and over).
115. Ankylostomiasis.[5]
116. Diseases due to other intestinal parasites.[6]
    (*a*) Cestodes (hydatids of the liver excepted).
    (*b*) Trematodes.
    (*c*) Nematodes (other than ankylostoma).
    (*d*) Coccidia.
    (*e*) Other parasites specified.
    (*f*) Parasites not specified.
117. Appendicitis and typhlitis.
118. Hernia, intestinal obstruction.
    (*a*) Hernia.[7]
    (*b*) Intestinal obstruction.[8]
119. Other diseases of the intestines.
120. Acute yellow atrophy of the liver.*
121. Hydatid tumor of the liver.
122. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
123. Biliary calculi.*
124. Other diseases of the liver.
125. Diseases of the pancreas.
126. Peritonitis without specified cause.
127. Other diseases of the digestive system (cancer and tuberculosis excepted).

### VII. Non-Venereal Diseases of the Genito-urinary System and Annexa.

128. Acute nephritis (including unspecified under ten years of age).
129. Chronic nephritis (including unspecified ten years and over).*
130. Chyluria.*
131. Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted).
132. Calculi of the urinary passages.*
133. Diseases of the bladder.*
134. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
135. Diseases of the prostate.*
136. Non-venereal diseases of the male genital organs.*
137. Cysts and other benign tumors of the ovary.
138. Salpingitis and pelvic abscess.
139. Benign tumors of the uterus.*
140. Non-puerperal uterine hemorrhage.
141. Other diseases of the female genital organs.*
142. Non-puerperal diseases of the breast (cancer excepted).*

---

[1] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[2] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[3] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

[4] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[5] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[6] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[7] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[8] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

## Detailed International List — *Concluded.*

### VIII. The Puerperal State.

143. Accidents of pregnancy.*
    (*a*) Abortion.
    (*b*) Ectopic gestation.
    (*c*) Others under this title.
144. Puerperal hemorrhage.*
145. Other accidents of labor.*
    (*a*) Cesarean section.
    (*b*) Other surgical operations and instrumental delivery.
    (*c*) Others under this title.
146. Puerperal septicemia.*
147. Puerperal phlegmasia alba dolens, embolus, sudden death.*
148. Puerperal albuminuria and convulsions.*
149. Following childbirth (not otherwise defined).*
150. Puerperal diseases of the breast.*

### IX. Diseases of the Skin and of the Cellular Tissue.

151. Gangrene.[1]
152. Furuncle.[1]
153. Acute abscess.[1]
154. Other diseases of the skin and annexa.*

### X. Diseases of the Bones and of the Organs of Locomotion.

155. Diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints (tuberculosis and rheumatism excepted).*
157. Amputations.
158. Other diseases of the organs of locomotion.

### XI. Malformations.

159. Congenital malformations (stillbirths not included).*
    (*a*) Hydrocephalus.*
    (*b*) Congenital malformations of the heart.*
    (*c*) Others under this title.*

### XII. Early Infancy.

160. Congenital debility, icterus, and sclerema.
161. Premature birth; injury at birth.
    (*a*) Premature birth.*
    (*b*) Injury at birth.*
162. Other diseases peculiar to early infancy.
163. Lack of care.*

### XIII. Old Age.

164. Senility.

### XIV. External Causes.

165. Suicide by solid or liquid poisons (corrosive substances excepted).[2]
166. Suicide by corrosive substances.*
167. Suicide by poisonous gas.[3]
168. Suicide by hanging or strangulation.*

### XIV. External Causes — *Con.*

169. Suicide by drowning.*
170. Suicide by firearms.*
171. Suicide by cutting or piercing instruments.*
172. Suicide by jumping from high places.*
173. Suicide by crushing.*
174. Other suicides.*
175. Poisoning by food.[4]
176. Poisoning by venomous animals.*
177. Other acute accidental poisonings (gas excepted).
178. Conflagration.*
179. Accidental burns (conflagration excepted).*
180. Accidental mechanical suffocation.*
181. Accidental absorption of irrespirable or poisonous gas.*
182. Accidental drowning.*
183. Accidental traumatism by firearms (wounds of war excepted).[5]
184. Accidental traumatism by cutting or piercing instruments.[5]
185. Accidental traumatism by fall.*
186. Accidental traumatism in mines and quarries.*
    (*a*) Mines.*
    (*b*) Quarries.*
187. Accidental traumatism by machines.*
188. Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).
    (*a*) Railroad accidents.*
    (*b*) Street car accidents.*
    (*c*) Automobile accidents.*
    (*d*) Aeroplane and balloon accidents.*
    (*e*) Motorcycle accidents.*
    (*f*) Injuries by other vehicles.*
    (*g*) Landslide, other crushing.
189. Injuries by animals (not poisoning).*
190. Wounds of war.
191. Execution of civilians by belligerent armies.
192. Starvation (deprivation of food or water).*
193. Excessive cold.*
194. Excessive heat.*
195. Lightning.*
196. Other accidental electric shocks.*
197. Homicide by firearms.*
198. Homicide by cutting or piercing instruments.*
199. Homicide by other means.*
200. Infanticide (murder of infants less than one year of age).*
201. Fracture (cause not specified).
202. Other external violence (cause specified).
203. Other external violence (cause not specified).

### XV. Ill-defined Diseases.

204. Sudden death.
205. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.

---

[1] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

[2] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.

[3] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.

[4] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

[5] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

## 2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged
Int. List
Number.

Cause of Death.

1. Typhoid fever (1).*
2. Typhus fever (2).*
3. Malaria (5).
4. Smallpox (6).*
5. Measles (7).*
6. Scarlet fever (8).*
7. Whooping cough (9).*
8. Diphtheria and croup (10).*
9. Influenza (11).
10. Asiatic cholera (14).*
11. Cholera nostras (15).
12. Other epidemic diseases (3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 42).
13. Tuberculosis of the lungs (31).
14. Tuberculous meningitis (32).
15. Other forms of tuberculosis (33, 34, 35, 36, 37).
16. Cancer and other malignant tumors (43, 44, 45, 46, 47, 48, 49).
17. Simple meningitis (71*a*).
18. Cerebral hemorrhage and softening (74, 83).
19. Other diseases of the heart (90).*
20. Acute bronchitis (99*a*).
21. Chronic bronchitis (99*b*).*
22. Pneumonia (101).
23. Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 99*c*, 99*d*, 100, 102, 103, 104, 105, 106, 107).
24. Diseases of the stomach (cancer excepted) (111*a*, 112).
25. Diarrhea and enteritis (under 2 years) (113).*
26. Appendicitis and typhlitis (117).
27. Hernia, intestinal obstruction (118).
28. Cirrhosis of the liver (122).*
29. Acute nephritis and Bright's disease (128, 129).
30. Noncancerous tumors and other diseases of the female genital organs (137, 138, 139, 140, 141, 142).
31. Puerperal septicemia (puerperal fever, peritonitis) (146).*
32. Other puerperal accidents of pregnancy and labor (143, 144, 145, 147, 148, 149, 150).*
33. Congenital debility and malformations (159, 160, 161).
34. Senility (164).
35. Violent deaths (suicide excepted) (175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203).
36. Suicide (165, 166, 167, 168, 169, 170, 171, 172, 173, 174).*
37. Other diseases (26, 27, 28, 29, 30, 38, 39, 40, 41, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71*b*, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 91, 92, 93, 94, 95, 96, 108, 109, 110, 111*b*, 114, 115, 116, 119, 120, 121, 123, 124, 125, 126, 127, 130, 131, 132, 133, 134, 135, 136, 151, 152, 153, 154, 155, 156, 157, 158, 162, 163).
38. Unknown or ill-defined diseases (204, 205).

BOSTON PUBLIC LIBRARY
3 9999 06351 650 2

Stack Full-24
Feb 18 1932

THE PUBLIC LIBRARY

OF THE

CITY OF BOSTON